

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 11 - Jones, Ed (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.5805	25.1397	12.3990	12.7407	20.2700	12.5478	7.7222	2.4881	16.7093	7.0051	5.0915	4.6127	11.0994	4.8833	6.2161
	S	78.331	54.785	64.613	45.220	78.340	49.393	125.376	154.006	85.323	99.960	75.393	74.054	95.951	104.438	89.284
2	T	3.9195	10.7255	6.5628	4.1627	15.2425	8.1064	7.1361	2.4400	16.0876	6.6384	4.9878	4.4614	10.8313	4.6917	6.1396
	S	131.510	128.411	122.072	138.404	104.179	76.455	135.674	157.042	88.620	105.481	76.961	76.566	98.326	108.703	90.397
3	T	3.8887	10.4182	6.3382	4.0800	14.9893	7.9207	7.0686	2.4326	15.7056	6.5445	4.8409	4.3202	10.7388	4.6501	6.0887
	S	132.552	132.199	126.398	141.210	105.939	78.247	136.969	157.519	90.775	106.995	79.296	79.068	99.173	109.675	91.152
4	T	3.8609	10.2713	6.2295	4.0418	14.8080	7.7571	7.0509	2.4233	15.6661	6.4900	4.8045	4.3716	10.7969	4.6921	6.1048
	S	133.506	134.089	128.604	142.545	107.236	79.897	137.313	158.124	91.004	107.893	79.897	78.139	98.639	108.693	90.912
5	T	3.8688	10.3214	6.2895	4.0319	14.6367	7.7624	6.8743	2.3476	15.3432	6.3047	4.7499	4.2886	10.6862	4.6885	5.9977
	S	133.234	133.439	127.377	142.895	108.491	79.843	140.841	163.223	92.919	111.064	80.815	79.651	99.661	108.777	92.535
6	T	3.8440	10.2440	6.1769	4.0671	14.9982	7.9285	7.0697	2.4206	18.0691	7.3956	5.4072	5.2663	14.9412	7.0615	7.8797
	S	134.093	134.447	129.699	141.658	105.876	78.170	136.948	158.300	78.902	94.682	70.991	64.864	71.279	72.223	70.434
7	T	4.8210	14.1710	8.5821	5.5889	19.6258	9.4226	10.2032	3.9674	20.1204	9.1972	5.6487	5.2745	14.4730	6.5505	7.9225
	S	106.919	97.190	93.350	103.086	80.912	65.775	94.890	96.583	70.858	76.135	67.956	64.763	73.585	77.857	70.054
8	T	3.8406	10.3283	6.3050	4.0233	14.5109	7.6200	6.8909	2.3489	15.4404	6.3081	4.8142	4.3181	10.5809	4.5791	6.0018
	S	134.212	133.349	127.064	143.200	109.432	81.335	140.502	163.132	92.335	111.004	79.736	79.107	100.653	111.376	92.472
9	T	3.8353	10.0851	6.0758	4.0093	14.6203	7.6392	6.9811	2.4118	15.3033	6.3279	4.7329	4.2425	10.4058	4.5377	5.8681
	S	134.397	136.565	131.857	143.700	108.613	81.131	138.686	158.878	93.162	110.657	81.105	80.516	102.347	112.392	94.579
10	T	3.8195	10.1266	6.1188	4.0078	14.6167	7.6306	6.9861	2.4106	15.2796	6.3292	4.7451	4.2053	10.4817	4.5624	5.9193
	S	134.953	136.005	130.930	143.754	108.640	81.222	138.587	158.957	93.306	110.634	80.897	81.229	101.606	111.783	93.761
11	T	3.8191	10.0821	6.0829	3.9992	14.5262	7.5384	6.9878	2.4108	15.2018	6.3617	4.6756	4.1645	10.4775	4.5390	5.9385
	S	134.968	136.606	131.703	144.063	109.317	82.215	138.553	158.944	93.784	110.069	82.099	82.024	101.646	112.360	93.458
12	T	3.8259	10.1224	6.1272	3.9952	14.5228	7.6693	6.8535	2.3338	15.3714	6.3842	4.7401	4.2471	10.4510	4.5471	5.9039
	S	134.728	136.062	130.751	144.207	109.342	80.812	141.268	164.188	92.749	109.681	80.982	80.429	101.904	112.159	94.006
13	T	3.8320	10.1815	6.1900	3.9915	14.5688	7.5558	7.0130	2.4117	15.2482	6.3093	4.7560	4.1829	10.4520	4.5380	5.9140
	S	134.513	135.272	129.424	144.341	108.997	82.026	138.055	158.885	93.498	110.983	80.711	81.664	101.894	112.384	93.845
14	T	3.8136	10.0949	6.1286	3.9663	14.5831	7.5751	7.0080	2.4108	15.2239	6.3153	4.7318	4.1768	10.4652	4.5017	5.9635
	S	135.162	136.433	130.721	145.258	108.890	81.817	138.154	158.944	93.648	110.878	81.124	81.783	101.766	113.291	93.066
15	T	3.8159	10.0520	6.0635	3.9885	14.5565	7.5492	7.0073	2.4120	15.2374	6.2739	4.7651	4.1984	10.4588	4.5691	5.8897
	S	135.081	137.015	132.124	144.449	109.089	82.098	138.168	158.865	93.565	111.610	80.557	81.362	101.828	111.619	94.232
16	T	3.8329	10.1127	6.1267	3.9860	14.5010	7.5317	6.9693	2.4105	15.1859	6.2225	4.7476	4.2158	10.5552	4.6112	5.9440
	S	134.482	136.192	130.761	144.540	109.507	82.289	138.921	158.964	93.882	112.532	80.854	81.026	100.898	110.600	93.371
17	T	3.8345	10.0288	6.0706	3.9582	14.3572	7.5329	6.8243	2.3371	15.0602	6.1648	4.7454	4.1500	10.3987	4.5072	5.8915
	S	134.425	137.332	131.970	145.555	110.603	82.275	141.873	163.956	94.666	113.585	80.892	82.311	102.417	113.152	94.204
18	T	3.8083	9.9973	6.0417	3.9556	14.5524	7.5665	6.9859	2.4109	15.1085	6.2454	4.7334	4.1297	10.3810	4.4892	5.8918
	S	135.350	137.764	132.601	145.651	109.120	81.910	138.591	158.937	94.363	112.119	81.097	82.716	102.591	113.606	94.199
19	T	3.8229	9.9633	6.0079	3.9554	14.6071	7.5891	7.0180	2.4126	15.2276	6.2805	4.7335	4.2136	10.4382	4.5615	5.8767
	S	134.833	138.235	133.347	145.658	108.711	81.666	137.957	158.825	93.625	111.492	81.095	81.069	102.029	111.805	94.441

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 11 - Jones, Ed (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	8.1750	3.0123	5.1627	5.4878	4.2989	100.2487		113.3594
	S	111.927	126.300	103.540	75.291	103.885	81.086		67.166
2	T	7.9156	3.0193	4.8963	5.2318	4.2989	76.6927		
	S	115.595	126.008	109.173	78.975	103.885	105.992		
3	T	7.8356	2.9822	4.8534	5.2591	4.2375	75.5054		
	S	116.775	127.575	110.138	78.565	105.390	107.659		
4	T	7.8494	2.9810	4.8684	5.2388	4.2988	75.2135		
	S	116.569	127.626	109.799	78.870	103.887	108.076		
5	T	7.7213	2.9662	4.7551	5.1769	4.2588	74.3609		
	S	118.503	128.263	112.415	79.813	104.863	109.316		
6	T	10.1316	3.8186	6.3130	6.0612	4.3319	85.0418		
	S	90.312	99.632	84.674	68.168	103.094	95.586		
7	T	13.3080	4.7277	8.5803	6.1850	4.1863	100.8579		
	S	68.756	80.473	62.299	66.804	106.679	80.597		
8	T	7.6369	2.9722	4.6647	5.1028	4.1965	73.9862		
	S	119.813	128.004	114.594	80.972	106.420	109.869		
9	T	7.5656	2.9393	4.6263	5.1230	4.1994	73.5496		
	S	120.942	129.437	115.545	80.652	106.346	110.521		
10	T	7.5353	2.9487	4.5866	5.1061	4.1864	73.5625		
	S	121.428	129.025	116.545	80.919	106.677	110.502		
11	T	7.6325	2.9466	4.6859	5.1723	4.2300	73.5523		
	S	119.882	129.116	114.075	79.884	105.577	110.517		
12	T	7.6517	2.9503	4.7014	5.0999	4.2302	73.6091		
	S	119.581	128.955	113.699	81.018	105.572	110.432		
13	T	7.5779	2.9629	4.6150	5.1023	4.1808	73.5552		
	S	120.746	128.406	115.828	80.980	106.819	110.513		
14	T	7.5702	2.9716	4.5986	5.0719	4.1657	73.3993		
	S	120.869	128.030	116.241	81.465	107.207	110.748		
15	T	7.5514	2.9472	4.6042	5.1775	4.1732	73.4347		
	S	121.170	129.090	116.100	79.803	107.014	110.694		
16	T	7.5706	2.9670	4.6036	5.1668	4.1991	73.5347		
	S	120.862	128.229	116.115	79.969	106.354	110.544		
17	T	7.5165	2.9531	4.5634	5.1804	4.1955	72.9089		
	S	121.732	128.832	117.138	79.759	106.445	111.493		
18	T	7.4920	2.9481	4.5439	5.1503	4.1888	73.0895		
	S	122.130	129.051	117.640	80.225	106.615	111.217		
19	T	7.4859	2.9285	4.5574	5.1897	4.1352	73.2825		
	S	122.230	129.914	117.292	79.616	107.997	110.924		

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 11 - Jones, Ed (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	3.8095	10.0439	6.0767	3.9672	14.5823	7.6039	6.9784	2.4061	15.1468	6.2782	4.7031	4.1655	10.4075	4.5164	5.8911
	S	135.308	137.125	131.837	145.225	108.896	81.507	138.740	159.254	94.124	111.533	81.619	82.005	102.330	112.922	94.210
21	T	3.8197	9.9987	6.0362	3.9625	14.5760	7.5837	6.9923	2.4114	37.9466	12.2436	21.3518	4.3512	10.7253	4.7014	6.0239
	S	134.946	137.745	132.722	145.397	108.943	81.724	138.464	158.904	37.571	57.191	17.978	78.505	99.298	108.478	92.133
22	T	3.8508	10.3031	6.2766	4.0265	14.7081	7.6958	7.0123	2.3993	15.2366	6.2988	4.7321	4.2057	10.7566	4.6495	6.1071
	S	133.856	133.676	127.639	143.086	107.965	80.534	138.069	159.706	93.570	111.168	81.119	81.221	99.009	109.689	90.878
23	T	3.8182	10.2191	6.2007	4.0184	14.6804	7.6933	6.9871	2.3881	15.4969	6.4246	4.8072	4.2651	10.7001	4.6513	6.0488
	S	134.999	134.774	129.201	143.375	108.168	80.560	138.567	160.455	91.998	108.992	79.852	80.090	99.532	109.647	91.754
24	T				4.2207	14.8323	7.7652	7.0671	2.4186	15.7680	6.6290	4.8407	4.2983	10.6195	4.6982	5.9213
	S				136.503	107.061	79.814	136.998	158.431	90.416	105.631	79.299	79.471	100.287	108.552	93.729
25	T	3.8507	10.3100	6.2792	4.0308	14.5655	7.5729	6.9926	2.4088	15.3403	6.3122	4.7877	4.2404	10.5034	4.5769	5.9265
	S	133.860	133.586	127.586	142.934	109.022	81.841	138.458	159.076	92.937	110.932	80.177	80.556	101.396	111.429	93.647
26	T	3.8255	10.2428	6.2538	3.9890	14.5369	7.5499	6.9870	2.4023	15.2103	6.2440	4.7883	4.1780	10.5234	4.5780	5.9454
	S	134.742	134.463	128.104	144.431	109.236	82.090	138.569	159.506	93.731	112.144	80.167	81.759	101.203	111.402	93.349
27	T	3.8279	10.2109	6.2282	3.9827	14.6275	7.6242	7.0033	2.4019	15.2580	6.2826	4.7796	4.1958	10.5700	4.6243	5.9457
	S	134.657	134.883	128.630	144.660	108.560	81.290	138.247	159.533	93.438	111.455	80.313	81.413	100.757	110.287	93.345
28	T	3.8312	10.2944	6.2627	4.0317	14.5823	7.5815	7.0008	2.3966	15.3101	6.2913	4.8041	4.2147	10.6003	4.6494	5.9509
	S	134.541	133.789	127.922	142.902	108.896	81.748	138.296	159.886	93.120	111.301	79.903	81.048	100.469	109.692	93.263
29	T	3.8137	10.2096	6.2222	3.9874	14.6812	7.7138	6.9674	2.3769	15.4269	6.2877	4.8500	4.2892	10.7077	4.6661	6.0416
	S	135.159	134.900	128.755	144.489	108.162	80.346	138.959	161.211	92.415	111.365	79.147	79.640	99.461	109.299	91.863
30	T	3.8089	10.6483	6.6106	4.0377	15.0266	8.2018	6.8248	2.3437	16.0072	6.5904	4.9151	4.5017	10.8238	4.7220	6.1018
	S	135.329	129.342	121.190	142.689	105.676	75.565	141.862	163.494	89.065	106.250	78.099	75.880	98.394	108.005	90.957
31	T	3.8827	10.6437	6.5870	4.0567	15.1846	8.3517	6.8329	2.3079	15.6542	6.3819	4.9151	4.3572	10.7715	4.6840	6.0875
	S	132.757	129.398	121.624	142.021	104.577	74.209	141.694	166.031	91.073	109.721	78.099	78.397	98.872	108.881	91.170
32	T	3.8309	10.2883	6.2587	4.0296	14.8960	7.8424	7.0536	2.4073	15.4755	6.3873	4.8391	4.2491	10.6038	4.6091	5.9947
	S	134.552	133.868	128.004	142.976	106.603	79.028	137.261	159.175	92.125	109.628	79.325	80.391	100.436	110.651	92.582
33	T	3.8188	10.2210	6.2061	4.0149	14.7790	7.7400	7.0390	2.4037	15.3828	6.3508	4.7835	4.2485	10.7307	4.7095	6.0212
	S	134.978	134.749	129.089	143.500	107.447	80.074	137.545	159.413	92.680	110.258	80.247	80.403	99.248	108.292	92.174
34	T	3.8244	10.2655	6.2541	4.0114	14.6866	7.6700	7.0166	2.4030	15.4264	6.3673	4.8565	4.2026	10.6014	4.6174	5.9840
	S	134.781	134.165	128.098	143.625	108.123	80.805	137.984	159.460	92.418	109.972	79.041	81.281	100.458	110.452	92.747
35	T	3.8265	10.1751	6.1698	4.0053	14.7412	7.7232	7.0180	2.4004	15.4382	6.4118	4.7974	4.2290	10.6602	4.6547	6.0055
	S	134.707	135.357	129.848	143.843	107.722	80.248	137.957	159.632	92.348	109.209	80.015	80.773	99.904	109.567	92.415
36	T	3.8252	10.3367	6.3099	4.0268	14.7117	7.6889	7.0228	2.4077	15.3367	6.3247	4.7961	4.2159	10.5928	4.5625	6.0303
	S	134.752	133.241	126.965	143.075	107.938	80.606	137.863	159.148	92.959	110.713	80.037	81.024	100.540	111.781	92.035
37	T	3.8231	10.2436	6.2448	3.9988	14.7636	7.7373	7.0263	2.4015	15.3920	6.3253	4.8006	4.2661	10.6719	4.6708	6.0011
	S	134.826	134.452	128.289	144.077	107.559	80.102	137.794	159.559	92.625	110.703	79.962	80.071	99.795	109.189	92.483
38	T	3.8250	10.1800	6.2468	3.9332	14.4870	7.5813	6.9057	2.3974	15.4140	6.3128	4.8586	4.2426	10.4678	4.5955	5.8723
	S	134.759	135.292	128.247	146.480	109.612	81.750	140.200	159.832	92.493	110.922	79.007	80.515	101.741	110.978	94.512

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 11 - Jones, Ed (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	7.4753	2.9446	4.5307	5.1286	4.1665	73.1665			
	S	122.403	129.204	117.983	80.564	107.186	111.100			
21	T	7.7240	2.9679	4.7561	5.2105	4.2645	96.6767			
	S	118.462	128.190	112.392	79.298	104.723	84.082			
22	T	7.7062	2.9739	4.7323	5.2408	4.2291	74.4306			
	S	118.736	127.931	112.957	78.839	105.600	109.213			
23	T	7.7082	2.9487	4.7595			79.6411	20.0326		70.8717
	S	118.705	129.025	112.311			102.068	44.825		108.403
24	T	7.7332	2.9547	4.7785	5.2152	4.2414	84.7211		73.4579	
	S	118.321	128.762	111.865	79.226	105.293	95.948		103.649	
25	T	7.5687	2.9402	4.6285	5.2054	4.2049	73.9577			
	S	120.893	129.398	115.490	79.376	106.207	109.911			
26	T	7.6204	2.9495	4.6709	5.2405	4.1810	73.7831			
	S	120.072	128.990	114.442	78.844	106.814	110.172			
27	T	7.6289	2.9466	4.6823	5.2864	4.2158	74.0273			
	S	119.939	129.116	114.163	78.159	105.933	109.808			
28	T	7.6232	2.9471	4.6761	5.2561	4.1956	74.0898			
	S	120.028	129.095	114.314	78.610	106.443	109.716			
29	T	7.8885	2.9638	4.9247	5.3841	4.2043	74.6929			
	S	115.992	128.367	108.544	76.741	106.222	108.830			
30	T	7.8344	2.9654	4.8690	5.6271	4.1926	76.3126			
	S	116.793	128.298	109.785	73.427	106.519	106.520			
31	T	7.7257	2.9731	4.7526	5.2370	4.2255	75.6328			
	S	118.436	127.966	112.474	78.897	105.689	107.477			
32	T	7.6362	2.9612	4.6750	5.2447	4.1694	74.5521			
	S	119.824	128.480	114.341	78.781	107.112	109.035			
33	T	7.7015	2.9646	4.7369	5.2309	4.1846	74.4530			
	S	118.808	128.333	112.847	78.989	106.722	109.180			
34	T	7.6542	2.9512	4.7030	5.1782	4.2055	74.2452			
	S	119.542	128.915	113.661	79.793	106.192	109.486			
35	T	7.6498	2.9712	4.6786	5.2141	4.2231	74.3286			
	S	119.611	128.047	114.253	79.243	105.750	109.363			
36	T	7.6975	2.9814	4.7161	5.2744	4.2049	74.3876			
	S	118.870	127.609	113.345	78.337	106.207	109.276			
37	T	7.6931	2.9462	4.7469	5.1964	4.2418	74.4270			
	S	118.938	129.134	112.609	79.513	105.283	109.218			
38	T	7.4506	2.8763	4.5743	5.1289	4.2049	73.5556			
	S	122.809	132.272	116.858	80.560	106.207	110.512			

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 12 - Pigot, Spencer (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
39	T	3.9688	11.0452	6.7572	4.2880		8.2557								
	S	129.877	124.694	118.560	134.360		75.072								
Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
1	T	8.2513	21.1117	10.0475	11.0642	19.7178	12.1536	7.5642	2.4481	18.3536	7.7346	5.6171	5.0019	11.8129	5.2986
	S	62.469	65.237	79.735	52.072	80.534	50.995	127.995	156.522	77.679	90.532	68.338	68.292	90.156	96.252
2	T	3.9383	10.6600	6.5555	4.1045	15.3751	8.2761	7.0990	2.3921	15.9705	6.4978	4.9857	4.4870	10.8747	4.7909
	S	130.882	129.200	122.208	140.367	103.281	74.887	136.383	160.186	89.270	107.764	76.993	76.129	97.934	106.452
3	T	3.8922	10.5221	6.4672	4.0549	15.1050	8.0460	7.0590	2.3980	16.1881	6.6197	5.1571	4.4113	10.8913	4.8336
	S	132.433	130.893	123.877	142.084	105.128	77.029	137.156	159.792	88.070	105.779	74.434	77.435	97.784	105.511
4	T	3.8643	10.6695	6.5988	4.0707	14.7038	7.7838	6.9200	2.3382	16.1097	6.6263	4.9192	4.5642	10.7394	4.6687
	S	133.389	129.085	121.406	141.533	107.996	79.623	139.911	163.879	88.498	105.674	78.034	74.841	99.168	109.238
5	T	3.8454	10.3443	6.2810	4.0633	14.8304	7.7408	7.0896	2.4047	15.2677	6.3016	4.8077	4.1584	10.5198	4.6256
	S	134.044	133.143	127.549	141.790	107.074	80.066	136.564	159.347	93.379	111.119	79.844	82.145	101.238	110.256
6	T	3.8539	11.2544	6.2299	5.0245	16.9776	8.5452	8.4324	2.8481	16.7313	7.2987	5.0021	4.4305	11.7824	5.1949
	S	133.749	122.376	128.595	114.665	93.532	72.529	114.817	134.539	85.210	95.939	76.740	77.100	90.389	98.173
7	T	5.1344	15.9238	9.4464	6.4774	17.2467	8.4713	8.7754	3.8850	19.3328	8.8372	5.5848	4.9108	14.3865	6.4237
	S	100.392	86.491	84.809	88.946	92.073	73.161	110.329	98.631	73.744	79.236	68.734	69.559	74.028	79.393
8	T	3.8520	10.4694	6.4560	4.0134	14.7225	7.8169	6.9056	2.3504	15.8486	6.6003	4.9281	4.3202	10.6587	4.7241
	S	133.815	131.552	124.092	143.553	107.859	79.286	140.202	163.028	89.956	106.090	77.893	79.068	99.918	107.957
9	T	3.8386	10.2720	6.2407	4.0313	14.7083	7.6817	7.0266	2.3891	15.2493	6.2792	4.8234	4.1467	10.5393	4.6888
	S	134.282	134.080	128.373	142.916	107.963	80.682	137.788	160.388	93.492	111.515	79.584	82.377	101.050	108.770
10	T	3.8310	10.2187	6.2131	4.0056	14.6189	7.5796	7.0393	2.3887	15.1254	6.1895	4.8178	4.1181	10.4935	4.6146
	S	134.548	134.780	128.943	143.833	108.623	81.769	137.540	160.414	94.257	113.131	79.676	82.949	101.491	110.519
11	T	3.8190	10.3083	6.2500	4.0583	14.6470	7.6378	7.0092	2.3843	15.1911	6.2228	4.8190	4.1493	10.5337	4.6045
	S	134.971	133.608	128.182	141.965	108.415	81.145	138.130	160.710	93.850	112.526	79.656	82.325	101.104	110.761
12	T	3.8105	10.1633	6.1681	3.9952	14.5978	7.6135	6.9843	2.3831	15.1887	6.2664	4.7846	4.1377	10.5734	4.6163
	S	135.272	135.514	129.884	144.207	108.780	81.404	138.623	160.791	93.865	111.743	80.229	82.556	100.724	110.478
13	T	3.8275	10.1909	6.1966	3.9943	14.7187	7.7054	7.0133	2.3889	15.1168	6.2585	4.7534	4.1049	10.5342	4.6230
	S	134.671	135.147	129.286	144.240	107.887	80.434	138.049	160.401	94.311	111.884	80.756	83.215	101.099	110.318
14	T	3.8272	10.0990	6.0961	4.0029	14.6345	7.6138	7.0207	2.3906	15.0236	6.1397	4.7713	4.1126	10.3803	4.5681
	S	134.682	136.377	131.418	143.930	108.508	81.401	137.904	160.287	94.896	114.049	80.453	83.060	102.598	111.644
15	T	3.8174	10.0925	6.1117	3.9808	14.6221	7.6061	7.0160	2.3932	15.1311	6.1946	4.8256	4.1109	10.4865	4.6000
	S	135.028	136.465	131.082	144.729	108.600	81.484	137.996	160.113	94.222	113.038	79.547	83.094	101.559	110.870
16	T	3.8292	10.1214	6.1098	4.0116	14.5800	7.5655	7.0145	2.3875	15.0181	6.1073	4.7712	4.1396	10.5964	4.6697
	S	134.612	136.075	131.123	143.618	108.913	81.921	138.026	160.495	94.931	114.654	80.454	82.518	100.506	109.215
17	T	3.8341	10.1859	6.1820	4.0039	14.5846	7.5769	7.0077	2.3919	15.0135	6.1421	4.8021	4.0693	10.4426	4.5743
	S	134.440	135.214	129.592	143.894	108.879	81.798	138.160	160.200	94.960	114.005	79.937	83.943	101.986	111.492
18	T	3.8201	10.1573	6.1609	3.9964	14.4600	7.5940	6.8660	2.3208	15.0289	6.1314	4.7508	4.1467	10.4042	4.5750
	S	134.932	135.594	130.036	144.164	109.817	81.613	141.011	165.108	94.863	114.203	80.800	82.377	102.363	111.475

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 12 - Pigot, Spencer (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T								
	S								
Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF		
1	T	8.2313	3.0630	5.1683	5.5596	4.3707	99.8570	109.2704	
	S	111.161	124.210	103.428	74.319	102.178	81.404	69.679	
2	T	7.9667	2.9878	4.9789	5.4998	4.2506	76.9278		
	S	114.853	127.336	107.362	75.127	105.065	105.668		
3	T	8.0509	2.9825	5.0684	5.3434	4.1913	76.5823		
	S	113.652	127.562	105.466	77.326	106.552	106.145		
4	T	7.7318	3.0127	4.7191	5.3220	4.1938	75.6725		
	S	118.342	126.284	113.273	77.637	106.488	107.421		
5	T	7.5714	2.9842	4.5872	5.1915	4.2678	74.2430		
	S	120.850	127.490	116.530	79.588	104.642	109.489		
6	T	8.9972	3.1506	5.8466	6.2332	4.6566	83.3347		
	S	101.698	120.756	91.428	66.287	95.905	97.544		
7	T	12.9013	4.4204	8.4809	6.2867	4.2420	99.3392		
	S	70.923	86.068	63.029	65.723	105.278	81.829		
8	T	7.7274	2.9804	4.7470	5.3116	4.1662	75.1068		
	S	118.410	127.652	112.607	77.789	107.194	108.230		
9	T	7.6106	2.9701	4.6405	5.2535	4.2036	74.0643		
	S	120.227	128.095	115.191	78.649	106.240	109.753		
10	T	7.6071	2.9872	4.6199	5.2691	4.1840	73.7364		
	S	120.282	127.362	115.705	78.416	106.738	110.241		
11	T	7.6074	3.0236	4.5838	5.2075	4.1630	73.8613		
	S	120.278	125.828	116.616	79.344	107.276	110.055		
12	T	7.6973	3.0025	4.6948	5.2302	4.1996	73.8439		
	S	118.873	126.713	113.859	78.999	106.341	110.081		
13	T	7.5315	3.0017	4.5298	5.2068	4.1699	73.6852		
	S	121.490	126.746	118.006	79.354	107.099	110.318		
14	T	7.5479	2.9853	4.5626	5.1897	4.1913	73.2841		
	S	121.226	127.443	117.158	79.616	106.552	110.922		
15	T	7.6010	3.0150	4.5860	5.2294	4.1960	73.5692		
	S	120.379	126.187	116.560	79.011	106.433	110.492		
16	T	7.5902	3.0296	4.5606	5.3953	4.1783	73.6964		
	S	120.550	125.579	117.209	76.582	106.883	110.301		
17	T	7.5461	3.0038	4.5423	5.2171	4.1955	73.4113		
	S	121.255	126.658	117.682	79.198	106.445	110.730		
18	T	7.5493	2.9695	4.5798	5.2343	4.2115	73.1864		
	S	121.203	128.121	116.718	78.937	106.041	111.070		

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 12 - Pigot, Spencer (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
19	T	3.8217	10.1747	6.1712	4.0035	14.6209	7.6064	7.0145	2.3888	15.0588	6.1738	4.7952	4.0898	10.5571	4.6809	5.8762
	S	134.876	135.362	129.819	143.908	108.609	81.480	138.026	160.408	94.674	113.419	80.052	83.523	100.880	108.953	94.449
20	T	3.8177	10.1722	6.1657	4.0065	14.5967	7.6109	6.9858	2.3908	15.0789	6.2211	4.8038	4.0540	10.3811	4.6099	5.7712
	S	135.017	135.396	129.934	143.800	108.789	81.432	138.593	160.273	94.548	112.557	79.908	84.260	102.590	110.631	96.167
21	T	3.8254	10.1396	6.1242	4.0154	14.6186	7.5996	7.0190	2.3946	15.4272	6.5214	4.7313	4.1745	10.4447	4.6163	5.8284
	S	134.745	135.831	130.815	143.482	108.626	81.553	137.937	160.019	92.414	107.374	81.133	81.828	101.966	110.478	95.222
22	T	3.8290	10.0963	6.0985	3.9978	14.4983	7.6420	6.8563	2.3169	15.2349	6.2249	4.8388	4.1712	10.5815	4.6689	5.9126
	S	134.619	136.414	131.366	144.113	109.527	81.101	141.211	165.386	93.580	112.488	79.330	81.893	100.647	109.233	93.867
23	T	3.8309	10.1254	6.1160	4.0094	14.6810	7.6880	6.9930	2.3922	15.1602	6.2226	4.8355	4.1021	10.4184	4.6025	5.8159
	S	134.552	136.022	130.990	143.696	108.164	80.616	138.450	160.180	94.041	112.530	79.384	83.272	102.223	110.809	95.428
24	T	3.8166	10.1599	6.1665	3.9934	14.5665	7.5651	7.0014	2.3918	15.0259	6.1667	4.7858	4.0734	10.4858	4.6841	5.8017
	S	135.056	135.560	129.918	144.272	109.014	81.925	138.284	160.206	94.882	113.550	80.209	83.859	101.566	108.879	95.662
25	T	3.8081	10.1442	6.1441	4.0001	14.5979	7.5960	7.0019	2.3886	15.0968	6.1685	4.8234	4.1049	10.4369	4.6305	5.8064
	S	135.357	135.769	130.391	144.030	108.780	81.592	138.274	160.421	94.436	113.517	79.584	83.215	102.042	110.139	95.584
26	T	3.8053	10.1329	6.1471	3.9858	14.4883	7.6035	6.8848	2.3227	15.0015	6.0928	4.8021	4.1066	10.4223	4.6221	5.8002
	S	135.457	135.921	130.328	144.547	109.603	81.512	140.626	164.973	95.036	114.927	79.937	83.181	102.185	110.339	95.686
27	T	3.8022	10.0698	6.0923	3.9775	14.5789	7.5880	6.9909	2.3858	15.0559	6.1256	4.8259	4.1044	10.4264	4.5970	5.8294
	S	135.567	136.773	131.500	144.849	108.921	81.678	138.492	160.609	94.693	114.312	79.542	83.226	102.145	110.942	95.207
28	T	3.8209	10.0815	6.0970	3.9845	14.5695	7.5782	6.9913	2.3836	14.9282	6.1035	4.7603	4.0644	10.4256	4.6093	5.8163
	S	134.904	136.614	131.398	144.594	108.992	81.784	138.484	160.758	95.503	114.726	80.639	84.045	102.152	110.646	95.421
29	T	3.8005	10.0843	6.1172	3.9671	14.5645	7.5822	6.9823	2.3816	15.0149	6.0839	4.8617	4.0693	10.4315	4.6028	5.8287
	S	135.628	136.576	130.965	145.229	109.029	81.740	138.662	160.893	94.951	115.095	78.957	83.943	102.095	110.802	95.218
30	T	3.8018	10.1460	6.1576	3.9884	14.5910	7.6812	6.9098	2.3298	15.0144	6.1241	4.7777	4.1126	10.4606	4.6391	5.8215
	S	135.582	135.745	130.105	144.453	108.831	80.687	140.117	164.470	94.954	114.340	80.345	83.060	101.811	109.935	95.336
31	T	3.8136	10.1196	6.1186	4.0010	14.6334	7.6312	7.0022	2.3925	15.0322	6.1224	4.7784	4.1314	10.4488	4.6344	5.8144
	S	135.162	136.100	130.935	143.998	108.516	81.216	138.268	160.160	94.842	114.371	80.333	82.682	101.926	110.047	95.453
32	T	3.8158	10.0774	6.0864	3.9910	14.6067	7.6201	6.9866	2.3920	14.9851	6.1142	4.7718	4.0991	10.4082	4.6132	5.7950
	S	135.084	136.669	131.627	144.359	108.714	81.334	138.577	160.193	95.140	114.525	80.444	83.333	102.323	110.552	95.772
33	T	3.8084	10.0709	6.1007	3.9702	14.5955	7.7111	6.8844	2.3259	14.9034	6.0518	4.7474	4.1042	10.4703	4.6522	5.8181
	S	135.347	136.758	131.319	145.115	108.798	80.374	140.634	164.746	95.662	115.706	80.858	83.230	101.716	109.626	95.392
34	T	3.7972	10.0459	6.0950	3.9509	14.5277	7.5926	6.9351	2.3310	14.9978	6.0971	4.7905	4.1102	10.4496	4.6112	5.8384
	S	135.746	137.098	131.442	145.824	109.305	81.629	139.606	164.385	95.059	114.846	80.130	83.108	101.918	110.600	95.060
35	T	3.7925	10.0399	6.0654	3.9745	14.5138	7.5608	6.9530	2.3772	14.9623	6.1440	4.7560	4.0623	10.4208	4.6240	5.7968
	S	135.914	137.180	132.083	144.958	109.410	81.972	139.247	161.190	95.285	113.969	80.711	84.088	102.199	110.294	95.742
36	T	3.8049	9.9950	6.0240	3.9710	14.5410	7.5799	6.9611	2.3858	14.9804	6.1154	4.7890	4.0760	10.4345	4.6121	5.8224
	S	135.471	137.796	132.991	145.086	109.205	81.765	139.085	160.609	95.170	114.502	80.155	83.805	102.065	110.579	95.322
37	T	3.8009	10.0563	6.0651	3.9912	14.5175	7.5674	6.9501	2.3835	15.0228	6.1365	4.7959	4.0904	10.4659	4.6570	5.8089
	S	135.614	136.956	132.090	144.352	109.382	81.900	139.305	160.764	94.901	114.109	80.040	83.510	101.759	109.513	95.543

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 12 - Pigot, Spencer (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
19	T	7.5022	2.9882	4.5140	5.2442	4.1961	73.5645
	S	121.964	127.319	118.419	78.788	106.430	110.499
20	T	7.5090	2.9622	4.5468	5.2593	4.1874	73.3931
	S	121.854	128.436	117.565	78.562	106.651	110.757
21	T	7.6651	2.9906	4.6745	5.2991	4.1748	73.9891
	S	119.372	127.217	114.354	77.972	106.973	109.865
22	T	7.6459	3.0152	4.6307	5.3406	4.2019	73.7453
	S	119.672	126.179	115.435	77.366	106.283	110.228
23	T	7.5440	2.9789	4.5651	5.2567	4.2113	73.6201
	S	121.288	127.716	117.094	78.601	106.046	110.415
24	T	7.5853	2.9842	4.6011	5.2777	4.1790	73.4885
	S	120.628	127.490	116.178	78.288	106.865	110.613
25	T	7.5544	2.9709	4.5835	5.2965	4.1922	73.5156
	S	121.121	128.060	116.624	78.010	106.529	110.572
26	T	7.5089	2.9750	4.5339	5.2962	4.1836	73.1617
	S	121.855	127.884	117.900	78.015	106.748	111.107
27	T	7.5108	2.9818	4.5290	5.2883	4.1595	73.2776
	S	121.825	127.592	118.027	78.131	107.366	110.932
28	T	7.4909	2.9580	4.5329	5.2270	4.1635	73.0907
	S	122.148	128.619	117.926	79.048	107.263	111.215
29	T	7.4514	2.9636	4.4878	5.2958	4.1579	73.1824
	S	122.796	128.376	119.111	78.021	107.408	111.076
30	T	7.5114	2.9681	4.5433	5.3777	4.1775	73.4102
	S	121.815	128.181	117.656	76.832	106.904	110.731
31	T	7.5048	2.9746	4.5302	5.2655	4.1611	73.3715
	S	121.922	127.901	117.996	78.470	107.325	110.790
32	T	7.4874	2.9532	4.5342	5.2250	4.2188	73.2164
	S	122.205	128.828	117.892	79.078	105.857	111.024
33	T	7.5095	2.9666	4.5429	5.2534	4.1679	73.1052
	S	121.846	128.246	117.666	78.650	107.150	111.193
34	T	7.5225	2.9842	4.5383	5.2646	4.1419	73.0782
	S	121.635	127.490	117.785	78.483	107.823	111.234
35	T	7.4639	2.9736	4.4903	5.2163	4.2036	72.9903
	S	122.590	127.944	119.044	79.210	106.240	111.368
36	T	7.5191	2.9913	4.5278	5.2531	4.1450	73.0588
	S	121.690	127.187	118.059	78.655	107.742	111.264
37	T	7.5085	2.9828	4.5257	5.2491	4.1807	73.1852
	S	121.862	127.549	118.113	78.715	106.822	111.072

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 12 - Pigot, Spencer (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
38	T	3.8103	10.1052	6.1057	3.9995	14.5308	7.6568	6.8740	2.3247	14.9609	6.0517	4.8091	4.1001	10.5261	4.6862	5.8399
	S	135.279	136.293	131.211	144.052	109.282	80.944	140.847	164.831	95.294	115.708	79.820	83.313	101.177	108.830	95.036
39	T	4.3822	16.6092	9.4382	7.1710	19.9145	9.8835	10.0310	3.8832	23.2573	9.9845	6.8276	6.4452		8.0907	
	S	117.625	82.922	84.882	80.343	79.739	62.708	96.519	98.677	61.300	70.131	56.222	52.999		63.035	

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 12 - Pigot, Spencer (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
38	T	7.5306	2.9705	4.5601	5.3467	4.2128	73.3481	
	S	121.504	128.078	117.222	77.278	106.008	110.825	
39	T							
	S							

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 14 - Chilton, Max (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.6629	22.7936	11.2683	11.5253	19.9392	12.3014	7.6378	2.4446	17.8911	7.4353	5.5628	4.8930	11.6031	5.1681	6.4350
	S	67.266	60.424	71.096	49.989	79.640	50.382	126.762	156.746	79.687	94.176	69.005	69.812	91.786	98.682	86.247
2	T	3.9506	10.8150	6.6537	4.1613	14.9312	7.8517	7.0795	2.4267	16.1689	6.7381	4.9759	4.4549	10.9675	4.8327	6.1348
	S	130.475	127.348	120.405	138.451	106.351	78.935	136.759	157.902	88.174	103.921	77.145	76.678	97.105	105.531	90.467
3	T	3.9370	10.6919	6.4752	4.2167	14.8676	7.8266	7.0410	2.3862	16.6804	6.9771	5.2149	4.4884	10.9085	4.8226	6.0859
	S	130.926	128.815	123.724	136.632	106.806	79.188	137.506	160.582	85.470	100.361	73.609	76.105	97.630	105.752	91.194
4	T	3.9917	10.4827	6.4047	4.0780	14.7816	7.7059	7.0757	2.4380	16.0546	6.6599	4.8980	4.4967	10.4671	4.5929	5.8742
	S	129.132	131.385	125.086	141.279	107.428	80.428	136.832	157.171	88.802	105.141	78.372	75.965	101.747	111.041	94.481
5	T	3.8925	10.2982	6.2283	4.0699	14.6324	7.5968	7.0356	2.4314	15.4351	6.4829	4.7320	4.2202	10.3908	4.5602	5.8306
	S	132.422	133.739	128.628	141.560	108.523	81.583	137.612	157.597	92.366	108.011	81.121	80.942	102.495	111.837	95.187
6	T	3.8785	11.4325	6.2566	5.1759	16.9301	8.5515	8.3786	2.7323	16.7818	7.3297	4.9356	4.5165	11.9582	5.3890	6.5692
	S	132.900	120.470	128.047	111.311	93.795	72.475	115.554	140.241	84.954	95.533	77.774	75.632	89.060	94.637	84.485
7	T	5.1489	15.5419	9.5046	6.0373	17.7309	8.2934	9.4375	3.6740	19.5936	9.0793	5.4222	5.0921	14.4190	6.5353	7.8837
	S	100.110	88.617	84.289	95.429	89.559	74.731	102.589	104.296	72.763	77.123	70.795	67.083	73.861	78.038	70.398
8	T	3.8880	10.4503	6.3982	4.0521	14.7645	7.8152	6.9493	2.3392	15.7501	6.5100	4.8993	4.3408	10.4924	4.6274	5.8650
	S	132.576	131.793	125.213	142.182	107.552	79.304	139.321	163.809	90.519	107.562	78.351	78.693	101.502	110.213	94.629
9	T	3.8823	10.2483	6.2201	4.0282	14.5179	7.5160	7.0019	2.4077	15.5059	6.5065	4.7427	4.2567	10.4420	4.5899	5.8521
	S	132.770	134.390	128.798	143.026	109.379	82.460	138.274	159.148	91.944	107.620	80.938	80.248	101.992	111.114	94.838
10	T	3.8620	10.2034	6.1938	4.0096	14.5326	7.5279	7.0047	2.4124	15.3446	6.4214	4.7150	4.2082	10.4620	4.6085	5.8535
	S	133.468	134.982	129.345	143.689	109.268	82.330	138.219	158.838	92.911	109.046	81.413	81.173	101.797	110.665	94.815
11	T	3.8643	10.3600	6.2983	4.0617	14.5212	7.5126	7.0086	2.4190	15.2875	6.3999	4.6950	4.1926	10.3825	4.5735	5.8090
	S	133.389	132.941	127.199	141.846	109.354	82.498	138.142	158.405	93.258	109.412	81.760	81.475	102.576	111.512	95.541
12	T	3.8569	10.2712	6.2382	4.0330	14.4958	7.5464	6.9494	2.3668	15.2216	6.3309	4.6864	4.2043	10.4701	4.5808	5.8893
	S	133.645	134.091	128.424	142.856	109.546	82.128	139.319	161.899	93.662	110.605	81.910	81.248	101.718	111.334	94.239
13	T	3.8761	10.2580	6.2321	4.0259	14.4453	7.4564	6.9889	2.4107	15.3177	6.3458	4.7360	4.2359	10.3636	4.5457	5.8179
	S	132.983	134.263	128.550	143.107	109.929	83.120	138.531	158.950	93.074	110.345	81.052	80.642	102.764	112.194	95.395
14	T	3.8509	10.1439	6.1484	3.9955	14.5000	7.5139	6.9861	2.4106	15.1857	6.3059	4.6954	4.1844	10.4580	4.6361	5.8219
	S	133.853	135.773	130.300	144.196	109.514	82.483	138.587	158.957	93.883	111.043	81.753	81.634	101.836	110.006	95.330
15	T	3.8390	10.2180	6.2246	3.9934	14.4435	7.4355	7.0080	2.4167	15.2064	6.3283	4.7185	4.1596	10.5170	4.6909	5.8261
	S	134.268	134.789	128.705	144.272	109.943	83.353	138.154	158.556	93.755	110.650	81.353	82.121	101.265	108.721	95.261
16	T	3.8419	10.2134	6.2032	4.0102	14.5160	7.4935	7.0225	2.4197	15.2829	6.3907	4.7207	4.1715	10.3278	4.5161	5.8117
	S	134.167	134.850	129.149	143.668	109.393	82.708	137.869	158.359	93.286	109.570	81.315	81.887	103.120	112.929	95.497
17	T	3.8608	10.1540	6.1543	3.9997	14.4605	7.4797	6.9808	2.4171	15.2049	6.3309	4.7095	4.1645	10.4367	4.6004	5.8363
	S	133.510	135.638	130.175	144.045	109.813	82.861	138.692	158.530	93.765	110.605	81.508	82.024	102.044	110.860	95.094
18	T	3.8436	10.2133	6.2046	4.0087	14.3943	7.4206	6.9737	2.4123	15.2961	6.3135	4.7944	4.1882	10.4220	4.5656	5.8564
	S	134.107	134.851	129.120	143.721	110.318	83.521	138.833	158.845	93.206	110.910	80.065	81.560	102.188	111.705	94.768
19	T	3.8476	10.1820	6.1751	4.0069	14.3764	7.3990	6.9774	2.4128	15.2941	6.3737	4.7625	4.1579	10.3905	4.5645	5.8260
	S	133.968	135.265	129.737	143.786	110.456	83.764	138.760	158.812	93.218	109.862	80.601	82.155	102.497	111.732	95.263

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 14 - Chilton, Max (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	8.3773	3.0834	5.2939	5.5084	4.3918	100.6120
	S	109.224	123.388	100.974	75.009	101.687	80.794
2	T	8.0424	3.0179	5.0245	5.3063	4.2298	76.8384
	S	113.772	126.066	106.388	77.866	105.582	105.791
3	T	8.0231	3.0149	5.0082	5.2491	4.2560	76.9998
	S	114.046	126.191	106.734	78.715	104.932	105.569
4	T	7.8457	2.9886	4.8571	5.2039	4.1458	75.4111
	S	116.624	127.302	110.054	79.398	107.721	107.793
5	T	7.6737	2.9696	4.7041	5.1442	4.1587	74.0570
	S	119.238	128.116	113.634	80.320	107.387	109.764
6	T	8.9747	3.1622	5.8125	6.1423	4.7339	83.5643
	S	101.953	120.313	91.965	67.268	94.339	97.276
7	T	13.0224	4.5303	8.4921	6.3057	4.1769	99.6133
	S	70.264	83.980	62.946	65.525	106.919	81.604
8	T	7.7949	2.9711	4.8238	5.2624	4.1272	74.8690
	S	117.384	128.052	110.814	78.516	108.207	108.574
9	T	7.6540	2.9557	4.6983	5.1690	4.1659	73.9930
	S	119.545	128.719	113.774	79.935	107.202	109.859
10	T	7.6935	2.9761	4.7174	5.1566	4.1270	73.7941
	S	118.932	127.837	113.314	80.127	108.212	110.155
11	T	7.6567	2.9652	4.6915	5.1719	4.1321	73.7952
	S	119.503	128.307	113.939	79.890	108.078	110.154
12	T	7.6695	2.9823	4.6872	5.1645	4.1420	73.6584
	S	119.304	127.571	114.044	80.004	107.820	110.358
13	T	7.5744	2.9566	4.6178	5.1257	4.1328	73.5043
	S	120.802	128.680	115.758	80.610	108.060	110.589
14	T	7.5662	2.9512	4.6150	5.1521	4.1066	73.3740
	S	120.933	128.915	115.828	80.197	108.750	110.786
15	T	7.6239	2.9738	4.6501	5.1393	4.1122	73.5160
	S	120.017	127.935	114.954	80.397	108.601	110.572
16	T	7.6139	2.9736	4.6403	5.1291	4.1485	73.4932
	S	120.175	127.944	115.196	80.556	107.651	110.606
17	T	7.6161	2.9660	4.6501	5.1745	4.1422	73.4668
	S	120.140	128.272	114.954	79.850	107.815	110.646
18	T	7.6092	2.9583	4.6509	5.1864	4.1126	73.4898
	S	120.249	128.606	114.934	79.666	108.591	110.611
19	T	7.5917	2.9558	4.6359	5.1760	4.1092	73.3803
	S	120.526	128.715	115.306	79.826	108.681	110.776

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 14 - Chilton, Max (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	3.8404	10.1127	6.1749	3.9378	14.2343	7.3736	6.8607	2.4008	15.1961	6.3354	4.6918	4.1689	10.3713	4.5302	5.8411
	S	134.219	136.192	129.741	146.309	111.558	84.053	141.120	159.606	93.819	110.526	81.816	81.938	102.687	112.578	95.016
21	T	3.8529	10.1583	6.1584	3.9999	14.4608	7.4658	6.9950	2.4151	15.5902	6.6313	4.7098	4.2491	10.5444	4.6572	5.8872
	S	133.784	135.581	130.088	144.038	109.811	83.015	138.411	158.661	91.447	105.594	81.503	80.391	101.001	109.508	94.272
22	T	3.8791	10.3682	6.3324	4.0358	14.4515	7.4716	6.9799	2.4145	15.3010	6.3648	4.7188	4.2174	10.4425	4.5312	5.9113
	S	132.880	132.836	126.514	142.756	109.882	82.950	138.710	158.700	93.176	110.016	81.348	80.996	101.987	112.553	93.888
23	T	3.8477	10.2241	6.2146	4.0095	14.4115	7.4583	6.9532	2.4186	15.2711	6.3632	4.7093	4.1986	10.4696	4.5870	5.8826
	S	133.964	134.708	128.912	143.693	110.187	83.098	139.243	158.431	93.358	110.043	81.512	81.358	101.723	111.184	94.346
24	T	3.8531	10.3070	6.2886	4.0184	14.4668	7.4694	6.9974	2.4251	15.1722	6.3690	4.6707	4.1325	10.4454	4.5214	5.9240
	S	133.777	133.625	127.395	143.375	109.765	82.975	138.363	158.007	93.967	109.943	82.185	82.660	101.959	112.797	93.687
25	T	3.8441	10.1354	6.1853	3.9501	14.2667	7.4014	6.8653	2.3514	15.1203	6.2702	4.7026	4.1475	10.4225	4.5501	5.8724
	S	134.090	135.887	129.523	145.854	111.305	83.737	141.025	162.959	94.289	111.675	81.628	82.361	102.183	112.085	94.510
26	T	3.8389	10.2345	6.2314	4.0031	14.4033	7.4256	6.9777	2.4170	15.1738	6.3138	4.6980	4.1620	10.3837	4.5210	5.8627
	S	134.271	134.572	128.564	143.923	110.249	83.464	138.754	158.536	93.957	110.904	81.708	82.074	102.565	112.807	94.666
27	T	3.8358	10.2001	6.2063	3.9938	14.3841	7.4282	6.9559	2.4115	15.1721	6.3199	4.7132	4.1390	10.4254	4.5370	5.8884
	S	134.380	135.025	129.084	144.258	110.397	83.435	139.189	158.898	93.967	110.797	81.444	82.530	102.154	112.409	94.253
28	T	3.8595	10.2715	6.2587	4.0128	14.3559	7.3892	6.9667	2.4143	15.1733	6.3273	4.7190	4.1270	10.3146	4.5332	5.7814
	S	133.555	134.087	128.004	143.575	110.613	83.875	138.973	158.713	93.960	110.668	81.344	82.770	103.252	112.503	95.998
29	T	3.8552	10.2585	6.2606	3.9979	14.2163	7.4031	6.8132	2.3335	15.2034	6.3349	4.7138	4.1547	10.3344	4.5449	5.7895
	S	133.704	134.257	127.965	144.110	111.700	83.718	142.104	164.209	93.774	110.535	81.434	82.218	103.054	112.214	95.863
30	T	3.8490	10.2102	6.2126	3.9976	14.2016	7.3926	6.8090	2.3406	15.2341	6.3160	4.7262	4.1919	10.3790	4.5445	5.8345
	S	133.919	134.892	128.953	144.121	111.815	83.837	142.191	163.711	93.585	110.866	81.220	81.488	102.611	112.224	95.124
31	T	3.8551	10.1823	6.1863	3.9960	14.3545	7.3914	6.9631	2.4120	15.2998	6.3908	4.7538	4.1552	10.3632	4.5286	5.8346
	S	133.707	135.261	129.502	144.178	110.624	83.851	139.045	158.865	93.183	109.568	80.749	82.208	102.767	112.618	95.122
32	T	3.8424	10.3072	6.2814	4.0258	14.4173	7.4508	6.9665	2.4150	15.2195	6.3173	4.6955	4.2067	10.3587	4.5290	5.8297
	S	134.149	133.622	127.541	143.111	110.142	83.182	138.977	158.667	93.675	110.843	81.751	81.202	102.812	112.608	95.202
33	T	3.8394	10.2463	6.2407	4.0056	14.4160	7.4216	6.9944	2.4162	15.1543	6.3054	4.6770	4.1719	10.3734	4.5285	5.8449
	S	134.254	134.417	128.373	143.833	110.152	83.509	138.422	158.589	94.078	111.052	82.075	81.879	102.666	112.620	94.955
34	T	3.8266	9.9857	6.0818	3.9039	14.1947	7.3175	6.8772	2.4050	15.1832	6.2868	4.7459	4.1505	10.3258	4.5090	5.8168
	S	134.703	137.925	131.727	147.580	111.870	84.697	140.781	159.327	93.899	111.381	80.883	82.301	103.140	113.107	95.413
35	T	3.8355	10.2862	6.2823	4.0039	14.3485	7.4071	6.9414	2.4065	15.1495	6.2843	4.7242	4.1410	10.2895	4.4790	5.8105
	S	134.390	133.895	127.523	143.894	110.670	83.673	139.479	159.228	94.108	111.425	81.255	82.490	103.504	113.865	95.517
36	T	3.8511	10.1836	6.1839	3.9997	14.2461	7.4067	6.8394	2.3353	15.0097	6.2157	4.6580	4.1360	10.3508	4.5104	5.8404
	S	133.846	135.244	129.552	144.045	111.466	83.677	141.559	164.082	94.984	112.655	82.410	82.590	102.891	113.072	95.028
37	T	3.8368	10.1202	6.1258	3.9944	14.2995	7.4651	6.8344	2.3767	15.1528	6.2749	4.7134	4.1645	10.3392	4.5238	5.8154
	S	134.345	136.091	130.781	144.236	111.050	83.023	141.663	161.224	94.087	111.592	81.441	82.024	103.006	112.737	95.436
38	T	3.8308	10.2359	6.2293	4.0066	14.2905	7.4562	6.8343	2.3850	15.2204	6.3065	4.7483	4.1656	10.3511	4.5037	5.8474
	S	134.555	134.553	128.608	143.797	111.120	83.122	141.665	160.663	93.669	111.033	80.842	82.003	102.888	113.240	94.914

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 14 - Chilton, Max (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	7.5975	2.9601	4.6374	5.1699	4.1216	73.0446
	S	120.434	128.528	115.268	79.921	108.354	111.285
21	T	7.6808	2.9630	4.7178	5.2240	4.1053	74.0318
	S	119.128	128.402	113.304	79.093	108.784	109.801
22	T	7.6363	2.9752	4.6611	5.1623	4.0975	73.7529
	S	119.822	127.875	114.682	80.038	108.991	110.217
23	T	7.6259	2.9631	4.6628	5.1873	4.1626	73.6184
	S	119.986	128.397	114.640	79.653	107.287	110.418
24	T	7.6628	2.9869	4.6759	5.1663	4.0850	73.5837
	S	119.408	127.374	114.319	79.976	109.325	110.470
25	T	7.6857	2.9741	4.7116	5.2098	4.1235	73.1594
	S	119.052	127.923	113.453	79.309	108.304	111.111
26	T	7.6349	2.9599	4.6750	5.1862	4.1129	73.3852
	S	119.844	128.536	114.341	79.669	108.583	110.769
27	T	7.6966	2.9678	4.7288	5.1958	4.1051	73.4265
	S	118.884	128.194	113.040	79.522	108.789	110.707
28	T	7.6167	2.9439	4.6728	5.1038	4.2039	73.3135
	S	120.131	129.235	114.395	80.956	106.233	110.877
29	T	7.5764	2.9391	4.6373	5.1398	4.0994	73.0169
	S	120.770	129.446	115.271	80.389	108.941	111.328
30	T	7.6340	2.9500	4.6840	5.1894	4.1079	73.1458
	S	119.859	128.968	114.122	79.620	108.715	111.131
31	T	7.5674	2.9607	4.6067	5.1684	4.0859	73.2886
	S	120.913	128.502	116.037	79.944	109.300	110.915
32	T	7.6278	2.9678	4.6600	5.1532	4.1342	73.4753
	S	119.956	128.194	114.709	80.180	108.024	110.633
33	T	7.6123	2.9665	4.6458	5.1502	4.0621	73.2702
	S	120.200	128.250	115.060	80.226	109.941	110.943
34	T	7.5539	2.9641	4.5898	5.1881	4.0896	72.7526
	S	121.129	128.354	116.464	79.640	109.202	111.732
35	T	7.5818	2.9480	4.6338	5.1283	4.1296	73.1554
	S	120.684	129.055	115.358	80.569	108.144	111.117
36	T	7.5345	2.9733	4.5612	5.1914	4.0678	72.7703
	S	121.441	127.957	117.194	79.590	109.787	111.705
37	T	7.6008	2.9510	4.6498	5.1628	4.0959	72.9847
	S	120.382	128.924	114.961	80.031	109.034	111.377
38	T	7.6120	2.9772	4.6348	5.2042	4.3030	73.4329
	S	120.205	127.789	115.333	79.394	103.786	110.697

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 18 - Kaiser, Kyle (R)

Lap	T/S	SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
39	T	5.0659	18.8860	10.5173	8.3687	22.6335	10.4416	12.1919	4.2286	21.6859	9.7648	5.9880	5.9331			
	S	101.750	72.926	76.173	68.844	70.159	59.356	79.412	90.617	65.742	71.709	64.105	57.574			
Lap	T/S	SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
1	T	7.5907	20.1514	10.5566	9.5948	19.2991	11.8451	7.4540	2.3865	18.9020	8.1067	5.7261	5.0692	13.1676	6.2140	6.9536
	S	67.906	68.346	75.890	60.047	82.281	52.323	129.888	160.562	75.425	86.376	67.038	67.386	80.880	82.073	79.815
2	T	3.9973	10.8305	6.5964	4.2341	15.2906	8.2186	7.0720	2.3903	15.9433	6.5961	5.1237	4.2235	11.0102	4.8529	6.1573
	S	128.951	127.166	121.451	136.071	103.852	75.411	136.904	160.307	89.422	106.158	74.919	80.879	96.728	105.092	90.137
3	T	3.9034	10.5613	6.4714	4.0899	14.8711	7.9044	6.9667	2.3524	16.1590	6.5238	5.2111	4.4241	11.2444	4.9834	6.2610
	S	132.053	130.407	123.796	140.868	106.781	78.409	138.973	162.890	88.228	107.334	73.663	77.211	94.714	102.340	88.644
4	T	3.8818	10.4191	6.3878	4.0313	14.7675	7.9506	6.8169	2.2861	15.6640	6.4950	4.9726	4.1964	10.6984	4.7379	5.9605
	S	132.788	132.187	125.417	142.916	107.530	77.953	142.027	167.614	91.016	107.810	77.196	81.401	99.548	107.643	93.113
5	T	3.8608	10.2226	6.2109	4.0117	14.7362	7.7568	6.9794	2.3706	15.4905	6.3458	4.8563	4.2884	18.8336	4.8910	13.9426
	S	133.510	134.728	128.989	143.614	107.759	79.901	138.720	161.639	92.036	110.345	79.044	79.655	56.548	104.273	39.806
6	T				4.6801	16.1211	8.8827	7.2384	2.4351	16.3763	6.8685	5.2238	4.2840	10.9207	4.8588	6.0619
	S				123.103	98.502	69.773	133.756	157.358	87.058	101.948	73.484	79.736	97.521	104.964	91.555
7	T	3.8933	10.3649	6.2912	4.0737	14.8297	7.7978	7.0319	2.4038	15.1543	6.2768	4.8841	3.9934	10.3658	4.5734	5.7924
	S	132.395	132.879	127.342	141.428	107.079	79.480	137.684	159.407	94.078	111.558	78.595	85.539	102.742	111.514	95.815
8	T	3.8404	10.2081	6.1924	4.0157	14.6926	7.6663	7.0263	2.4013	14.9461	6.1341	4.8165	3.9955	10.3712	4.5487	5.8225
	S	134.219	134.920	129.374	143.471	108.079	80.844	137.794	159.573	95.388	114.153	79.698	85.494	102.688	112.120	95.320
9	T	3.8311	10.0868	6.0949	3.9919	14.6455	7.6275	7.0180	2.3987	14.9579	6.1220	4.8198	4.0161	10.3250	4.5652	5.7598
	S	134.545	136.542	131.444	144.326	108.426	81.255	137.957	159.746	95.313	114.379	79.643	85.055	103.148	111.715	96.358
10	T	3.8554	10.1062	6.1276	3.9786	14.6666	7.6410	7.0256	2.4009	15.0213	6.1536	4.8429	4.0248	10.4552	4.5836	5.8716
	S	133.697	136.280	130.742	144.809	108.270	81.111	137.808	159.599	94.911	113.791	79.263	84.872	101.863	111.266	94.523
11	T	3.8580	10.0986	6.1013	3.9973	14.7167	7.6892	7.0275	2.3975	15.0223	6.2024	4.8199	4.0000	10.3439	4.5251	5.8188
	S	133.607	136.383	131.306	144.131	107.902	80.603	137.770	159.826	94.904	112.896	79.641	85.398	102.959	112.705	95.380
12	T	3.8537	10.0478	6.0743	3.9735	14.8191	7.7720	7.0471	2.4023	14.9798	6.1776	4.8128	3.9894	10.5039	4.6128	5.8911
	S	133.756	137.072	131.889	144.995	107.156	79.744	137.387	159.506	95.174	113.349	79.759	85.625	101.391	110.562	94.210
13	T	3.8429	10.0479	6.0716	3.9763	14.5238	7.6323	6.8915	2.3307	14.9424	6.1387	4.8401	3.9636	10.3713	4.5686	5.8027
	S	134.132	137.071	131.948	144.893	109.335	81.204	140.489	164.406	95.412	114.068	79.309	86.182	102.687	111.632	95.645
14	T	3.8418	10.0766	6.0895	3.9871	14.7025	7.6754	7.0271	2.3979	15.0266	6.1991	4.8029	4.0246	10.3700	4.5557	5.8143
	S	134.170	136.680	131.560	144.500	108.006	80.748	137.778	159.799	94.877	112.956	79.923	84.876	102.700	111.948	95.454
15	T	3.8339	10.0398	6.0775	3.9623	14.4759	7.5109	6.9650	2.3851	15.1583	6.2791	4.8281	4.0511	10.4033	4.5848	5.8185
	S	134.447	137.181	131.820	145.405	109.696	82.516	139.007	160.657	94.053	111.517	79.506	84.321	102.371	111.237	95.385
16	T	3.8439	10.1132	6.1259	3.9873	14.6142	7.6162	6.9980	2.3974	15.0788	6.2201	4.8310	4.0277	10.4134	4.6094	5.8040
	S	134.097	136.186	130.779	144.493	108.658	81.376	138.351	159.832	94.549	112.575	79.458	84.810	102.272	110.643	95.624
17	T	3.8302	10.0174	6.0405	3.9769	14.4214	7.5730	6.8484	2.3203	14.9195	6.1326	4.8114	3.9755	10.2850	4.5289	5.7561
	S	134.576	137.488	132.627	144.871	110.111	81.840	141.373	165.143	95.558	114.181	79.782	85.924	103.549	112.610	96.419
18	T	3.8409	10.1195	6.1161	4.0034	14.6148	7.6165	6.9983	2.3930	15.2047	6.2758	4.8783	4.0506	10.6382	4.6794	5.9588
	S	134.202	136.101	130.988	143.912	108.654	81.372	138.345	160.126	93.766	111.576	78.688	84.331	100.111	108.988	93.140

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 18 - Kaiser, Kyle (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF		
39	T								
	S								
Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	8.5559	3.1112	5.4447	5.7972	4.4607	100.3111		107.9537
	S	106.944	122.285	98.177	71.273	100.117	81.036		70.529
2	T	8.0073	3.0113	4.9960	5.5688	4.2347	77.2730		
	S	114.271	126.342	106.995	74.196	105.460	105.196		
3	T	8.2791	3.0883	5.1908	5.4154	4.1794	76.9655		
	S	110.519	123.192	102.979	76.298	106.855	105.616		
4	T	7.8034	2.9856	4.8178	5.2452	4.1732	74.9387		
	S	117.257	127.430	110.952	78.773	107.014	108.473		
5	T	13.2714	5.4637	7.8077			97.0782	262.1582	86.9793
	S	68.945	69.633	68.464			83.735	3.425	88.328
6	T	8.0722	3.0084	5.0638	5.2722	4.2421	330.2190		78.1597
	S	113.352	126.464	105.562	78.370	105.276	24.616		97.414
7	T	7.6954	2.9809	4.7145	5.1873	4.1695	74.0640		
	S	118.902	127.631	113.383	79.653	107.109	109.754		
8	T	7.6102	2.9676	4.6426	5.1487	4.1869	73.4055		
	S	120.233	128.203	115.139	80.250	106.664	110.738		
9	T	7.5720	2.9667	4.6053	5.1072	4.1791	73.1033		
	S	120.840	128.242	116.072	80.902	106.863	111.196		
10	T	7.6084	3.0020	4.6064	5.1159	4.1678	73.3977		
	S	120.262	126.734	116.044	80.764	107.153	110.750		
11	T	7.5821	2.9791	4.6030	5.1100	4.1565	73.2856		
	S	120.679	127.708	116.130	80.857	107.444	110.919		
12	T	7.5772	2.9783	4.5989	5.1706	4.1642	73.5186		
	S	120.757	127.742	116.233	79.910	107.245	110.568		
13	T	7.5803	2.9728	4.6075	5.2315	4.0965	72.9673		
	S	120.708	127.979	116.016	78.980	109.018	111.403		
14	T	7.5354	2.9748	4.5606	5.0996	4.1646	73.2150		
	S	121.427	127.892	117.209	81.022	107.235	111.026		
15	T	7.6322	2.9678	4.6644	5.1782	4.1837	73.2904		
	S	119.887	128.194	114.601	79.793	106.745	110.912		
16	T	7.5741	2.9687	4.6054	5.1050	4.1499	73.2899		
	S	120.806	128.155	116.069	80.937	107.615	110.913		
17	T	7.5335	2.9455	4.5880	5.1363	4.2174	72.6810		
	S	121.457	129.165	116.509	80.443	105.892	111.842		
18	T	7.6589	2.9706	4.6883	5.1607	4.1593	73.7900		
	S	119.469	128.073	114.017	80.063	107.372	110.161		

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 18 - Kaiser, Kyle (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
19	T	3.8263	10.2126	6.1875	4.0251	14.7644	7.7528	7.0116	2.3810	15.3708	6.3932	4.8418	4.1358	10.8114	4.7529	6.0585
	S	134.714	134.860	129.477	143.136	107.553	79.942	138.083	160.933	92.753	109.527	79.281	82.594	98.507	107.303	91.607
20	T	3.8204	10.1416	6.0952	4.0464	14.5381	7.7435	6.7946	2.2869	15.7741	6.6676	4.8819	4.2246	10.7071	4.7383	5.9688
	S	134.922	135.804	131.437	142.382	109.227	80.038	142.493	167.555	90.381	105.019	78.630	80.858	99.467	107.634	92.984
21	T	3.8924	10.5966	6.5479	4.0487	14.7179	7.8062	6.9117	2.3289	15.1600	6.1701	4.9142	4.0757	10.3775	4.5509	5.8266
	S	132.426	129.973	122.350	142.302	107.893	79.395	140.079	164.533	94.042	113.487	78.113	83.812	102.626	112.066	95.253
22	T	3.8274	10.1543	6.1683	3.9860	14.5874	7.6260	6.9614	2.3813	15.0786	6.2188	4.8330	4.0268	10.4708	4.6312	5.8396
	S	134.675	135.634	129.880	144.540	108.858	81.271	139.079	160.913	94.550	112.598	79.426	84.829	101.711	110.123	95.041
23	T	3.8376	10.0704	6.0984	3.9720	14.6706	7.6601	7.0105	2.3884	14.9759	6.1569	4.8220	3.9970	10.3529	4.5719	5.7810
	S	134.317	136.764	131.368	145.049	108.241	80.909	138.105	160.435	95.198	113.730	79.607	85.462	102.870	111.551	96.004
24	T	3.8120	10.0977	6.1284	3.9693	14.4637	7.5255	6.9382	2.3752	14.9576	6.1194	4.8321	4.0061	10.4753	4.5878	5.8875
	S	135.219	136.395	130.725	145.148	109.789	82.356	139.544	161.326	95.315	114.427	79.440	85.268	101.668	111.164	94.268
25	T	3.8203	10.1166	6.1110	4.0056	14.5786	7.6229	6.9557	2.3732	15.0382	6.0895	4.8891	4.0596	10.4568	4.5966	5.8602
	S	134.925	136.140	131.097	143.833	108.924	81.304	139.193	161.462	94.804	114.989	78.514	84.144	101.848	110.952	94.707
26	T	3.8050	10.1440	6.1774	3.9666	14.4594	7.5478	6.9116	2.3639	15.1331	6.1700	4.8663	4.0968	10.4006	4.5967	5.8039
	S	135.468	135.772	129.688	145.247	109.822	82.113	140.081	162.097	94.210	113.489	78.882	83.380	102.398	110.949	95.625
27	T	3.8190	10.1305	6.1707	3.9598	14.4333	7.6237	6.8096	2.2861	15.3231	6.2241	4.9613	4.1377	10.4588	4.6187	5.8401
	S	134.971	135.953	129.829	145.496	110.020	81.296	142.179	167.614	93.041	112.503	77.372	82.556	101.828	110.421	95.033
28	T	3.8386	10.0741	6.0977	3.9764	14.5749	7.6225	6.9524	2.3815	14.9353	6.1230	4.7991	4.0132	10.4229	4.5731	5.8498
	S	134.282	136.714	131.383	144.889	108.951	81.308	139.259	160.899	95.457	114.360	79.987	85.117	102.179	111.522	94.875
29	T	3.8075	9.9980	6.0355	3.9625	14.6150	7.6075	7.0075	2.3942	14.9263	6.1475	4.8044	3.9744	10.4804	4.6440	5.8364
	S	135.379	137.755	132.737	145.397	108.652	81.469	138.164	160.046	95.515	113.904	79.898	85.948	101.618	109.819	95.093
30	T	3.8398	10.0923	6.1083	3.9840	14.3913	7.5515	6.8398	2.3157	14.9531	6.0577	4.7960	4.0994	10.4492	4.5504	5.8988
	S	134.240	136.468	131.155	144.613	110.341	82.073	141.551	165.471	95.344	115.593	80.038	83.327	101.922	112.078	94.087
31	T	3.8310	10.1056	6.1375	3.9681	14.5557	7.5684	6.9873	2.3916	15.0403	6.1226	4.8334	4.0843	10.3625	4.5584	5.8041
	S	134.548	136.288	130.531	145.192	109.095	81.890	138.563	160.220	94.791	114.368	79.419	83.635	102.774	111.881	95.622
32	T	3.8209	10.0745	6.1006	3.9739	14.5741	7.6089	6.9652	2.3810	15.0573	6.1332	4.8499	4.0742	10.5002	4.6113	5.8889
	S	134.904	136.709	131.321	144.980	108.957	81.454	139.003	160.933	94.684	114.170	79.149	83.842	101.427	110.598	94.245
33	T	3.8227	10.0304	6.0516	3.9788	14.5576	7.5853	6.9723	2.3856	14.9551	6.1412	4.7930	4.0209	10.4380	4.5911	5.8469
	S	134.840	137.310	132.384	144.802	109.081	81.707	138.861	160.623	95.331	114.021	80.088	84.954	102.031	111.084	94.922
34	T	3.8132	10.0818	6.0992	3.9826	14.3379	7.5183	6.8196	2.3122	14.8746	6.0229	4.8152	4.0365	10.3892	4.5924	5.7968
	S	135.176	136.610	131.351	144.663	110.752	82.435	141.970	165.722	95.847	116.261	79.719	84.626	102.510	111.053	95.742
35	T	3.8124	9.9781	6.0236	3.9545	14.3596	7.5198	6.8398	2.3149	14.7845	6.0324	4.7990	3.9531	10.3339	4.5220	5.8119
	S	135.205	138.030	133.000	145.691	110.585	82.419	141.551	165.528	96.431	116.078	79.988	86.411	103.059	112.782	95.494
36	T	3.8584	10.6005	6.4388	4.1617	16.4495	8.2044	8.2451	2.9914	17.9686	7.8577	5.4526	4.6583			
	S	133.593	129.925	124.423	138.438	96.535	75.542	117.425	128.094	79.343	89.114	70.400	73.330			

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 18 - Kaiser, Kyle (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
19	T	8.0780	3.0098	5.0682	5.2479	4.1934	74.8858			
	S	113.271	126.405	105.470	78.733	106.499	108.549			
20	T	7.9793	2.9807	4.9986	5.3764	4.2085	74.8324			
	S	114.672	127.639	106.939	76.851	106.116	108.627			
21	T	7.6291	2.9687	4.6604	5.2260	4.1723	74.1007			
	S	119.936	128.155	114.699	79.063	107.037	109.699			
22	T	7.5764	2.9624	4.6140	5.4671	4.1569	73.7002			
	S	120.770	128.428	115.853	75.576	107.434	110.295			
23	T	7.6194	2.9592	4.6602	5.2033	4.1277	73.2462			
	S	120.088	128.567	114.704	79.408	108.194	110.979			
24	T	7.5735	2.9658	4.6077	5.1726	4.1587	73.0863			
	S	120.816	128.281	116.011	79.879	107.387	111.222			
25	T	7.6156	2.9636	4.6520	5.1549	4.1273	73.2815			
	S	120.148	128.376	114.907	80.153	108.204	110.926			
26	T	7.6063	2.9437	4.6626	5.1510	4.1494	73.2127			
	S	120.295	129.244	114.645	80.214	107.628	111.030			
27	T	7.5866	2.9621	4.6245	5.1850	4.1931	73.4155			
	S	120.607	128.441	115.590	79.688	106.506	110.723			
28	T	7.5348	2.9601	4.5747	5.0728	4.1500	72.9849			
	S	121.437	128.528	116.848	81.450	107.612	111.376			
29	T	7.5945	2.9683	4.6262	5.1829	4.2059	73.2047			
	S	120.482	128.173	115.547	79.720	106.182	111.042			
30	T	7.6133	3.0043	4.6090	5.1364	4.1544	72.9455			
	S	120.184	126.637	115.979	80.442	107.498	111.437			
31	T	7.6036	2.9589	4.6447	5.0902	4.1306	73.1111			
	S	120.338	128.580	115.087	81.172	108.118	111.184			
32	T	7.5946	2.9671	4.6275	5.0674	4.2067	73.2767			
	S	120.480	128.224	115.515	81.537	106.162	110.933			
33	T	7.6194	2.9815	4.6379	5.0953	4.1361	73.0402			
	S	120.088	127.605	115.256	81.091	107.974	111.292			
34	T	7.5416	2.9610	4.5806	5.1075	4.1457	72.6037			
	S	121.327	128.489	116.698	80.897	107.724	111.961			
35	T	7.5523	2.9485	4.6038	5.1549	4.1338	72.4244			
	S	121.155	129.033	116.110	80.153	108.034	112.238			
36	T									
	S									

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 4 - Serralles, Felix (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.9131	24.4984	11.9104	12.5880	20.2348	12.5913	7.6435	2.4109	17.2225	7.1817	5.3903	4.6505	11.3873	5.0635	6.3238
	S	74.562	56.219	67.264	45.769	78.476	49.222	126.667	158.937	82.780	97.502	71.214	73.453	93.525	100.721	87.764
2	T	3.8746	10.5385	6.4255	4.1130	15.2746	8.2080	7.0666	2.3829	16.1849	6.7442	4.9952	4.4455	10.9368	4.9097	6.0271
	S	133.034	130.690	124.681	140.077	103.960	75.508	137.008	160.805	88.087	103.827	76.846	76.840	97.378	103.876	92.084
3	T	3.8471	10.2275	6.2238	4.0037	14.9484	8.0563	6.8921	2.3243	21.0468			4.9849	11.2184	4.8989	6.3195
	S	133.985	134.664	128.721	143.901	106.229	76.930	140.477	164.859	67.739			68.525	94.933	104.105	87.823
4	T	3.8411	10.2496	6.2262	4.0234	14.8728	7.8716	7.0012	2.3648	15.5780	6.3521	4.8627	4.3632	10.7993	4.6826	6.1167
	S	134.195	134.373	128.672	143.196	106.769	78.735	138.288	162.036	91.519	110.236	78.940	78.289	98.618	108.914	90.735
5	T	3.8383	10.5461	6.4835	4.0626	14.8337	7.8149	7.0188	2.3684	15.8212	6.4801	4.9801	4.3610	10.8358	4.8906	5.9452
	S	134.292	130.595	123.565	141.815	107.050	79.307	137.941	161.789	90.112	108.058	77.080	78.329	98.285	104.282	93.353
6	T	3.8588	11.7985	6.4948	5.3037	16.5829	8.3149	8.2680	2.8860	17.7497	8.3088	4.9940	4.4469	11.3058	5.0123	6.2935
	S	133.579	116.733	123.350	108.629	95.759	74.538	117.100	132.773	80.321	84.275	76.865	76.816	94.199	101.750	88.186
7	T	4.5641	16.0039	9.2426	6.7613	17.4550	8.8852	8.5698	3.8304	18.9683	9.0197	5.3032	4.6454	13.8960	6.4960	7.4000
	S	112.937	86.059	86.679	85.211	90.974	69.753	112.976	100.037	75.161	77.633	72.383	73.533	76.641	78.510	75.000
8	T	3.8295	10.3915	6.2999	4.0916	14.9007	7.9480	6.9527	2.3578	15.6743	6.5264	4.8708	4.2771	10.7936	4.6661	6.1275
	S	134.601	132.538	127.167	140.810	106.569	77.978	139.253	162.517	90.957	107.292	78.809	79.865	98.670	109.299	90.575
9	T	3.8288	10.5011	6.4263	4.0748	14.7262	7.7350	6.9912	2.3802	15.1708	6.2502	4.8002	4.1204	10.6284	4.5938	6.0346
	S	134.626	131.155	124.665	141.390	107.832	80.126	138.486	160.987	93.975	112.033	79.968	82.902	100.203	111.019	91.970
10	T	3.8114	10.1586	6.1633	3.9953	14.7330	7.7352	6.9978	2.3782	15.3032	6.2520	4.8485	4.2027	10.4947	4.5822	5.9125
	S	135.240	135.577	129.985	144.204	107.782	80.124	138.355	161.123	93.162	112.001	79.172	81.279	101.480	111.300	93.869
11	T	3.8048	10.2520	6.2038	4.0482	14.7065	7.7250	6.9815	2.3807	15.3628	6.3957	4.8357	4.1314	10.4609	4.5843	5.8766
	S	135.475	134.342	129.136	142.319	107.976	80.229	138.678	160.953	92.801	109.484	79.381	82.682	101.808	111.249	94.442
12	T	3.8045	10.1544	6.1604	3.9940	14.5138	7.6970	6.8168	2.2958	15.4852	6.4066	4.7861	4.2925	10.6424	4.6107	6.0317
	S	135.485	135.633	130.046	144.250	109.410	80.521	142.029	166.906	92.067	109.298	80.204	79.579	100.071	110.612	92.014
13	T	3.8212	10.1981	6.1828	4.0153	14.6795	7.7088	6.9707	2.3653	15.2931	6.3745	4.7682	4.1504	10.6892	4.5787	6.1105
	S	134.893	135.052	129.575	143.485	108.175	80.398	138.893	162.001	93.224	109.848	80.505	82.303	99.633	111.385	90.827
14	T	3.8438	10.1091	6.1401	3.9690	14.7048	7.7357	6.9691	2.3854	15.2999	6.3015	4.8722	4.1262	10.5380	4.6039	5.9341
	S	134.100	136.241	130.476	145.159	107.989	80.119	138.925	160.636	93.182	111.121	78.787	82.786	101.063	110.776	93.527
15	T	3.8082	11.8262	6.7730	5.0532	15.0986	8.1574	6.9412	2.3254	15.3917	6.3324	4.9380	4.1213	10.6477	4.6565	5.9912
	S	135.354	116.459	118.284	114.014	105.172	75.977	139.483	164.781	92.627	110.578	77.737	82.884	100.022	109.524	92.636
16	T	3.8333	10.1583	6.1735	3.9848	14.6182	7.6299	6.9883	2.3960	15.0193	6.1912	4.8075	4.0206	10.5831	4.6373	5.9458
	S	134.468	135.581	129.770	144.584	108.629	81.229	138.543	159.926	94.923	113.100	79.847	84.960	100.632	109.978	93.343
17	T	3.8280	10.2038	6.1872	4.0166	14.6264	7.6650	6.9614	2.3892	15.0909	6.2855	4.7598	4.0456	10.4735	4.5470	5.9265
	S	134.654	134.976	129.483	143.439	108.568	80.857	139.079	160.381	94.473	111.404	80.647	84.435	101.685	112.162	93.647
18	T	3.8198	10.1178	6.1194	3.9984	14.6771	7.6811	6.9960	2.3891	15.1150	6.2125	4.8214	4.0811	10.5954	4.5709	6.0245
	S	134.943	136.124	130.917	144.092	108.193	80.688	138.391	160.388	94.322	112.713	79.617	83.701	100.515	111.575	92.124
19	T	3.8177	10.1635	6.1961	3.9674	14.6065	7.6429	6.9636	2.3855	15.1017	6.1923	4.8482	4.0612	10.4772	4.6081	5.8691
	S	135.017	135.512	129.297	145.218	108.716	81.091	139.035	160.630	94.405	113.080	79.177	84.111	101.649	110.675	94.563

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 4 - Serralles, Felix (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	8.2491	3.0118	5.2373	5.2959	4.3534	100.5654
	S	110.921	126.321	102.065	78.019	102.584	80.831
2	T	7.9440	2.9857	4.9583	5.2527	4.2298	76.6188
	S	115.181	127.426	107.808	78.661	105.582	106.094
3	T	7.9748	3.0257	4.9491	5.2843	4.2048	81.0764
	S	114.736	125.741	108.009	78.190	106.210	100.261
4	T	7.8352	2.9447	4.8905	5.1759	4.4230	75.1397
	S	116.781	129.200	109.303	79.828	100.970	108.182
5	T	7.6632	2.9830	4.6802	5.1029	4.2701	75.2797
	S	119.402	127.541	114.214	80.970	104.586	107.981
6	T	8.7964	3.1087	5.6877	5.8129	4.3157	83.1067
	S	104.020	122.384	93.983	71.080	103.481	97.812
7	T	12.7482	4.2386	8.5096	6.3867	4.2035	98.0561
	S	71.775	89.759	62.817	64.694	106.243	82.899
8	T	7.7628	2.9788	4.7840	5.2547	4.2856	75.2505
	S	117.870	127.721	111.736	78.631	104.207	108.023
9	T	7.6976	2.9979	4.6997	5.1726	4.2592	74.3649
	S	118.868	126.907	113.740	79.879	104.853	109.310
10	T	7.6788	2.9584	4.7204	5.0893	4.2368	73.8840
	S	119.159	128.601	113.242	81.186	105.408	110.021
11	T	7.6290	2.9721	4.6569	5.0849	4.2719	73.9535
	S	119.937	128.009	114.786	81.257	104.542	109.918
12	T	7.6257	2.9516	4.6741	5.2809	4.2321	74.0348
	S	119.989	128.898	114.363	78.241	105.525	109.797
13	T	7.7202	3.0836	4.6366	5.1207	4.2751	74.1624
	S	118.520	123.380	115.288	80.689	104.463	109.608
14	T	7.6350	2.9901	4.6449	5.0906	4.2743	73.8809
	S	119.843	127.238	115.082	81.166	104.483	110.026
15	T	7.6055	2.9973	4.6082	5.0919	4.3081	76.1033
	S	120.308	126.932	115.999	81.145	103.663	106.813
16	T	7.5252	2.9802	4.5450	5.0953	4.2721	73.5008
	S	121.591	127.661	117.612	81.091	104.537	110.595
17	T	7.5590	2.9960	4.5630	5.1176	4.2995	73.5879
	S	121.048	126.987	117.148	80.737	103.870	110.464
18	T	7.5832	2.9960	4.5872	5.1067	4.2506	73.6547
	S	120.661	126.987	116.530	80.910	105.065	110.364
19	T	7.5369	2.9589	4.5780	5.1292	4.2647	73.4829
	S	121.403	128.580	116.764	80.555	104.718	110.622

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 4 - Serralles, Felix (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	3.8183	10.1359	6.1645	3.9714	14.6191	7.6622	6.9569	2.3890	15.1076	6.2169	4.7990	4.0917	10.5200	4.5637	5.9563
	S	134.996	135.881	129.960	145.071	108.622	80.887	139.169	160.394	94.369	112.633	79.988	83.484	101.236	111.751	93.179
21	T	3.8205	10.6938	6.5200	4.1738	14.5205	7.6760	6.8445	2.3199	15.1917	6.2917	4.8346	4.0654	10.6526	4.6871	5.9655
	S	134.918	128.792	122.874	138.036	109.359	80.742	141.454	165.172	93.846	111.294	79.399	84.024	99.976	108.809	93.035
22	T	3.8155	10.1482	6.1710	3.9772	14.6459	7.6921	6.9538	2.3426	15.1215	6.2345	4.8126	4.0744	10.7053	4.6351	6.0702
	S	135.095	135.716	129.823	144.860	108.423	80.573	139.231	163.571	94.282	112.315	79.762	83.838	99.483	110.030	91.430
23	T	3.8418	10.1452	6.1308	4.0144	14.5013	7.6457	6.8556	2.3245	15.0440	6.1974	4.8065	4.0401	10.5368	4.6132	5.9236
	S	134.170	135.756	130.674	143.517	109.504	81.062	141.225	164.845	94.767	112.987	79.863	84.550	101.074	110.552	93.693
24	T	3.8121	10.1088	6.1215	3.9873	14.5891	7.6248	6.9643	2.4000	15.1290	6.2244	4.8380	4.0666	10.5523	4.6169	5.9354
	S	135.215	136.245	130.873	144.493	108.845	81.284	139.021	159.659	94.235	112.497	79.343	83.999	100.926	110.464	93.507
25	T	3.8199	10.1159	6.1429	3.9730	14.4626	7.6420	6.8206	2.3203	15.0517	6.1469	4.8508	4.0540	10.5219	4.5711	5.9508
	S	134.939	136.149	130.417	145.013	109.797	81.101	141.950	165.143	94.719	113.916	79.134	84.260	101.217	111.571	93.265
26	T	3.8030	10.0869	6.0945	3.9924	14.6420	7.6616	6.9804	2.3861	15.0145	6.2001	4.7682	4.0462	10.4657	4.5210	5.9447
	S	135.539	136.541	131.452	144.308	108.452	80.893	138.700	160.589	94.954	112.938	80.505	84.423	101.761	112.807	93.360
27	T	3.7975	10.2308	6.2152	4.0156	14.6621	7.7087	6.9534	2.3872	15.1218	6.2063	4.8216	4.0939	10.6525	4.6131	6.0394
	S	135.735	134.620	128.900	143.475	108.303	80.399	139.239	160.515	94.280	112.825	79.613	83.439	99.977	110.555	91.897
28	T	3.8237	10.1223	6.1171	4.0052	14.6668	7.6886	6.9782	2.3900	15.1567	6.2574	4.8585	4.0408	10.5625	4.5859	5.9766
	S	134.805	136.063	130.967	143.847	108.269	80.609	138.744	160.327	94.063	111.904	79.009	84.535	100.828	111.210	92.862
29	T	3.8120	10.1495	6.1527	3.9968	14.6075	7.6502	6.9573	2.3887	14.9837	6.1649	4.7929	4.0259	10.5587	4.5774	5.9813
	S	135.219	135.699	130.209	144.149	108.708	81.014	139.161	160.414	95.149	113.583	80.090	84.848	100.865	111.417	92.789
30	T	3.8092	10.0603	6.0624	3.9979	14.6745	7.7074	6.9671	2.3897	15.0349	6.1618	4.7712	4.1019	10.5871	4.6277	5.9594
	S	135.318	136.902	132.148	144.110	108.212	80.413	138.965	160.347	94.825	113.640	80.454	83.276	100.594	110.206	93.130
31	T	3.8116	10.0782	6.0587	4.0195	14.7674	7.7831	6.9843	2.3916	15.1531	6.1480	4.8600	4.1451	10.5599	4.5628	5.9971
	S	135.233	136.659	132.229	143.335	107.531	79.631	138.623	160.220	94.085	113.895	78.984	82.408	100.853	111.773	92.545
32	T	3.8123	10.3226	6.2510	4.0716	14.7519	7.7674	6.9845	2.3994	15.1780	6.2242	4.8293	4.1245	10.5190	4.5649	5.9541
	S	135.208	133.423	128.161	141.501	107.644	79.792	138.619	159.699	93.931	112.501	79.486	82.820	101.245	111.722	93.213
33	T	3.7980	10.1624	6.1475	4.0149	14.6395	7.6631	6.9764	2.3913	15.1477	6.2215	4.8264	4.0998	10.5332	4.5794	5.9538
	S	135.717	135.526	130.319	143.500	108.471	80.878	138.780	160.240	94.119	112.550	79.534	83.319	101.109	111.368	93.218
34	T	3.8185	10.1949	6.1995	3.9954	14.6900	7.6984	6.9916	2.4010	15.0709	6.1895	4.8321	4.0493	10.7164	4.5766	6.1398
	S	134.989	135.094	129.226	144.200	108.098	80.507	138.478	159.593	94.598	113.131	79.440	84.358	99.380	111.436	90.394
35	T	3.8114	10.1074	6.1026	4.0048	14.6364	7.7015	6.9349	2.3883	15.1024	6.2156	4.7814	4.1054	10.4644	4.5591	5.9053
	S	135.240	136.264	131.278	143.861	108.494	80.474	139.610	160.441	94.401	112.656	80.283	83.205	101.774	111.864	93.983
36	T	3.8113	10.1541	6.1291	4.0250	14.6894	7.7225	6.9669	2.3984	15.0446	6.1808	4.8521	4.0117	10.5324	4.6027	5.9297
	S	135.244	135.637	130.710	143.139	108.102	80.255	138.969	159.766	94.764	113.291	79.113	85.149	101.117	110.805	93.597
37	T	3.7354	9.9219	6.0125	3.9094	14.5555	7.6432	6.9123	2.3294	14.9788	6.0794	4.8375	4.0619	10.4555	4.5851	5.8704
	S	137.992	138.811	133.245	147.372	109.097	81.088	140.067	164.498	95.180	115.180	79.352	84.096	101.860	111.230	94.542
38	T	3.8043	10.1093	6.1148	3.9945	14.4712	7.6289	6.8423	2.3621	15.3549	6.1296	5.0784	4.1469	10.5007	4.5397	5.9610
	S	135.493	136.238	131.016	144.232	109.732	81.240	141.499	162.221	92.849	114.237	75.588	82.373	101.422	112.342	93.100

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 4 - Serralles, Felix (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	7.5938	2.9692	4.6246	5.0802	4.2419	73.5058
	S	120.493	128.134	115.587	81.332	105.281	110.587
21	T	7.7453	2.9619	4.7834	5.2785	4.2260	74.4488
	S	118.136	128.449	111.750	78.276	105.677	109.186
22	T	7.7054	3.0100	4.6954	5.2672	4.2186	73.9702
	S	118.748	126.397	113.844	78.444	105.862	109.893
23	T	7.5084	2.9630	4.5454	5.2005	4.2323	73.3348
	S	121.864	128.402	117.601	79.450	105.520	110.845
24	T	7.5481	2.9546	4.5935	5.0691	4.2612	73.4697
	S	121.223	128.767	116.370	81.510	104.804	110.642
25	T	7.5411	2.9486	4.5925	5.0979	4.2358	73.1671
	S	121.335	129.029	116.395	81.049	105.432	111.099
26	T	7.6488	2.9618	4.6870	5.1761	4.1888	73.4119
	S	119.627	128.454	114.049	79.825	106.615	110.729
27	T	7.5333	2.9775	4.5558	5.2271	4.2199	73.8322
	S	121.461	127.777	117.333	79.046	105.830	110.098
28	T	7.4776	2.9616	4.5160	5.1056	4.2208	73.5260
	S	122.365	128.463	118.367	80.927	105.807	110.557
29	T	7.5011	2.9711	4.5300	5.0687	4.2631	73.3330
	S	121.982	128.052	118.001	81.516	104.757	110.848
30	T	7.3998	2.9571	4.4427	5.1311	4.2970	73.3836
	S	123.652	128.658	120.320	80.525	103.931	110.771
31	T	7.5592	2.9803	4.5789	5.2393	4.2095	73.7698
	S	121.045	127.656	116.741	78.862	106.091	110.191
32	T	7.5416	2.9864	4.5552	5.0786	4.2413	73.8447
	S	121.327	127.396	117.348	81.357	105.296	110.080
33	T	7.5618	2.9678	4.5940	5.1800	4.2870	73.7009
	S	121.003	128.194	116.357	79.765	104.173	110.294
34	T	7.5631	2.9990	4.5641	5.2557	4.2272	73.9377
	S	120.982	126.860	117.120	78.616	105.647	109.941
35	T	7.5123	2.9798	4.5325	5.0791	4.2400	73.3417
	S	121.800	127.678	117.936	81.349	105.328	110.835
36	T	7.4420	2.9797	4.4623	5.3177	4.2041	73.5940
	S	122.951	127.682	119.791	77.699	106.227	110.455
37	T	7.4196	2.8840	4.5356	5.1353	4.1979	72.7293
	S	123.322	131.919	117.856	80.459	106.384	111.768
38	T	7.5516	2.9742	4.5774	5.1064	4.2749	73.5354
	S	121.166	127.918	116.779	80.915	104.468	110.543

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 42 - Harvey, Jack

Lap	T/S	SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
39	T	4.4782	12.3928	7.5385	4.8543	15.5962	8.4616	7.1346	2.8235	17.0565	7.5892	5.0212	4.4461	13.3917	5.5817	7.8100
	S	115.103	111.135	106.273	118.686	101.817	73.245	135.702	135.712	83.586	92.266	76.449	76.829	79.527	91.370	71.063
Lap	T/S	SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
1	T	6.4728	25.8234	13.1442	12.6792	20.4801	12.7930	7.6871	2.4220	17.1719	7.1037	5.3498	4.7184	11.1785	4.8995	6.2790
	S	79.634	53.334	60.950	45.439	77.536	48.446	125.949	158.209	83.024	98.572	71.753	72.395	95.272	104.092	88.390
2	T	3.9236	10.6935	6.5224	4.1711	15.0775	8.0098	7.0677	2.4109	16.1430	6.7103	5.0924	4.3403	10.9149	4.7443	6.1706
	S	131.373	128.795	122.828	138.126	105.319	77.377	136.987	158.937	88.316	104.351	75.380	78.702	97.573	107.497	89.943
3	T	3.8684	10.5825	6.3958	4.1867	14.8242	7.7468	7.0774	2.4136	16.0259	6.7007	5.0249	4.3003	10.6417	4.6226	6.0191
	S	133.247	130.146	125.260	137.611	107.119	80.004	136.799	158.759	88.961	104.501	76.392	79.434	100.078	110.328	92.206
4	T	3.8684	10.2332	6.1994	4.0338	14.6312	7.6090	7.0222	2.4071	15.5787	6.4279	4.8660	4.2848	10.6993	4.6170	6.0823
	S	133.247	134.589	129.228	142.827	108.532	81.453	137.874	159.188	91.515	108.936	78.887	79.722	99.539	110.461	91.248
5	T	3.8492	10.4397	6.3508	4.0889	14.6334	7.7004	6.9330	2.3409	15.2945	6.2604	4.8218	4.2123	10.6226	4.5900	6.0326
	S	133.912	131.926	126.147	140.903	108.516	80.486	139.648	163.690	93.215	111.850	79.610	81.094	100.258	111.111	92.000
6	T	3.8433	10.4151	6.1530	4.2621	15.0227	7.8978	7.1249	2.4383	17.9260	7.3449	5.3828	5.1983	14.9465	7.0702	7.8763
	S	134.118	132.238	130.203	135.177	105.704	78.474	135.887	157.151	79.532	95.335	71.313	65.712	71.254	72.134	70.465
7	T	4.8555	14.3822	8.7525	5.6297	19.2648	9.1477	10.1171	3.9902	20.2131	9.3659	5.5493	5.2979	14.3356	6.4254	7.9102
	S	106.159	95.762	91.532	102.339	82.428	67.752	95.698	96.031	70.533	74.763	69.173	64.477	74.291	79.372	70.163
8	T	3.8753	10.2410	6.2284	4.0126	14.4118	7.5824	6.8294	2.3137	15.4613	6.3267	4.8354	4.2992	10.5712	4.6022	5.9690
	S	133.010	134.486	128.626	143.582	110.184	81.738	141.767	165.614	92.210	110.678	79.386	79.455	100.745	110.817	92.980
9	T	3.8423	10.1387	6.1354	4.0033	14.5469	7.5377	7.0092	2.3998	15.2219	6.3303	4.7261	4.1655	10.4069	4.5266	5.8803
	S	134.153	135.843	130.576	143.915	109.161	82.223	138.130	159.672	93.660	110.615	81.222	82.005	102.336	112.667	94.383
10	T	3.8271	10.1805	6.1908	3.9897	14.5544	7.5575	6.9969	2.3914	15.2433	6.2851	4.7991	4.1591	10.4737	4.5156	5.9581
	S	134.685	135.285	129.408	144.406	109.105	82.008	138.373	160.233	93.528	111.411	79.987	82.131	101.683	112.942	93.151
11	T	3.8139	10.1637	6.1424	4.0213	14.4508	7.4611	6.9897	2.3916	15.2082	6.2925	4.7800	4.1357	10.3358	4.4821	5.8537
	S	135.152	135.509	130.427	143.271	109.887	83.067	138.516	160.220	93.744	111.280	80.306	82.596	103.040	113.786	94.812
12	T	3.8075	10.2659	6.2596	4.0063	14.2780	7.4998	6.7782	2.2845	15.9049	6.7317	4.9505	4.2227	10.4576	4.5519	5.9057
	S	135.379	134.160	127.985	143.808	111.217	82.639	142.838	167.731	89.638	104.019	77.540	80.894	101.840	112.041	93.977
13	T	3.8258	10.1037	6.1129	3.9908	14.6613	7.6180	7.0433	2.4046	15.0815	6.2706	4.7096	4.1013	10.4066	4.5160	5.8906
	S	134.731	136.314	131.057	144.366	108.309	81.356	137.461	159.354	94.532	111.668	81.507	83.288	102.339	112.932	94.218
14	T	3.8331	10.0460	6.0931	3.9529	14.4266	7.4678	6.9588	2.3829	15.2573	6.3154	4.7774	4.1645	10.4192	4.5437	5.8755
	S	134.475	137.097	131.483	145.750	110.071	82.993	139.131	160.805	93.443	110.876	80.350	82.024	102.215	112.243	94.460
15	T	3.8254	10.0610	6.1007	3.9603	14.4872	7.5007	6.9865	2.3949	15.1770	6.2402	4.7693	4.1675	10.4952	4.5359	5.9593
	S	134.745	136.892	131.319	145.478	109.611	82.629	138.579	159.999	93.937	112.212	80.486	81.965	101.475	112.436	93.132
16	T	3.8204	10.1975	6.1986	3.9989	14.6003	7.5800	7.0203	2.4053	15.0703	6.1672	4.7809	4.1222	10.4636	4.5521	5.9115
	S	134.922	135.060	129.245	144.074	108.762	81.764	137.912	159.307	94.602	113.541	80.291	82.866	101.781	112.036	93.885
17	T	3.8257	10.0744	6.1556	3.9188	14.3742	7.5015	6.8727	2.3760	15.0746	6.1533	4.8107	4.1106	10.3684	4.5066	5.8618
	S	134.735	136.710	130.148	147.019	110.473	82.620	140.874	161.272	94.575	113.797	79.794	83.100	102.716	113.167	94.681
18	T	3.8107	10.0953	6.1309	3.9644	14.5112	7.5164	6.9948	2.3977	15.1582	6.2331	4.8015	4.1236	10.3445	4.4844	5.8601
	S	135.265	136.427	130.672	145.328	109.430	82.456	138.415	159.812	94.054	112.340	79.947	82.838	102.953	113.728	94.708

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 42 - Harvey, Jack

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
39	T						
	S						
Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	8.1336	3.0321	5.1015	5.3378	4.4062	101.4263
	S	112.496	125.476	104.782	77.407	101.355	80.145
2	T	7.9994	3.0397	4.9597	5.2369	4.2634	76.6631
	S	114.384	125.162	107.778	78.898	104.750	106.033
3	T	7.8868	3.0083	4.8785	5.1206	4.2047	75.5684
	S	116.017	126.468	109.572	80.690	106.212	107.569
4	T	8.0228	2.9943	5.0285	5.2218	4.2371	74.8996
	S	114.050	127.060	106.303	79.126	105.400	108.529
5	T	7.8284	2.9712	4.8572	5.2194	4.2064	74.4345
	S	116.882	128.047	110.052	79.163	106.169	109.207
6	T	10.1429	3.8295	6.3134	6.0428	4.2880	85.0656
	S	90.211	99.348	84.668	68.376	104.149	95.559
7	T	13.4243	4.7468	8.6775	6.2218	4.2443	100.9318
	S	68.160	80.150	61.601	66.409	105.221	80.538
8	T	7.7584	2.9694	4.7890	5.1322	4.2132	73.9781
	S	117.937	128.125	111.619	80.508	105.998	109.881
9	T	7.6510	2.9557	4.6953	5.0879	4.1898	73.4852
	S	119.592	128.719	113.847	81.209	106.590	110.618
10	T	7.6998	2.9792	4.7206	5.0364	4.1897	73.5963
	S	118.834	127.704	113.237	82.039	106.593	110.451
11	T	7.7029	2.9503	4.7526	5.1966	4.1783	73.4418
	S	118.786	128.955	112.474	79.510	106.883	110.684
12	T	7.6775	2.9917	4.6858	5.0706	4.1579	73.9044
	S	119.179	127.170	114.078	81.486	107.408	109.991
13	T	7.6696	2.9712	4.6984	5.1538	4.1720	73.4789
	S	119.302	128.047	113.772	80.170	107.045	110.628
14	T	7.6233	2.9569	4.6664	5.1527	4.1894	73.3305
	S	120.027	128.667	114.552	80.187	106.600	110.852
15	T	7.6454	3.0026	4.6428	5.0873	4.1982	73.3716
	S	119.680	126.708	115.134	81.218	106.377	110.789
16	T	7.5926	2.9786	4.6140	5.1785	4.1663	73.4948
	S	120.512	127.729	115.853	79.788	107.191	110.604
17	T	7.5684	2.9739	4.5945	5.1552	4.1519	72.9688
	S	120.897	127.931	116.345	80.149	107.563	111.401
18	T	7.6106	2.9693	4.6413	5.1405	4.1477	73.2164
	S	120.227	128.129	115.171	80.378	107.672	111.024

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 42 - Harvey, Jack

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
19	T	3.8213	10.0744	6.1127	3.9617	14.5317	7.5169	7.0148	2.3999	15.0476	6.1565	4.8114	4.0797	10.4318	4.5116	5.9202
	S	134.890	136.710	131.061	145.427	109.275	82.451	138.020	159.666	94.745	113.738	79.782	83.729	102.092	113.042	93.747
20	T	3.8198	10.1321	6.1563	3.9758	14.5118	7.5340	6.9778	2.3971	15.0645	6.2039	4.7503	4.1103	10.4166	4.5276	5.8890
	S	134.943	135.932	130.133	144.911	109.425	82.263	138.752	159.852	94.639	112.869	80.808	83.106	102.241	112.642	94.244
21	T	3.8244	10.0610	6.1001	3.9609	14.3179	7.4688	6.8491	2.3129	34.4476			4.5830	10.8363	4.7603	6.0760
	S	134.781	136.892	131.332	145.456	110.907	82.982	141.359	165.672	41.387			74.534	98.281	107.136	91.343
22	T	3.8657	14.3164	8.6795	5.6369	15.0831	8.0322	7.0509	2.4058	15.6369	6.5028	4.9405	4.1936	10.8028	4.7096	6.0932
	S	133.341	96.202	92.302	102.208	105.280	77.161	137.313	159.274	91.174	107.681	77.697	81.455	98.586	108.289	91.085
23	T	3.9032	10.9982	6.8071	4.1911	14.7932	7.7666	7.0266	2.4144	15.5951	6.5072	4.9616	4.1263	10.8059	4.7563	6.0496
	S	132.059	125.227	117.691	137.467	107.344	79.800	137.788	158.707	91.419	107.608	77.367	82.784	98.557	107.226	91.742
24	T	3.9311	10.8724	6.7242	4.1482	15.2150	8.1084	7.1066	2.4146	15.5783	6.3898	5.0001	4.1884	10.7162	4.7102	6.0060
	S	131.122	126.676	119.142	138.888	104.368	76.436	136.237	158.694	91.517	109.585	76.771	81.556	99.382	108.276	92.408
25	T	3.9386	10.8384	6.7287	4.1097	14.6448	7.6419	7.0029	2.4003	15.4145	6.3638	4.8584	4.1923	10.6832	4.7323	5.9509
	S	130.873	127.073	119.063	140.189	108.431	81.102	138.254	159.639	92.490	110.033	79.010	81.481	99.689	107.770	93.263
26	T	3.8547	11.0013	6.8614	4.1399	14.6884	7.6790	7.0094	2.4026	15.7148	6.4014	4.9549	4.3585	11.4300	4.9798	6.4502
	S	133.721	125.192	116.760	139.167	108.109	80.710	138.126	159.486	90.722	109.387	77.472	78.374	93.176	102.414	86.044
27	T	3.9213	10.9496	6.7934	4.1562	14.8174	7.7727	7.0447	2.4112	15.6389	6.5095	4.8985	4.2309	10.9287	4.7835	6.1452
	S	131.450	125.783	117.929	138.621	107.168	79.737	137.434	158.917	91.163	107.570	78.364	80.737	97.450	106.616	90.314
28	T	3.9201	11.0115	6.8344	4.1771	14.7598	7.7383	7.0215	2.4125	15.6747	6.4775	4.9866	4.2106	10.8446	4.7408	6.1038
	S	131.490	125.076	117.221	137.927	107.586	80.092	137.888	158.832	90.954	108.101	76.979	81.126	98.206	107.577	90.927
29	T	3.9205	10.9861	6.8086	4.1775	14.6763	7.7948	6.8815	2.3383	15.5783	6.3651	4.9777	4.2355	10.9527	4.8188	6.1339
	S	131.477	125.365	117.665	137.914	108.199	79.511	140.693	163.872	91.517	110.010	77.117	80.649	97.236	105.835	90.481
30	T	3.9161	11.0394	6.8453	4.1941	14.8525	7.9128	6.9397	2.3406	15.7087	6.4403	4.9593	4.3091	10.8674	4.7732	6.0942
	S	131.624	124.760	117.035	137.368	106.915	78.325	139.513	163.711	90.757	108.726	77.403	79.272	98.000	106.847	91.070
31	T	3.9440	10.9652	6.8162	4.1490	15.1207	8.0821	7.0386	2.4017	15.9430	6.6375	5.0127	4.2928	11.0027	4.8636	6.1391
	S	130.693	125.604	117.534	138.862	105.019	76.685	137.553	159.546	89.424	105.496	76.578	79.573	96.794	104.861	90.404
32	T	3.8990	11.1317	6.9515	4.1802	14.8106	7.8008	7.0098	2.4084	15.7932	6.4569	5.0626	4.2737	10.9369	4.8107	6.1262
	S	132.202	123.725	115.247	137.825	107.217	79.450	138.118	159.102	90.272	108.446	75.823	79.929	97.377	106.014	90.594
33	T	3.9384	11.0602	6.9044	4.1558	14.8091	7.7939	7.0152	2.4112	15.6173	6.4507	4.9087	4.2579	10.8484	4.7796	6.0688
	S	130.879	124.525	116.033	138.634	107.228	79.520	138.012	158.917	91.289	108.551	78.201	80.225	98.171	106.703	91.451
34	T	3.9425	11.1022	6.9111	4.1911	14.8582	7.8342	7.0240	2.4143	15.7356	6.4758	5.0082	4.2516	10.9285	4.7961	6.1324
	S	130.743	124.054	115.920	137.467	106.874	79.111	137.839	158.713	90.602	108.130	76.647	80.344	97.452	106.336	90.503
35	T	3.9538	11.1565	6.9662	4.1903	14.8448	7.8357	7.0091	2.4121	15.7795	6.4466	5.0491	4.2838	10.9725	4.8247	6.1478
	S	130.369	123.450	115.003	137.493	106.970	79.096	138.132	158.858	90.350	108.620	76.026	79.740	97.061	105.706	90.276
36	T	3.9386	11.1117	6.9192	4.1925	14.8968	7.8773	7.0195	2.4175	15.7728	6.5662	4.9500	4.2566	11.0845	4.8845	6.2000
	S	130.873	123.948	115.785	137.421	106.597	78.678	137.927	158.503	90.389	106.641	77.548	80.250	96.080	104.412	89.516
37	T	3.9341	11.1599	6.9574	4.2025	14.9560	7.9317	7.0243	2.4154	15.7690	6.4353	5.0253	4.3084	11.0926	4.8771	6.2155
	S	131.022	123.413	115.149	137.094	106.175	78.139	137.833	158.641	90.410	108.810	76.386	79.285	96.010	104.570	89.293

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 42 - Harvey, Jack

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
19	T	7.6474	2.9838	4.6636	5.0830	4.2045	73.2416
	S	119.649	127.507	114.621	81.287	106.217	110.986
20	T	7.5525	2.9721	4.5804	5.0894	4.1969	73.1807
	S	121.152	128.009	116.703	81.185	106.410	111.078
21	T	7.8574	3.0234	4.8340	5.2026	4.2264	93.0865
	S	116.451	125.837	110.580	79.418	105.667	87.325
22	T	7.9286	3.0399	4.8887	5.2624	4.2843	79.5860
	S	115.405	125.154	109.343	78.516	104.239	102.139
23	T	8.0054	3.0256	4.9798	5.3053	4.2784	76.0991
	S	114.298	125.745	107.343	77.881	104.383	106.819
24	T	7.9287	3.0117	4.9170	5.2387	4.2138	76.1088
	S	115.404	126.326	108.714	78.871	105.983	106.805
25	T	7.8659	2.9986	4.8673	5.2452	4.2176	75.2485
	S	116.325	126.877	109.824	78.773	105.887	108.026
26	T	8.0952	3.1089	4.9863	5.2563	4.2429	76.6862
	S	113.030	122.376	107.203	78.607	105.256	106.001
27	T	7.9921	3.0336	4.9585	5.2584	4.2312	76.1488
	S	114.488	125.414	107.804	78.576	105.547	106.749
28	T	7.9627	3.0227	4.9400	5.2826	4.2112	76.0797
	S	114.911	125.866	108.208	78.216	106.048	106.846
29	T	8.0628	3.0219	5.0409	5.3242	4.2279	76.0671
	S	113.484	125.899	106.042	77.604	105.629	106.864
30	T	7.9460	2.9950	4.9510	5.5233	4.1878	76.3818
	S	115.152	127.030	107.967	74.807	106.641	106.423
31	T	8.0927	3.0041	5.0886	5.4509	4.2310	77.1519
	S	113.065	126.645	105.048	75.801	105.552	105.361
32	T	8.0547	3.0246	5.0301	5.3161	4.2080	76.5586
	S	113.598	125.787	106.269	77.723	106.129	106.177
33	T	8.0464	3.0174	5.0290	5.4043	4.2504	76.3857
	S	113.715	126.087	106.293	76.454	105.070	106.418
34	T	8.1281	3.0335	5.0946	5.3316	4.2376	76.6786
	S	112.572	125.418	104.924	77.497	105.388	106.011
35	T	8.1248	3.0410	5.0838	5.4213	4.2110	76.8763
	S	112.618	125.108	105.147	76.215	106.053	105.739
36	T	8.1501	3.0297	5.1204	5.4360	4.2510	77.0590
	S	112.269	125.575	104.395	76.008	105.055	105.488
37	T	8.1632	3.0308	5.1324	5.4845	4.2400	77.2147
	S	112.088	125.529	104.151	75.336	105.328	105.275

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 5 - Piedrahita, Juan

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
38	T	3.9705	11.3080	7.0438	4.2642	15.1623	8.0907	7.0716	2.4231	16.0749	6.6599	5.0186	4.3964	11.2343	4.8951	6.3392
	S	129.821	121.796	113.736	135.110	104.730	76.603	136.911	158.137	88.690	105.141	76.488	77.698	94.799	104.186	87.550
Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.2879	18.8487	11.1503	7.6984	18.7188	11.3298	7.3890	2.4123	18.4314	7.6670	5.6121	5.1523	12.1403	5.3903	6.7500
	S	70.727	73.070	71.849	74.838	84.832	54.703	131.030	158.845	77.351	91.330	68.399	66.299	87.724	94.614	82.222
2	T	3.9516	10.7699	6.5941	4.1758	15.1631	8.0786	7.0845	2.4105	16.1531	6.6370	5.0558	4.4603	11.0039	4.8449	6.1599
	S	130.442	127.882	121.493	137.970	104.725	76.718	136.662	158.964	88.261	105.504	75.925	76.585	96.784	105.265	90.112
3	T	3.8758	10.4933	6.4057	4.0876	14.9310	7.9095	7.0215	2.3902	16.2106	6.6068	5.2573	4.3465	10.9035	4.8248	6.0787
	S	132.993	131.253	125.066	140.947	106.353	78.358	137.888	160.314	87.948	105.986	73.015	78.590	97.675	105.704	91.302
4	T	3.8629	10.5367	6.4631	4.0736	14.7402	7.8234	6.9168	2.3166	15.8865	6.4522	4.9131	4.5212	10.8228	4.8047	6.0181
	S	133.437	130.712	123.955	141.432	107.730	79.220	139.975	165.407	89.742	108.525	78.131	75.553	98.403	106.146	92.222
5	T	3.8745	10.3787	6.3435	4.0352	14.6588	7.6790	6.9798	2.3758	15.5627	6.4567	4.8712	4.2348	10.5935	4.6525	5.9410
	S	133.038	132.702	126.292	142.778	108.328	80.710	138.712	161.285	91.609	108.450	78.803	80.663	100.533	109.618	93.419
6	T	3.8743	11.1968	6.5335	4.6633	17.0120	8.5251	8.4869	2.8564	16.9848	7.4559	5.1837	4.3452	11.3927	4.9901	6.4026
	S	133.045	123.006	122.620	123.547	93.343	72.700	114.080	134.149	83.939	93.916	74.052	78.613	93.481	102.202	86.684
7	T	5.0283	15.9446	9.6262	6.3184	17.6637	8.6481	9.0156	3.8048	19.1934	8.7635	5.3958	5.0341	14.1309	6.2033	7.9276
	S	102.511	86.379	83.225	91.184	89.899	71.666	107.390	100.710	74.280	79.903	71.141	67.855	75.367	82.214	70.009
8	T	3.8905	10.4847	6.4551	4.0296	14.6925	7.8304	6.8621	2.2957	15.9400	6.5924	4.9346	4.4130	10.7286	4.7103	6.0183
	S	132.491	131.360	124.109	142.976	108.079	79.150	141.091	166.913	89.441	106.217	77.790	77.406	99.267	108.273	92.219
9	T	3.8484	10.2843	6.2867	3.9976	14.5425	7.5979	6.9446	2.3615	15.4422	6.3465	4.8754	4.2203	10.5652	4.6266	5.9386
	S	133.940	133.920	127.434	144.121	109.194	81.572	139.415	162.262	92.324	110.333	78.735	80.940	100.803	110.232	93.456
10	T	3.8376	10.2712	6.2707	4.0005	14.4936	7.5379	6.9557	2.3700	15.3283	6.3229	4.8100	4.1954	10.4935	4.5849	5.9086
	S	134.317	134.091	127.759	144.016	109.562	82.221	139.193	161.680	93.010	110.745	79.805	81.420	101.491	111.235	93.931
11	T	3.8283	10.3229	6.2812	4.0417	14.5235	7.5606	6.9629	2.3648	15.3003	6.2933	4.8247	4.1823	10.4579	4.5766	5.8813
	S	134.643	133.419	127.545	142.548	109.337	81.974	139.049	162.036	93.180	111.266	79.562	81.675	101.837	111.436	94.367
12	T	3.8132	10.2703	6.2705	3.9998	14.4580	7.5045	6.9535	2.3688	15.6575	6.3215	5.0655	4.2705	10.5505	4.6193	5.9312
	S	135.176	134.102	127.763	144.041	109.832	82.587	139.237	161.762	91.054	110.769	75.780	79.989	100.943	110.406	93.573
13	T	3.8237	10.3105	6.2967	4.0138	14.4547	7.5100	6.9447	2.3749	15.2401	6.2491	4.8296	4.1614	10.4425	4.5772	5.8653
	S	134.805	133.580	127.231	143.539	109.857	82.526	139.413	161.347	93.548	112.052	79.481	82.086	101.987	111.422	94.624
14	T	3.8203	10.1348	6.1853	3.9495	14.4275	7.4856	6.9419	2.3646	15.2527	6.3117	4.7867	4.1543	10.4168	4.5751	5.8417
	S	134.925	135.895	129.523	145.876	110.064	82.795	139.469	162.049	93.471	110.941	80.194	82.226	102.239	111.473	95.007
15	T	3.8290	10.1877	6.2334	3.9543	14.4585	7.4749	6.9836	2.3788	15.2277	6.2589	4.8677	4.1011	10.4537	4.5966	5.8571
	S	134.619	135.190	128.523	145.699	109.828	82.914	138.636	161.082	93.624	111.877	78.859	83.293	101.878	110.952	94.757
16	T	3.8044	10.2200	6.2309	3.9891	14.4911	7.5240	6.9671	2.3756	15.2000	6.2405	4.8160	4.1435	10.4698	4.5737	5.8961
	S	135.489	134.762	128.575	144.428	109.581	82.373	138.965	161.299	93.795	112.207	79.706	82.440	101.721	111.507	94.130
17	T	3.8105	10.2352	6.2471	3.9881	14.3064	7.4406	6.8658	2.2984	15.6298	6.3141	4.9181	4.3976	10.9202	4.8994	6.0208
	S	135.272	134.562	128.241	144.464	110.996	83.296	141.015	166.717	91.216	110.899	78.051	77.677	97.526	104.094	92.180
18	T	3.8458	10.2167	6.2036	4.0131	14.5161	7.5467	6.9694	2.3899	15.2518	6.2854	4.8424	4.1240	10.3840	4.5545	5.8295
	S	134.031	134.806	129.141	143.564	109.393	82.125	138.919	160.334	93.476	111.405	79.271	82.830	102.562	111.977	95.205

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 5 - Piedrahita, Juan

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
38	T	8.3030	3.0595	5.2435	5.5537	4.3466	78.3764	
	S	110.201	124.352	101.944	74.398	102.745	103.715	
Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	SF to PI
1	T	8.3653	3.0737	5.2916	5.4797	4.4235	96.1079	108.4850
	S	109.380	123.777	101.018	75.402	100.959	84.580	70.184
2	T	8.1045	3.0345	5.0700	5.3255	4.2539	77.1360	
	S	112.900	125.376	105.433	77.586	104.984	105.383	
3	T	7.9856	3.0007	4.9849	5.3599	4.2054	76.3553	
	S	114.581	126.789	107.233	77.088	106.195	106.460	
4	T	7.8644	2.9824	4.8820	5.3331	4.2081	75.5713	
	S	116.347	127.567	109.493	77.475	106.126	107.565	
5	T	7.8068	3.0004	4.8064	5.2203	4.2280	74.6991	
	S	117.206	126.801	111.215	79.149	105.627	108.821	
6	T	9.0632	3.2858	5.7774	5.6548	4.7320	82.7670	
	S	100.958	115.787	92.524	73.067	94.377	98.213	
7	T	12.7841	4.3383	8.4458	6.3773	4.2111	99.1382	
	S	71.573	87.697	63.291	64.789	106.051	81.995	
8	T	7.7808	2.9883	4.7925	5.2714	4.2053	75.2895	
	S	117.597	127.315	111.538	78.382	106.197	107.967	
9	T	7.6914	2.9788	4.7126	5.2116	4.1869	74.1340	
	S	118.964	127.721	113.429	79.281	106.664	109.650	
10	T	7.6697	2.9797	4.6900	5.1289	4.1695	73.7623	
	S	119.301	127.682	113.976	80.560	107.109	110.203	
11	T	7.6584	2.9651	4.6933	5.2076	4.1701	73.8338	
	S	119.477	128.311	113.895	79.342	107.094	110.096	
12	T	7.7455	2.9898	4.7557	5.0872	4.1639	74.1149	
	S	118.133	127.251	112.401	81.220	107.253	109.678	
13	T	7.6648	2.9687	4.6961	5.1259	4.1468	73.5839	
	S	119.377	128.155	113.828	80.607	107.695	110.470	
14	T	7.6243	2.9662	4.6581	5.1405	4.1544	73.3359	
	S	120.011	128.263	114.756	80.378	107.498	110.843	
15	T	7.6475	2.9778	4.6697	5.1665	4.1522	73.5016	
	S	119.647	127.764	114.471	79.973	107.555	110.594	
16	T	7.7168	2.9905	4.7263	5.1517	4.1854	73.6148	
	S	118.572	127.221	113.100	80.203	106.702	110.423	
17	T	7.7926	3.0115	4.7811	5.0584	4.2570	74.3085	
	S	117.419	126.334	111.804	81.682	104.907	109.393	
18	T	7.6628	2.9753	4.6875	5.1157	4.1799	73.5627	
	S	119.408	127.871	114.036	80.767	106.842	110.502	

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 5 - Piedrahita, Juan

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
19	T	3.8174	10.1771	6.1827	3.9944	14.4042	7.4451	6.9591	2.3910	15.2462	6.2735	4.8555	4.1172	10.4453	4.5678	5.8775
	S	135.028	135.331	129.577	144.236	110.242	83.246	139.125	160.260	93.511	111.617	79.057	82.967	101.960	111.651	94.428
20	T	3.8103	10.1534	6.1478	4.0056	14.4076	7.4700	6.9376	2.3865	15.2026	6.2693	4.8223	4.1110	10.4283	4.5878	5.8405
	S	135.279	135.646	130.313	143.833	110.216	82.968	139.556	160.562	93.779	111.691	79.602	83.092	102.126	111.164	95.026
21	T	3.8276	10.1794	6.1801	3.9993	14.4044	7.4429	6.9615	2.3828	15.3763	6.4513	4.7810	4.1440	10.5244	4.6764	5.8480
	S	134.668	135.300	129.632	144.059	110.241	83.270	139.077	160.812	92.719	108.540	80.289	82.430	101.193	109.058	94.904
22	T	3.8219	10.1412	6.1626	3.9786	14.4177	7.4352	6.9825	2.3830	15.2701	6.2703	4.8514	4.1484	40.3064	4.6070	35.6994
	S	134.869	135.810	130.000	144.809	110.139	83.357	138.658	160.798	93.364	111.674	79.124	82.343	26.423	110.701	15.546

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 5 - Piedrahita, Juan

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	SF to PI
19	T	7.6251	2.9651	4.6600	5.1123	4.1398	73.3584		
	S	119.998	128.311	114.709	80.821	107.877	110.809		
20	T	7.6175	2.9772	4.6403	5.1333	4.1760	73.3155		
	S	120.118	127.789	115.196	80.490	106.942	110.874		
21	T	7.6353	2.9612	4.6741	5.1043	4.1946	73.6291		
	S	119.838	128.480	114.363	80.948	106.468	110.402		
22	T	19.8019	8.8212	10.9807			124.9639		114.9872
	S	46.208	43.130	48.680			65.049		66.814

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 51 - Blackstock, Shelby (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.8106	19.2961	10.5739	8.7222	18.9006	11.4360	7.4646	2.4587	18.9013	8.1088	5.8568	4.9357	12.6141	5.7358	6.8783
	S	65.994	71.376	75.765	66.054	84.016	54.195	129.703	155.847	75.428	86.354	65.542	69.208	84.429	88.915	80.689
2	T	4.0436	10.8935	6.7045	4.1890	15.1534	8.1485	7.0049	2.3511	16.2705	6.8697	5.0775	4.3233	11.0668	4.9034	6.1634
	S	127.474	126.431	119.492	137.536	104.792	76.060	138.215	162.980	87.624	101.930	75.601	79.012	96.234	104.009	90.048
3	T	3.8935	10.4814	6.4112	4.0702	14.6977	7.8525	6.8452	2.3565	16.1570	6.5669	5.1278	4.4623	11.0478	4.8796	6.1682
	S	132.388	131.402	124.959	141.550	108.041	78.927	141.440	162.606	88.239	106.630	74.859	76.550	96.399	104.517	89.977
4	T	3.8572	10.3336	6.3029	4.0307	14.6029	7.7499	6.8530	2.3275	15.7649	6.5374	4.9277	4.2998	10.8391	4.7099	6.1292
	S	133.634	133.281	127.106	142.937	108.742	79.972	141.279	164.632	90.434	107.111	77.899	79.443	98.255	108.283	90.550
5	T	3.8512	10.2938	6.2570	4.0368	16.2269	7.9657	8.2612	2.4636	16.2434	6.9811	5.0138	4.2485	11.2134	4.8051	6.4083
	S	133.843	133.796	128.038	142.721	97.859	77.805	117.196	155.537	87.770	100.303	76.561	80.403	94.976	106.137	86.606
6	T	4.4468	11.3947	6.9322	4.4625	15.6109	8.1332	7.4777	2.7564	17.3331	7.5962	5.2420	4.4949	11.4712	5.0878	6.3834
	S	115.916	120.870	115.567	129.106	101.721	76.203	129.476	139.015	82.252	92.181	73.228	75.995	92.841	100.240	86.944
7	T	4.2075	16.1850	9.1485	7.0365	17.7430	8.9684	8.7746	4.1997	18.4088	8.8059	5.1553	4.4476	13.2707	5.8498	7.4209
	S	122.509	85.096	87.570	81.878	89.498	69.106	110.339	91.240	77.446	79.518	74.460	76.803	80.252	87.182	74.789
8	T	3.8765	10.6593	6.5459	4.1134	14.6835	7.7283	6.9552	2.3226	15.7415	6.5176	4.9407	4.2832	10.9666	4.7707	6.1959
	S	132.969	129.209	122.388	140.063	108.146	80.195	139.203	164.980	90.568	107.436	77.694	79.751	97.113	106.903	89.575
9	T	3.8285	10.3648	6.3396	4.0252	14.5657	7.7539	6.8118	2.3227	15.5648	6.4579	4.9202	4.1867	10.5912	4.6516	5.9396
	S	134.636	132.880	126.370	143.132	109.020	79.930	142.133	164.973	91.597	108.430	78.018	81.590	100.555	109.640	93.441
10	T	3.8087	10.2413	6.2454	3.9959	14.5894	7.7102	6.8792	2.3581	15.1416	6.2147	4.7632	4.1637	10.4599	4.6066	5.8533
	S	135.336	134.482	128.276	144.182	108.843	80.383	140.740	162.496	94.157	112.673	80.589	82.040	101.817	110.711	94.818
11	T	3.8063	10.1396	6.1346	4.0050	14.4689	7.5267	6.9422	2.3651	15.1879	6.2574	4.8452	4.0853	10.5680	4.6626	5.9054
	S	135.421	135.831	130.593	143.854	109.750	82.343	139.463	162.015	93.870	111.904	79.226	83.615	100.776	109.381	93.982
12	T	3.8111	10.1147	6.1484	3.9663	14.5901	7.6225	6.9676	2.3565	15.2403	6.2208	4.8757	4.1438	10.6825	4.6563	6.0262
	S	135.251	136.165	130.300	145.258	108.838	81.308	138.955	162.606	93.547	112.562	78.730	82.434	99.696	109.529	92.098
13	T	3.8221	10.1617	6.1820	3.9797	14.5742	7.7643	6.8099	2.2807	15.6288	6.6339	4.8636	4.1313	11.5972	4.7581	6.8391
	S	134.862	135.536	129.592	144.769	108.957	79.823	142.173	168.011	91.221	105.553	78.926	82.684	91.833	107.186	81.151
14	T	3.8785	10.2839	6.2575	4.0264	14.4782	7.5182	6.9600	2.3824	14.9469	6.1938	4.7201	4.0330	10.3679	4.5081	5.8598
	S	132.900	133.925	128.028	143.090	109.679	82.436	139.107	160.839	95.383	113.053	81.325	84.699	102.721	113.130	94.713
15	T	3.8150	10.2032	6.1013	4.1019	14.7912	7.9399	6.8513	2.2896	15.5084	6.4066	4.9390	4.1628	10.7633	4.7852	5.9781
	S	135.113	134.984	131.306	140.456	107.358	78.058	141.314	167.358	91.930	109.298	77.721	82.058	98.947	106.579	92.839
16	T	3.8050	10.2211	6.2277	3.9934	14.7405	7.7406	6.9999	2.3857	15.1472	6.1827	4.8980	4.0665	10.5264	4.6257	5.9007
	S	135.468	134.748	128.641	144.272	107.727	80.068	138.314	160.616	94.122	113.256	78.372	84.001	101.174	110.254	94.057
17	T	3.8105	10.5340	6.4595	4.0745	14.4137	7.6087	6.8050	2.3140	15.0452	6.1525	4.8429	4.0498	10.5875	4.6389	5.9486
	S	135.272	130.745	124.025	141.401	110.170	81.456	142.275	165.593	94.760	113.812	79.263	84.348	100.590	109.940	93.299
18	T	3.8090	10.1764	6.2309	3.9455	14.4388	7.4991	6.9397	2.3684	14.9736	6.1822	4.7432	4.0482	10.5485	4.6969	5.8516
	S	135.325	135.340	128.575	146.024	109.978	82.646	139.513	161.789	95.213	113.265	80.929	84.381	100.962	108.582	94.846
19	T	3.8217	10.1740	6.2090	3.9650	14.6743	7.7124	6.9619	2.3753	15.0080	6.2069	4.7405	4.0606	10.6979	4.7483	5.9496
	S	134.876	135.372	129.028	145.306	108.213	80.361	139.069	161.319	94.995	112.814	80.975	84.123	99.552	107.407	93.284

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 51 - Blackstock, Shelby (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	8.4379	3.0922	5.3457	5.7478	4.3606	98.5277
	S	108.439	123.037	99.995	71.885	102.415	82.503
2	T	8.0768	3.0162	5.0606	5.4347	4.2719	77.5623
	S	113.287	126.137	105.629	76.027	104.542	104.803
3	T	8.1732	3.0198	5.1534	5.3312	4.2003	76.3386
	S	111.951	125.987	103.727	77.503	106.324	106.483
4	T	7.9080	3.0003	4.9077	5.3400	4.2633	75.2365
	S	115.706	126.806	108.920	77.375	104.752	108.043
5	T	7.9099	3.0204	4.8895	5.3172	4.2694	77.7888
	S	115.678	125.962	109.325	77.707	104.603	104.498
6	T	8.3785	3.0210	5.3575	5.6467	4.7512	81.7895
	S	109.208	125.937	99.775	73.172	93.995	99.387
7	T	12.4982	3.9660	8.5322	6.4133	4.2009	97.1271
	S	73.211	95.929	62.650	64.426	106.308	83.692
8	T	7.8429	3.0500	4.7929	5.3182	4.1961	75.6072
	S	116.666	124.739	111.529	77.692	106.430	107.514
9	T	7.7615	2.9454	4.8161	5.3312	4.1706	74.5010
	S	117.890	129.169	110.991	77.503	107.081	109.110
10	T	7.6163	2.9537	4.6626	5.1300	4.1830	73.5283
	S	120.137	128.806	114.645	80.542	106.763	110.553
11	T	7.6582	2.9745	4.6837	5.1331	4.1879	73.5150
	S	119.480	127.905	114.129	80.494	106.638	110.573
12	T	7.7005	2.9798	4.7207	5.2354	4.2045	73.9356
	S	118.823	127.678	113.234	78.921	106.217	109.944
13	T	9.0379	3.7440	5.2939	5.2376	4.2692	76.6094
	S	101.240	101.617	100.974	78.888	104.608	106.107
14	T	7.6348	2.9731	4.6617	5.0933	4.1429	73.2088
	S	119.846	127.966	114.667	81.123	107.797	111.036
15	T	7.6860	2.9736	4.7124	5.1064	4.1643	74.3274
	S	119.048	127.944	113.434	80.915	107.243	109.365
16	T	7.6577	2.9968	4.6609	5.1170	4.2072	73.8078
	S	119.488	126.954	114.687	80.747	106.149	110.135
17	T	7.6123	2.9982	4.6141	5.1806	4.1542	73.6520
	S	120.200	126.894	115.850	79.756	107.503	110.368
18	T	7.6474	2.9389	4.7085	5.1465	4.2029	73.3115
	S	119.649	129.455	113.528	80.284	106.258	110.880
19	T	7.5982	2.9549	4.6433	5.1887	4.2034	73.7415
	S	120.423	128.754	115.122	79.631	106.245	110.234

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 51 - Blackstock, Shelby (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	3.8158	10.1770	6.1960	3.9810	14.4607	7.5338	6.9269	2.3760	15.2653	6.2962	4.8833	4.0858	10.4594	4.5806	5.8788
	S	135.084	135.332	129.299	144.722	109.812	82.266	139.771	161.272	93.394	111.214	78.607	83.604	101.822	111.339	94.407
21	T	3.8082	10.2133	6.1980	4.0153	15.0274	7.9972	7.0302	2.3763	15.1999	6.3160	4.8196	4.0643	10.5629	4.6736	5.8893
	S	135.354	134.851	129.257	143.485	105.671	77.499	137.718	161.251	93.795	110.866	79.646	84.047	100.825	109.124	94.239
22	T	3.7954	10.2881	6.3040	3.9841	14.4393	7.6507	6.7886	2.2915	15.2993	6.2862	4.8635	4.1496	10.6738	4.6644	6.0094
	S	135.810	133.870	127.084	144.609	109.974	81.009	142.619	167.219	93.186	111.391	78.927	82.319	99.777	109.339	92.355
23	T	3.8040	10.2480	6.2489	3.9991	14.3551	7.5939	6.7612	2.2844	15.2919	6.3230	4.8282	4.1407	10.6456	4.7329	5.9127
	S	135.503	134.394	128.204	144.067	110.620	81.615	143.197	167.738	93.231	110.743	79.505	82.496	100.041	107.756	93.866
24	T	3.7919	10.1541	6.1829	3.9712	14.4108	7.5654	6.8454	2.3397	15.2521	6.2238	4.8123	4.2160	10.5757	4.6078	5.9679
	S	135.936	135.637	129.573	145.079	110.192	81.922	141.435	163.774	93.474	112.508	79.767	81.023	100.703	110.682	92.998
25	T	3.8123	10.1273	6.1766	3.9507	14.4398	7.5432	6.8966	2.3645	15.0121	6.1724	4.7570	4.0827	10.6246	4.6971	5.9275
	S	135.208	135.996	129.705	145.831	109.971	82.163	140.385	162.056	94.969	113.445	80.694	83.668	100.239	108.578	93.631
26	T	3.7818	16.7353	11.4290	5.3063	14.9788	7.9610	7.0178	2.3951	15.8541	6.4571	5.2069	4.1901	10.5032	4.6650	5.8382
	S	136.299	82.297	70.097	108.576	106.013	77.851	137.961	159.986	89.925	108.443	73.722	81.523	101.398	109.325	95.064
27	T	3.8206	10.3370	6.2940	4.0430	14.5307	7.5905	6.9402	2.3834	15.0290	6.2300	4.7125	4.0865	10.4005	4.5878	5.8127
	S	134.915	133.237	127.286	142.502	109.283	81.651	139.503	160.771	94.862	112.396	81.456	83.590	102.399	111.164	95.481
28	T	3.8511	10.2488	6.2342	4.0146	14.5319	7.5791	6.9528	2.3849	14.9977	6.1931	4.7181	4.0865	10.4899	4.5829	5.9070
	S	133.846	134.384	128.507	143.510	109.274	81.774	139.251	160.670	95.060	113.066	81.360	83.590	101.526	111.283	93.956
29	T	3.8175	10.1490	6.1767	3.9723	14.3394	7.5449	6.7945	2.3174	15.0471	6.2385	4.7491	4.0595	10.3447	4.5864	5.7583
	S	135.024	135.705	129.703	145.038	110.741	82.145	142.495	165.350	94.748	112.243	80.829	84.146	102.951	111.198	96.383
30	T	3.8204	10.1689	6.1948	3.9741	14.2812	7.4969	6.7843	2.3173	15.0335	6.0637	4.9173	4.0525	10.4432	4.5607	5.8825
	S	134.922	135.440	129.324	144.973	111.192	82.671	142.709	165.357	94.834	115.479	78.064	84.291	101.980	111.825	94.348
31	T	3.8197	10.1047	6.1422	3.9625	14.3686	7.4580	6.9106	2.3810	15.0616	6.0994	4.8803	4.0819	10.4296	4.6162	5.8134
	S	134.946	136.300	130.432	145.397	110.516	83.102	140.101	160.933	94.657	114.803	78.656	83.684	102.113	110.480	95.469
32	T	3.8230	10.1576	6.1826	3.9750	14.3380	7.5536	6.7844	2.3231	14.8837	6.0439	4.7557	4.0841	10.4186	4.5954	5.8232
	S	134.830	135.590	129.579	144.940	110.751	82.050	142.707	164.944	95.788	115.857	80.717	83.639	102.221	110.981	95.308
33	T	3.8051	10.2148	6.2415	3.9733	14.4099	7.4891	6.9208	2.3835	14.9833	6.1106	4.7390	4.1337	10.3536	4.5609	5.7927
	S	135.464	134.831	128.356	145.002	110.199	82.757	139.894	160.764	95.151	114.592	81.001	82.636	102.863	111.820	95.810
34	T	3.8105	10.1284	6.1830	3.9454	14.4518	7.5078	6.9440	2.3863	14.9158	6.1208	4.7559	4.0391	10.4818	4.6488	5.8330
	S	135.272	135.981	129.571	146.027	109.879	82.551	139.427	160.576	95.582	114.401	80.713	84.571	101.605	109.706	95.148
35	T	3.8173	10.1004	6.1447	3.9557	15.1494	8.2144	6.9350	2.3798	15.0609	6.2145	4.7629	4.0835	10.4551	4.5985	5.8566
	S	135.031	136.358	130.378	145.647	104.820	75.450	139.608	161.014	94.661	112.676	80.595	83.652	101.864	110.906	94.765
36	T	3.8169	10.1885	6.1944	3.9941	14.6369	7.6638	6.9731	2.3885	15.0326	6.1685	4.7621	4.1020	10.4500	4.6268	5.8232
	S	135.045	135.179	129.332	144.247	108.490	80.870	138.845	160.428	94.839	113.517	80.608	83.274	101.914	110.227	95.308
37	T	3.8116	10.1920	6.1881	4.0039	14.2622	7.4888	6.7734	2.3088	14.9473	6.0563	4.8128	4.0782	10.6089	4.5860	6.0229
	S	135.233	135.133	129.464	143.894	111.340	82.760	142.939	165.966	95.381	115.620	79.759	83.760	100.387	111.208	92.148
38	T	3.8036	10.1272	6.1648	3.9624	14.2908	7.4876	6.8032	2.3169	14.9107	6.0726	4.7947	4.0434	10.3865	4.6150	5.7715
	S	135.518	135.997	129.953	145.401	111.117	82.773	142.313	165.386	95.615	115.309	80.060	84.481	102.537	110.509	96.162

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 51 - Blackstock, Shelby (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	7.5959	2.9490	4.6469	5.1462	4.1766	73.4729
	S	120.460	129.011	115.033	80.289	106.927	110.637
21	T	7.6496	2.9561	4.6935	5.1966	4.1696	74.2038
	S	119.614	128.702	113.891	79.510	107.106	109.547
22	T	7.7395	2.9858	4.7537	5.2462	4.1444	73.9175
	S	118.225	127.421	112.448	78.758	107.758	109.971
23	T	7.6277	2.9649	4.6628	5.1566	4.1426	73.5559
	S	119.958	128.320	114.640	80.127	107.804	110.512
24	T	7.6119	2.9646	4.6473	5.1433	4.2072	73.4867
	S	120.207	128.333	115.023	80.334	106.149	110.616
25	T	7.5511	2.9610	4.5901	5.1218	4.1320	73.1855
	S	121.174	128.489	116.456	80.671	108.081	111.071
26	T	7.7948	2.9644	4.8304	5.1767	4.1877	81.4075
	S	117.386	128.341	110.663	79.816	106.643	99.853
27	T	7.5853	2.9349	4.6504	5.1998	4.1889	73.4752
	S	120.628	129.631	114.946	79.461	106.613	110.633
28	T	7.6845	2.9881	4.6964	5.1453	4.1547	73.4888
	S	119.071	127.323	113.820	80.303	107.491	110.613
29	T	7.5475	2.9531	4.5944	5.0882	4.1763	72.8271
	S	121.232	128.832	116.347	81.204	106.935	111.618
30	T	7.5188	2.9603	4.5585	5.1383	4.1376	72.8592
	S	121.695	128.519	117.263	80.412	107.935	111.569
31	T	7.5459	2.9555	4.5904	5.1145	4.1605	72.9861
	S	121.258	128.728	116.449	80.786	107.341	111.375
32	T	7.5858	2.9667	4.6191	5.1365	4.1102	72.7765
	S	120.620	128.242	115.725	80.440	108.654	111.695
33	T	7.6215	2.9872	4.6343	5.1693	4.1233	73.0643
	S	120.055	127.362	115.345	79.930	108.309	111.255
34	T	7.6254	2.9672	4.6582	5.1317	4.1122	73.0439
	S	119.994	128.220	114.754	80.516	108.601	111.287
35	T	7.6150	2.9666	4.6484	5.1009	4.1354	73.8142
	S	120.158	128.246	114.996	81.002	107.992	110.125
36	T	7.6016	2.9894	4.6122	5.2441	4.1266	73.4857
	S	120.369	127.268	115.898	78.790	108.222	110.617
37	T	7.6840	3.0348	4.6492	5.2123	4.1036	73.1307
	S	119.079	125.364	114.976	79.271	108.829	111.154
38	T	7.5349	2.9540	4.5809	5.1804	4.1347	72.6857
	S	121.435	128.793	116.690	79.759	108.010	111.835

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 7 - Enerson, RC (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
39	T	4.2957	12.6556	7.6863	4.9693	15.8767	8.1710	7.7057	2.8155	19.1936	7.9200	5.7972	5.4764		
	S	119.993	108.827	104.229	115.939	100.018	75.850	125.645	136.097	74.279	88.413	66.215	62.375		
Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
1	T	7.9736	21.9610	10.6539	11.3071	19.7751	12.2620	7.5131	2.4550	18.1335	7.6139	5.6566	4.8630	11.8070	5.2500
	S	64.645	62.714	75.197	50.954	80.301	50.544	128.866	156.082	78.621	91.967	67.861	70.243	90.201	97.143
2	T	3.9231	10.8485	6.6648	4.1837	14.9940	8.0021	6.9919	2.3848	16.1211	6.7042	5.0255	4.3914	10.9432	4.8024
	S	131.390	126.955	120.204	137.710	105.906	77.451	138.472	160.677	88.436	104.446	76.383	77.786	97.321	106.197
3	T	3.9030	10.5110	6.3238	4.1872	14.7829	7.9693	6.8136	2.3286	18.1754		4.5886	11.4764	5.2389	6.2375
	S	132.066	131.032	126.686	137.595	107.418	77.770	142.095	164.555	78.440		74.443	92.799	97.349	88.978
4	T	3.8798	10.2611	6.2247	4.0364	14.4929	7.6959	6.7970	2.3280	15.9446	6.6529	4.9413	4.3504	10.9289	4.8261
	S	132.856	134.223	128.703	142.735	109.568	80.533	142.443	164.597	89.415	105.251	77.685	78.519	97.448	105.675
5	T	3.8738	10.3305	6.2751	4.0554	14.8407	7.8744	6.9663	2.2989	15.9747	6.6518	5.0774	4.2455	10.4569	4.5864
	S	133.062	133.321	127.669	142.066	107.000	78.707	138.981	166.681	89.246	105.269	75.602	80.460	101.847	111.198
6	T	3.8644	11.8113	6.7333	5.0780	16.8393	8.5148	8.3245	2.8484	17.4337	7.8767	5.0958	4.4612	11.9329	5.3529
	S	133.385	116.606	118.981	113.457	94.301	72.788	116.305	134.525	81.777	88.899	75.329	76.569	89.249	95.275
7	T	4.6659	15.7921	9.2231	6.5690	17.3834	8.6675	8.7159	4.0780	18.9020	8.7871	5.1676	4.9473	14.0638	6.2996
	S	110.473	87.213	86.862	87.705	91.349	71.505	111.082	93.963	75.425	79.688	74.283	69.046	75.726	80.958
8	T	3.8698	10.4500	6.3589	4.0911	14.8746	7.8973	6.9773	2.3803	15.6849	6.5233	4.9267	4.2349	10.7208	4.7201
	S	133.199	131.796	125.987	140.827	106.756	78.479	138.762	160.980	90.895	107.342	77.915	80.661	99.340	108.049
9	T	3.8645	10.1874	6.1846	4.0028	14.6367	7.6908	6.9459	2.3707	15.3482	6.3211	4.8232	4.2039	10.6580	4.6599
	S	133.382	135.194	129.537	143.933	108.491	80.586	139.389	161.632	92.889	110.776	79.587	81.256	99.925	109.444
10	T	3.8209	10.1325	6.1424	3.9901	14.4700	7.6692	6.8008	2.2867	15.4766	6.4681	4.8204	4.1881	10.5300	4.5904
	S	134.904	135.926	130.427	144.391	109.741	80.813	142.363	167.570	92.119	108.259	79.633	81.562	101.140	111.101
11	T	3.8126	10.1943	6.1565	4.0378	14.6387	7.6982	6.9405	2.3659	15.3136	6.3446	4.8285	4.1405	10.5062	4.5672
	S	135.198	135.102	130.129	142.686	108.476	80.509	139.497	161.960	93.099	110.366	79.500	82.500	101.369	111.666
12	T	3.8225	10.1714	6.1603	4.0111	14.6393	7.6879	6.9514	2.3694	15.6310	6.3453	5.0789	4.2068	10.5667	4.6131
	S	134.847	135.406	130.048	143.636	108.472	80.617	139.279	161.721	91.209	110.354	75.580	81.200	100.788	110.555
13	T	3.8299	10.0722	6.0682	4.0040	14.6538	7.6863	6.9675	2.3788	15.2174	6.2534	4.7908	4.1732	10.5000	4.5652
	S	134.587	136.740	132.022	143.890	108.365	80.633	138.957	161.082	93.688	111.975	80.125	81.853	101.429	111.715
14	T	3.8372	10.0470	6.0961	3.9509	14.5779	7.5928	6.9851	2.3781	15.1642	6.2834	4.7512	4.1296	10.4424	4.5193
	S	134.331	137.083	131.418	145.824	108.929	81.626	138.607	161.129	94.016	111.441	80.793	82.718	101.988	112.849
15	T	3.8342	10.0944	6.1036	3.9908	14.5884	7.6115	6.9769	2.3819	15.1874	6.2535	4.8128	4.1211	10.4638	4.5593
	S	134.436	136.439	131.256	144.366	108.850	81.426	138.770	160.872	93.873	111.974	79.759	82.888	101.779	111.859
16	T	3.8113	10.0924	6.1203	3.9721	14.5908	7.6197	6.9711	2.3780	15.2374	6.3071	4.8036	4.1267	10.4300	4.5108
	S	135.244	136.466	130.898	145.046	108.833	81.338	138.885	161.136	93.565	111.022	79.912	82.776	102.109	113.062
17	T	3.8021	10.1265	6.1542	3.9723	14.5721	7.6155	6.9566	2.3761	15.2418	6.2983	4.7940	4.1495	10.8752	4.7656
	S	135.571	136.007	130.177	145.038	108.972	81.383	139.175	161.265	93.538	111.177	80.072	82.321	97.929	107.017
18	T	3.8131	10.2079	6.2028	4.0051	14.7352	7.7546	6.9806	2.3756	15.7121	6.2639	5.2604	4.1878	10.4706	4.5607
	S	135.180	134.922	129.157	143.851	107.766	79.923	138.696	161.299	90.738	111.788	72.972	81.568	101.713	111.825

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 7 - Enerson, RC (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
39	T							
	S							
Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	8.2775	3.0311	5.2464	5.5479	4.4108	100.3414	110.1433
	S	110.541	125.517	101.888	74.475	101.249	81.011	69.127
2	T	7.9765	2.9693	5.0072	5.3688	4.2846	76.8446	
	S	114.712	128.129	106.755	76.960	104.232	105.782	
3	T	7.9544	2.9840	4.9704	5.2757	4.2407	78.6481	
	S	115.031	127.498	107.546	78.318	105.311	103.357	
4	T	7.7643	2.9614	4.8029	5.3805	4.2233	75.2034	
	S	117.847	128.471	111.296	76.792	105.745	108.091	
5	T	7.5988	2.9529	4.6459	5.1377	4.2019	74.7139	
	S	120.414	128.841	115.057	80.422	106.283	108.799	
6	T	8.8234	3.1550	5.6684	5.4925	4.3536	83.3995	
	S	103.702	120.588	94.303	75.227	102.580	97.468	
7	T	12.7840	4.3483	8.4357	6.3269	4.2021	98.1982	
	S	71.574	87.495	63.367	65.306	106.278	82.780	
8	T	7.7702	2.9378	4.8324	5.3737	4.2307	75.3550	
	S	117.758	129.503	110.617	76.890	105.560	107.873	
9	T	7.7205	2.9607	4.7598	5.2087	4.1880	74.1827	
	S	118.516	128.502	112.304	79.325	106.636	109.578	
10	T	7.6314	2.9457	4.6857	5.1897	4.1918	73.7296	
	S	119.899	129.156	114.080	79.616	106.539	110.252	
11	T	7.6367	2.9542	4.6825	5.2527	4.1944	73.9151	
	S	119.816	128.784	114.158	78.661	106.473	109.975	
12	T	7.6123	2.9464	4.6659	5.2203	4.2225	74.2554	
	S	120.200	129.125	114.564	79.149	105.765	109.471	
13	T	7.6438	2.9644	4.6794	5.1935	4.2086	73.6980	
	S	119.705	128.341	114.234	79.557	106.114	110.299	
14	T	7.5493	2.9570	4.5923	5.1546	4.2197	73.3704	
	S	121.203	128.662	116.400	80.158	105.835	110.791	
15	T	7.5436	2.9520	4.5916	5.1672	4.1802	73.4411	
	S	121.295	128.880	116.418	79.962	106.835	110.685	
16	T	7.5426	2.9695	4.5731	5.1788	4.1965	73.4578	
	S	121.311	128.121	116.889	79.783	106.420	110.659	
17	T	7.7096	2.9751	4.7345	5.2597	4.1663	74.1294	
	S	118.683	127.880	112.904	78.556	107.191	109.657	
18	T	7.5818	2.9534	4.6284	5.1227	4.1853	74.2043	
	S	120.684	128.819	115.492	80.657	106.705	109.546	

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 7 - Enerson, RC (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
19	T	3.8203	10.1028	6.1199	3.9829	14.4655	7.4796	6.9859	2.3849	15.1810	6.2900	4.7936	4.0974	10.4886	4.5637	5.9249
	S	134.925	136.326	130.907	144.652	109.775	82.862	138.591	160.670	93.912	111.324	80.078	83.368	101.539	111.751	93.672
20	T	3.8143	10.0304	6.0517	3.9787	14.5466	7.5599	6.9867	2.3869	15.1379	6.2764	4.7828	4.0787	10.4242	4.5514	5.8728
	S	135.137	137.310	132.382	144.805	109.163	81.982	138.575	160.535	94.180	111.565	80.259	83.750	102.166	112.053	94.503
21	T	3.8230	10.0280	6.0418	3.9862	14.3717	7.5710	6.8007	2.3035	15.5335	6.5615	4.8050	4.1670	10.4317	4.5207	5.9110
	S	134.830	137.343	132.599	144.533	110.492	81.861	142.365	166.348	91.781	106.718	79.888	81.975	102.093	112.814	93.893
22	T	3.8102	10.1673	6.1565	4.0108	14.5193	7.5404	6.9789	2.3800	15.1746	6.3090	4.7461	4.1195	10.4392	4.5292	5.9100
	S	135.283	135.461	130.129	143.646	109.369	82.194	138.730	161.001	93.952	110.989	80.880	82.920	102.019	112.603	93.909
23	T	3.8169	10.0892	6.0866	4.0026	14.4367	7.4865	6.9502	2.3847	15.1498	6.2781	4.7799	4.0918	10.4297	4.4948	5.9349
	S	135.045	136.510	131.623	143.941	109.994	82.785	139.303	160.683	94.106	111.535	80.308	83.482	102.112	113.464	93.515
24	T	3.7994	10.1502	6.1213	4.0289	14.4921	7.5124	6.9797	2.3886	15.1131	6.2864	4.7642	4.0625	10.3853	4.5096	5.8757
	S	135.667	135.689	130.877	143.001	109.574	82.500	138.714	160.421	94.334	111.388	80.573	84.084	102.549	113.092	94.457
25	T	3.7972	10.1745	6.1855	3.9890	14.4732	7.4996	6.9736	2.3760	15.1614	6.2930	4.7682	4.1002	10.5285	4.5780	5.9505
	S	135.746	135.365	129.518	144.431	109.717	82.641	138.835	161.272	94.034	111.271	80.505	83.311	101.154	111.402	93.269
26	T	3.8005	10.1124	6.1470	3.9654	14.3852	7.5803	6.8049	2.3016	15.0188	6.1442	4.7512	4.1234	10.4706	4.5179	5.9527
	S	135.628	136.196	130.330	145.291	110.388	81.761	142.277	166.485	94.926	113.966	80.793	82.842	101.713	112.884	93.235
27	T	3.8018	10.0310	6.0813	3.9497	14.5427	7.6054	6.9373	2.3654	15.1065	6.1749	4.8114	4.1202	10.4971	4.5930	5.9041
	S	135.582	137.302	131.738	145.868	109.193	81.491	139.562	161.995	94.375	113.399	79.782	82.906	101.457	111.039	94.002
28	T	3.8230	10.0772	6.1142	3.9630	14.5233	7.6213	6.9020	2.3670	15.1175	6.2309	4.7801	4.1065	10.5336	4.5634	5.9702
	S	134.830	136.672	131.029	145.379	109.338	81.321	140.276	161.885	94.307	112.380	80.305	83.183	101.105	111.759	92.962
29	T	3.8230	10.1169	6.1219	3.9950	14.6068	7.6494	6.9574	2.3783	15.0934	6.1905	4.8082	4.0947	10.4576	4.5603	5.8973
	S	134.830	136.136	130.864	144.214	108.713	81.022	139.159	161.116	94.457	113.113	79.835	83.423	101.840	111.835	94.111
30	T	3.8071	10.1063	6.1113	3.9950	14.4701	7.5335	6.9366	2.3245	15.0182	6.1735	4.7725	4.0722	10.4908	4.5831	5.9077
	S	135.393	136.279	131.091	144.214	109.740	82.269	139.576	164.845	94.930	113.425	80.432	83.884	101.518	111.278	93.945
31	T	3.8094	10.0701	6.0927	3.9774	14.3037	7.5420	6.7617	2.2940	15.0809	6.1798	4.7674	4.1337	10.5197	4.6004	5.9193
	S	135.311	136.769	131.491	144.853	111.017	82.176	143.186	167.037	94.536	113.309	80.518	82.636	101.239	110.860	93.761
32	T	3.8104	10.0305	6.0767	3.9538	14.3560	7.6077	6.7483	2.2902	15.2226	6.2423	4.7962	4.1841	10.4382	4.5684	5.8698
	S	135.276	137.308	131.837	145.717	110.613	81.467	143.470	167.314	93.656	112.175	80.035	81.640	102.029	111.636	94.552
33	T	3.8067	10.0269	6.0723	3.9546	14.3828	7.6154	6.7674	2.2804	15.2054	6.2704	4.8076	4.1274	10.4536	4.5381	5.9155
	S	135.407	137.358	131.933	145.688	110.406	81.384	143.066	168.033	93.762	111.672	79.845	82.762	101.879	112.382	93.821
34	T	3.8144	10.1279	6.1822	3.9457	14.2895	7.4691	6.8204	2.3375	15.1957	6.2801	4.7995	4.1161	10.5144	4.6169	5.8975
	S	135.134	135.988	129.588	146.016	111.127	82.978	141.954	163.928	93.821	111.499	79.980	82.989	101.290	110.464	94.108
35	T	3.8042	10.1422	6.1674	3.9748	14.5026	7.5890	6.9136	2.3715	15.0544	6.1741	4.7875	4.0928	10.5075	4.5948	5.9127
	S	135.496	135.796	129.899	144.947	109.494	81.667	140.040	161.578	94.702	113.414	80.180	83.461	101.356	110.995	93.866
36	T	3.7976	9.9677	6.0244	3.9433	14.4447	7.4877	6.9570	2.3722	15.2459	6.2805	4.8369	4.1285	10.5410	4.6090	5.9320
	S	135.732	138.174	132.982	146.105	109.933	82.772	139.167	161.530	93.512	111.492	79.361	82.740	101.034	110.653	93.560
37	T	3.8086	10.0277	6.0539	3.9738	14.4799	7.5361	6.9438	2.3764	15.0977	6.2105	4.8028	4.0844	10.4514	4.5715	5.8799
	S	135.340	137.347	132.334	144.984	109.666	82.241	139.431	161.245	94.430	112.749	79.925	83.633	101.900	111.561	94.389

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 7 - Enerson, RC (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
19	T	7.5328	2.9494	4.5834	5.1235	4.1795	73.2789
	S	121.469	128.994	116.626	80.644	106.853	110.930
20	T	7.5573	2.9619	4.5954	5.1178	4.2026	73.2180
	S	121.075	128.449	116.322	80.734	106.265	111.022
21	T	7.5747	2.9548	4.6199	5.1553	4.2146	73.4360
	S	120.797	128.758	115.705	80.147	105.963	110.692
22	T	7.5347	2.9528	4.5819	5.2282	4.2326	73.4861
	S	121.438	128.845	116.665	79.029	105.512	110.617
23	T	7.4989	2.9802	4.5187	5.1111	4.2018	73.1188
	S	122.018	127.661	118.296	80.840	106.286	111.173
24	T	7.4987	2.9490	4.5497	5.1751	4.1879	73.1904
	S	122.021	129.011	117.490	79.840	106.638	111.064
25	T	7.5370	2.9575	4.5795	5.2181	4.2044	73.4703
	S	121.401	128.641	116.726	79.182	106.220	110.641
26	T	7.5451	2.9675	4.5776	5.2054	4.1805	73.0201
	S	121.271	128.207	116.774	79.376	106.827	111.323
27	T	7.5332	2.9591	4.5741	5.3517	4.1739	73.4033
	S	121.462	128.571	116.864	77.206	106.996	110.742
28	T	7.5112	2.9622	4.5490	5.2268	4.1923	73.3719
	S	121.818	128.436	117.508	79.051	106.526	110.789
29	T	7.4971	2.9393	4.5578	5.3079	4.1521	73.4331
	S	122.047	129.437	117.281	77.843	107.558	110.697
30	T	7.4776	2.9389	4.5387	5.2100	4.1852	73.0898
	S	122.365	129.455	117.775	79.306	106.707	111.217
31	T	7.5616	2.9462	4.6154	5.2436	4.1692	73.0522
	S	121.006	129.134	115.818	78.797	107.117	111.274
32	T	7.4983	2.9352	4.5631	5.1977	4.1803	73.0242
	S	122.028	129.618	117.145	79.493	106.832	111.317
33	T	7.5357	2.9534	4.5823	5.1665	4.2019	73.0599
	S	121.422	128.819	116.654	79.973	106.283	111.262
34	T	7.5058	2.9611	4.5447	5.1794	4.1935	73.1581
	S	121.906	128.484	117.620	79.774	106.496	111.113
35	T	7.5152	2.9558	4.5594	5.0949	4.1636	73.1561
	S	121.753	128.715	117.240	81.097	107.261	111.116
36	T	7.5254	2.9594	4.5660	5.2300	4.1502	73.2747
	S	121.588	128.558	117.071	79.002	107.607	110.936
37	T	7.5025	2.9509	4.5516	5.1608	4.1644	73.0694
	S	121.959	128.928	117.441	80.062	107.240	111.248

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 7 - Enerson, RC (R)

Lap		T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
38	T	3.7925	9.9847	6.0269	3.9578	14.2342	7.4807	6.7535	2.2897	15.1902	6.2547	4.8266	4.1089	10.6451	4.6219	6.0232
	S	135.914	137.938	132.927	145.570	111.559	82.850	143.360	167.350	93.855	111.952	79.531	83.134	100.046	110.344	92.144
39	T	4.8292	15.4209	8.7562	6.6647	19.3541	9.2272	10.1269	3.6903	16.8536	7.2986	4.9448	4.6102	14.0212	6.9866	7.0346
	S	106.737	89.312	91.494	86.446	82.047	67.168	95.605	103.835	84.592	95.940	77.630	74.095	75.956	72.997	78.896

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 7 - Enerson, RC (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
38	T	7.6132	2.9812	4.6320	5.1988	4.2010	73.1494	
	S	120.186	127.618	115.403	79.476	106.306	111.126	
39	T							
	S							

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 71 - Ringel, Ethan (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.8398	18.8827	10.9007	7.9820	18.1971	10.8790	7.3181	2.4248	18.6043	7.9504	5.6728	4.9811	12.5010	5.8069	6.6941
	S	75.361	72.938	73.494	72.179	87.264	56.970	132.300	158.026	76.632	88.074	67.667	68.577	85.193	87.827	82.909
2	T	3.9592	10.8496	6.5980	4.2516	15.3293	8.3066	7.0227	2.3679	16.0701	6.6859	5.0350	4.3492	11.0809	4.9757	6.1052
	S	130.192	126.942	121.421	135.510	103.590	74.612	137.865	161.823	88.716	104.732	76.239	78.541	96.111	102.498	90.906
3	T	3.8927	10.5298	6.4442	4.0856	14.8950	7.9593	6.9357	2.3469	16.5989	6.9294	5.1552	4.5143	11.3414	5.0014	6.3400
	S	132.416	130.798	124.319	141.016	106.610	77.868	139.594	163.271	85.890	101.052	74.461	75.669	93.904	101.971	87.539
4	T	3.8970	10.5218	6.4637	4.0581	14.8049	7.7889	7.0160	2.3881	16.1663	6.7978	5.0718	4.2967	10.9358	4.8121	6.1237
	S	132.270	130.897	123.944	141.972	107.259	79.571	137.996	160.455	88.189	103.008	75.686	79.501	97.387	105.983	90.631
5	T	3.8534	10.5547	6.4344	4.1203	14.6201	7.8228	6.7973	2.2975	15.4393	6.3805	4.8772	4.1816	11.3109	4.6799	6.6310
	S	133.766	130.489	124.508	139.829	108.614	79.226	142.436	166.782	92.341	109.745	78.706	81.689	94.157	108.977	83.698
6	T	4.0143	11.2539	6.7442	4.5097	15.6917	8.4807	7.2110	2.8296	17.9847	8.0810	5.5078	4.3959	11.4795	5.0679	6.4116
	S	128.405	122.382	118.789	127.755	101.197	73.080	134.265	135.419	79.272	86.651	69.695	77.707	92.774	100.633	86.562
7	T	4.3529	16.4160	9.5285	6.8875	17.3972	8.7821	8.6151	3.9438	19.0640	9.1318	5.3164	4.6158	13.4652	5.9247	7.5405
	S	118.416	83.898	84.078	83.650	91.276	70.572	112.382	97.161	74.784	76.680	72.204	74.005	79.093	86.080	73.603
8	T	3.8825	10.5661	6.4558	4.1103	14.5902	7.8246	6.7656	2.2855	16.0950	6.6635	5.1099	4.3216	10.7969	4.7717	6.0252
	S	132.764	130.348	124.096	140.169	108.837	79.208	143.104	167.658	88.579	105.084	75.122	79.043	98.639	106.880	92.113
9	T	3.8416	10.3668	6.3021	4.0647	14.6242	7.6734	6.9508	2.3721	15.4364	6.4428	4.8205	4.1731	10.6124	4.6147	5.9977
	S	134.177	132.854	127.122	141.741	108.584	80.769	139.291	161.537	92.358	108.684	79.631	81.855	100.354	110.516	92.535
10	T	3.8341	10.2357	6.2807	3.9550	15.1034	7.9888	7.1146	2.3626	15.5027	6.5342	4.7788	4.1897	10.6018	4.6382	5.9636
	S	134.440	134.556	127.555	145.673	105.139	77.580	136.084	162.186	91.963	107.163	80.326	81.531	100.455	109.956	93.065
11	T	3.8389	10.3749	6.3123	4.0626	14.7431	7.7509	6.9922	2.3918	15.1560	6.3534	4.7526	4.0500	10.4439	4.5684	5.8755
	S	134.271	132.750	126.917	141.815	107.708	79.961	138.466	160.206	94.067	110.213	80.769	84.343	101.973	111.636	94.460
12	T	3.8486	10.2255	6.2169	4.0086	14.5119	7.5758	6.9361	2.3815	15.2717	6.4247	4.7336	4.1134	10.6008	4.6211	5.9797
	S	133.933	134.690	128.864	143.725	109.424	81.810	139.586	160.899	93.354	108.990	81.093	83.043	100.464	110.363	92.814
13	T	3.8328	10.3416	6.3113	4.0303	14.5933	7.6417	6.9516	2.3868	15.2907	6.4731	4.7612	4.0564	10.6747	4.7211	5.9536
	S	134.485	133.178	126.937	142.951	108.814	81.104	139.275	160.542	93.238	108.175	80.623	84.210	99.769	108.026	93.221
14	T	3.9554	10.3144	6.2843	4.0301	14.8326	7.9155	6.9171	2.3153	15.2413	6.3800	4.7628	4.0985	10.7577	4.7070	6.0507
	S	130.317	133.529	127.482	142.958	107.058	78.299	139.969	165.500	93.541	109.753	80.596	83.345	98.999	108.349	91.725
15	T	3.8311	10.3733	6.3111	4.0622	14.7528	7.7634	6.9894	2.3973	15.3029	6.4294	4.7630	4.1105	10.6453	4.6720	5.9733
	S	134.545	132.771	126.941	141.829	107.638	79.833	138.521	159.839	93.164	108.910	80.593	83.102	100.044	109.161	92.913
16	T	3.8580	10.2190	6.2286	3.9904	14.6456	7.6691	6.9765	2.3893	15.3728	6.4437	4.7572	4.1719	10.6488	4.6462	6.0026
	S	133.607	134.776	128.622	144.381	108.425	80.814	138.778	160.374	92.741	108.669	80.691	81.879	100.011	109.767	92.460
17	T	3.8301	10.2612	6.2538	4.0074	15.0590	7.9567	7.1023	2.4106	15.3134	6.4422	4.7586	4.1126	10.5602	4.6520	5.9082
	S	134.580	134.221	128.104	143.768	105.449	77.893	136.319	158.957	93.100	108.694	80.667	83.060	100.850	109.630	93.937
18	T	3.8037	10.2570	6.2101	4.0469	14.7034	7.6977	7.0057	2.3984	15.2603	6.3737	4.7719	4.1147	10.6829	4.7229	5.9600
	S	135.514	134.276	129.005	142.365	107.999	80.514	138.199	159.766	93.424	109.862	80.443	83.017	99.692	107.985	93.121
19	T	3.8427	10.2401	6.2053	4.0348	14.5077	7.5439	6.9638	2.3946	15.1245	6.3187	4.7262	4.0796	10.5248	4.6295	5.8953
	S	134.139	134.498	129.105	142.792	109.456	82.155	139.031	160.019	94.263	110.818	81.220	83.731	101.190	110.163	94.143

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 71 - Ringel, Ethan (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	8.6098	3.0668	5.5430	5.6503	4.4528	96.1626
	S	106.274	124.056	96.436	73.126	100.294	84.532
2	T	8.0958	3.0155	5.0803	5.4175	4.2748	77.4451
	S	113.022	126.166	105.219	76.268	104.471	104.962
3	T	8.0838	3.0064	5.0774	5.3823	4.2584	77.3292
	S	113.189	126.548	105.279	76.767	104.873	105.119
4	T	7.8624	2.9942	4.8682	5.3001	4.2333	76.1097
	S	116.377	127.064	109.804	77.957	105.495	106.804
5	T	7.8811	3.0830	4.7981	5.3514	4.2475	75.5559
	S	116.101	123.404	111.408	77.210	105.142	107.587
6	T	8.2749	3.0692	5.2057	5.5709	4.4725	81.5720
	S	110.575	123.959	102.685	74.168	99.853	99.652
7	T	12.5084	4.0071	8.5013	6.2826	4.2497	97.6798
	S	73.151	94.945	62.878	65.766	105.088	83.219
8	T	7.8657	2.9869	4.8788	5.3717	4.2030	75.6566
	S	116.328	127.374	109.565	76.918	106.255	107.443
9	T	7.7402	2.9747	4.7655	5.2879	4.2014	74.4830
	S	118.214	127.897	112.170	78.137	106.296	109.136
10	T	7.6882	2.9621	4.7261	5.3386	4.2161	74.8832
	S	119.014	128.441	113.105	77.395	105.925	108.553
11	T	7.6687	2.9647	4.7040	5.3219	4.2134	74.1526
	S	119.316	128.328	113.636	77.638	105.993	109.623
12	T	7.7323	2.9865	4.7458	5.3327	4.1853	74.0903
	S	118.335	127.391	112.635	77.481	106.705	109.715
13	T	8.3476	2.9684	5.3792	5.5595	4.6361	75.6631
	S	109.612	128.168	99.373	74.320	96.329	107.434
14	T	7.6896	3.0065	4.6831	5.2466	4.1378	74.4907
	S	118.992	126.544	114.144	78.752	107.930	109.125
15	T	7.7348	2.9788	4.7560	5.4080	4.3347	74.7802
	S	118.297	127.721	112.394	76.402	103.027	108.703
16	T	7.7343	2.9772	4.7571	5.3386	4.1834	74.3898
	S	118.304	127.789	112.368	77.395	106.753	109.273
17	T	7.6773	2.9664	4.7109	5.2696	4.1587	74.5401
	S	119.183	128.255	113.470	78.409	107.387	109.053
18	T	7.6735	2.9645	4.7090	5.2513	4.1621	74.1926
	S	119.242	128.337	113.516	78.682	107.299	109.563
19	T	7.6155	2.9617	4.6538	5.2693	4.2044	73.7236
	S	120.150	128.458	114.862	78.413	106.220	110.260

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 71 - Ringel, Ethan (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	3.8493	10.1452	6.1483	3.9969	14.8672	7.9369	6.9303	2.3338	15.1840	6.3653	4.7581	4.0606	10.5638	4.6804	5.8834
	S	133.909	135.756	130.302	144.146	106.809	78.088	139.703	164.188	93.894	110.007	80.676	84.123	100.816	108.965	94.333
21	T	3.8614	10.2760	6.2386	4.0374	14.7456	7.8478	6.8978	2.3344	17.1524	6.8214	5.6957	4.6353	11.1152	5.0251	6.0902
	S	133.489	134.028	128.416	142.700	107.690	78.974	140.361	164.146	83.119	102.652	67.395	73.693	95.815	101.491	91.132
22	T	3.9092	10.4408	6.3430	4.0978	14.7244	7.7643	6.9601	2.3999	15.5025	6.5123	4.8514	4.1388	10.8508	4.8266	6.0244
	S	131.857	131.913	126.302	140.597	107.845	79.823	139.105	159.666	91.965	107.524	79.124	82.534	98.149	105.664	92.128
23	T	3.8790	10.2658	6.2622	4.0036	14.6605	7.6769	6.9836	2.4065	15.6381	6.6396	4.8815	4.1170	10.7103	4.7441	5.9662
	S	132.883	134.161	127.932	143.905	108.315	80.732	138.636	159.228	91.167	105.462	78.636	82.971	99.437	107.502	93.024
24	T	3.8737	10.4277	6.3887	4.0390	14.7632	7.7593	7.0039	2.4098	15.4216	6.4949	4.7615	4.1652	10.6141	4.7067	5.9074
	S	133.065	132.078	125.399	142.643	107.562	79.875	138.235	159.010	92.447	107.812	80.618	82.011	100.338	108.356	93.950
25	T	3.8339	10.2029	6.1727	4.0302	14.6120	7.6493	6.9627	2.3950	15.3677	6.5594	4.7861	4.0222	10.5305	4.6328	5.8977
	S	134.447	134.988	129.787	142.955	108.675	81.023	139.053	159.992	92.771	106.752	80.204	84.926	101.135	110.085	94.104
26	T	3.8176	10.2735	6.2578	4.0157	14.6066	7.6141	6.9925	2.4001	15.3246	6.3706	4.8342	4.1198	10.6078	4.6731	5.9347
	S	135.021	134.061	128.022	143.471	108.715	81.398	138.460	159.652	93.032	109.915	79.406	82.914	100.398	109.135	93.518
27	T	3.8553	10.2140	6.2116	4.0024	14.6641	7.6976	6.9665	2.3947	15.3337	6.4449	4.7602	4.1286	10.6768	4.7079	5.9689
	S	133.700	134.842	128.974	143.948	108.289	80.515	138.977	160.012	92.977	108.648	80.640	82.738	99.749	108.329	92.982
28	T	3.8542	10.2464	6.2364	4.0100	14.6097	7.6294	6.9803	2.3971	15.1908	6.3597	4.7034	4.1277	10.5268	4.6446	5.8822
	S	133.738	134.415	128.461	143.675	108.692	81.235	138.702	159.852	93.852	110.104	81.614	82.756	101.170	109.805	94.352
29	T	3.8375	10.1286	6.1569	3.9717	14.6404	7.6528	6.9876	2.4003	15.1391	6.3505	4.7388	4.0498	10.4325	4.5807	5.8518
	S	134.320	135.979	130.120	145.060	108.464	80.986	138.557	159.639	94.172	110.263	81.004	84.348	102.085	111.337	94.843
30	T	3.8204	10.2321	6.2096	4.0225	14.5680	7.6176	6.9504	2.3991	15.9577	6.6984	5.0247	4.2346	10.8582	4.8324	6.0258
	S	134.922	134.603	129.016	143.228	109.003	81.361	139.299	159.719	89.341	104.536	76.395	80.667	98.083	105.538	92.104
31	T	3.8593	10.2756	6.2476	4.0280	14.6040	7.6459	6.9581	2.3893	15.3585	6.4192	4.7768	4.1625	10.7284	4.7877	5.9407
	S	133.562	134.033	128.231	143.033	108.734	81.059	139.145	160.374	92.827	109.083	80.360	82.064	99.269	106.523	93.423
32	T	3.8210	10.1984	6.1942	4.0042	14.6350	7.6717	6.9633	2.3979	15.2661	6.4431	4.7415	4.0815	10.6009	4.6937	5.9072
	S	134.900	135.048	129.337	143.883	108.504	80.787	139.041	159.799	93.389	108.679	80.958	83.692	100.463	108.656	93.953
33	T	3.8471	10.2324	6.2337	3.9987	14.6438	7.6634	6.9804	2.3948	15.3728	6.3955	4.8245	4.1528	10.6352	4.7260	5.9092
	S	133.985	134.599	128.517	144.081	108.439	80.874	138.700	160.006	92.741	109.487	79.565	82.256	100.139	107.914	93.921
34	T	3.8228	10.2046	6.2031	4.0015	14.6137	7.6413	6.9724	2.3968	15.2398	6.3661	4.7831	4.0906	10.6071	4.6944	5.9127
	S	134.837	134.966	129.151	143.980	108.662	81.108	138.859	159.872	93.550	109.993	80.254	83.506	100.404	108.640	93.866
35	T	3.8353	10.2804	6.2181	4.0623	14.6859	7.7156	6.9703	2.3983	15.2537	6.3329	4.8335	4.0873	10.5839	4.7188	5.8651
	S	134.397	133.971	128.839	141.825	108.128	80.327	138.901	159.772	93.465	110.570	79.417	83.574	100.625	108.078	94.628
36	T	3.8393	10.3321	6.2893	4.0428	14.6784	7.7164	6.9620	2.3995	15.4599	6.4578	4.8128	4.1893	10.7843	4.8849	5.8994
	S	134.257	133.300	127.381	142.509	108.183	80.319	139.067	159.692	92.218	108.431	79.759	81.539	98.755	104.403	94.077
37	T	3.8290	10.3066	6.2571	4.0495	14.6777	7.7009	6.9768	2.3982	15.3016	6.4075	4.7788	4.1153	10.5705	4.6849	5.8856
	S	134.619	133.630	128.036	142.273	108.188	80.481	138.772	159.779	93.172	109.282	80.326	83.005	100.752	108.860	94.298
38	T	3.8300	10.2014	6.2120	3.9894	14.4521	7.6448	6.8073	2.3260	15.2125	6.4346	4.7246	4.0533	10.4976	4.6475	5.8501
	S	134.583	135.008	128.966	144.417	109.877	81.071	142.227	164.739	93.718	108.822	81.248	84.275	101.452	109.736	94.870

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 71 - Ringel, Ethan (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	7.6897	2.9688	4.7209	5.3000	4.1763	74.1093
	S	118.990	128.151	113.230	77.959	106.935	109.687
21	T	8.1352	2.9891	5.1461	5.5008	4.4352	77.5562
	S	112.474	127.281	103.874	75.113	100.692	104.812
22	T	7.7513	2.9965	4.7548	5.3780	4.1875	75.1444
	S	118.045	126.966	112.422	76.828	106.649	108.176
23	T	7.7232	2.9984	4.7248	5.3603	4.2209	74.8646
	S	118.474	126.886	113.136	77.082	105.805	108.580
24	T	7.7133	2.9800	4.7333	5.3338	4.1940	74.7512
	S	118.626	127.669	112.933	77.465	106.483	108.745
25	T	7.6830	2.9955	4.6875	5.3575	4.1672	74.1497
	S	119.094	127.009	114.036	77.122	107.168	109.627
26	T	7.6534	2.9712	4.6822	5.3442	4.1938	74.2216
	S	119.555	128.047	114.165	77.314	106.488	109.521
27	T	7.6611	2.9831	4.6780	5.3208	4.1765	74.2970
	S	119.435	127.537	114.268	77.654	106.929	109.410
28	T	7.6051	2.9651	4.6400	5.2081	4.1937	73.8319
	S	120.314	128.311	115.204	79.334	106.491	110.099
29	T	7.5220	2.9514	4.5706	5.1915	4.1890	73.4809
	S	121.643	128.906	116.953	79.588	106.610	110.625
30	T	7.8050	2.9709	4.8341	5.3007	4.1928	75.1340
	S	117.233	128.060	110.578	77.949	106.514	108.191
31	T	7.7209	2.9862	4.7347	5.3581	4.1592	74.4533
	S	118.510	127.404	112.900	77.113	107.374	109.180
32	T	7.6560	2.9611	4.6949	5.3064	4.1801	74.0618
	S	119.514	128.484	113.857	77.865	106.837	109.757
33	T	7.7397	2.9803	4.7594	5.2598	4.1727	74.2983
	S	118.222	127.656	112.314	78.555	107.027	109.408
34	T	7.6320	2.9661	4.6659	5.3197	4.1526	73.9891
	S	119.890	128.268	114.564	77.670	107.545	109.865
35	T	7.6644	2.9721	4.6923	5.3597	4.2296	74.2912
	S	119.383	128.009	113.920	77.090	105.587	109.418
36	T	7.7128	2.9644	4.7484	5.2848	4.1811	74.6722
	S	118.634	128.341	112.574	78.183	106.812	108.860
37	T	7.7445	2.9914	4.7531	5.3322	4.1509	74.3112
	S	118.148	127.183	112.462	77.488	107.589	109.389
38	T	7.6726	2.9697	4.7029	5.3301	4.1449	73.6672
	S	119.256	128.112	113.663	77.519	107.745	110.345

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 77 - Anderson, Scott

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
39	T	4.0070	11.7117	6.9245	4.7872	17.7723	9.0312	8.7411	3.1014						
	S	128.639	117.598	115.696	120.349	89.350	68.626	110.762	123.551						
Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6
1	T	7.9069	20.8701	10.1132	10.7569	19.3001	11.9184	7.3817	2.4568	18.7421	8.0062	5.7697	4.9662	12.3139	5.7411
	S	65.190	65.993	79.217	53.560	82.277	52.001	131.160	155.968	76.068	87.461	66.531	68.783	86.488	88.833
2	T	3.9628	10.8323	6.5485	4.2838	15.3114	8.1791	7.1323	2.4060	15.9033	6.5068	5.0161	4.3804	11.1746	4.8618
	S	130.073	127.145	122.339	134.492	103.711	75.775	135.746	159.261	89.647	107.615	76.526	77.982	95.305	104.899
3	T	3.9066	10.4805	6.3762	4.1043	14.9286	7.8932	7.0354	2.3915	16.3387	6.5157	5.3538	4.4692	11.0717	5.0246
	S	131.945	131.413	125.645	140.374	106.370	78.520	137.616	160.227	87.258	107.468	71.699	76.432	96.191	101.501
4	T	3.8804	10.3171	6.2143	4.1028	14.8405	7.8543	6.9862	2.3382	15.7850	6.4806	4.8976	4.4068	10.7503	4.7097
	S	132.835	133.494	128.918	140.425	107.001	78.909	138.585	163.879	90.319	108.050	78.378	77.515	99.067	108.287
5	T	3.8649	10.3407	6.2896	4.0511	15.0142	7.9153	7.0989	2.3921	16.3697	6.7690	5.2252	4.3755	40.1808	5.1788
	S	133.368	133.190	127.375	142.217	105.764	78.301	136.385	160.186	87.093	103.446	73.464	78.069	26.505	98.478
6	T				4.3034	15.1452	8.0285	7.1167	2.4317	15.7020	6.6291	4.8976	4.1753	10.7262	4.6467
	S				133.879	104.849	77.197	136.044	157.578	90.796	105.629	78.378	81.812	99.290	109.755
7	T	3.9685	10.4231	6.3424	4.0807	14.5941	7.5681	7.0260	2.4196	15.3645	6.3625	4.8426	4.1594	10.5771	4.6511
	S	129.886	132.137	126.314	141.186	108.808	81.893	137.800	158.366	92.791	110.055	79.268	82.125	100.689	109.651
8	T	3.9164	10.2678	6.2206	4.0472	14.6174	7.5745	7.0429	2.4184	15.3324	6.3271	4.8409	4.1644	10.6375	4.6863
	S	131.614	134.135	128.788	142.354	108.635	81.824	137.469	158.444	92.985	110.671	79.296	82.026	100.118	108.828
9	T	3.8757	10.1691	6.1676	4.0015	14.6576	7.6001	7.0575	2.4199	15.2209	6.3283	4.8264	4.0662	10.3816	4.5701
	S	132.997	135.437	129.894	143.980	108.337	81.548	137.185	158.346	93.666	110.650	79.534	84.007	102.585	111.595
10	T	3.8706	10.2082	6.1746	4.0336	14.6609	7.6031	7.0578	2.4185	15.2084	6.2716	4.8814	4.0554	10.5554	4.5771
	S	133.172	134.918	129.747	142.834	108.312	81.516	137.179	158.438	93.743	111.650	78.638	84.231	100.896	111.424
11	T	3.8661	10.2321	6.1891	4.0430	14.5765	7.5587	7.0178	2.4177	15.2171	6.2328	4.8461	4.1382	10.5192	4.5872
	S	133.327	134.603	129.443	142.502	108.939	81.995	137.961	158.490	93.689	112.346	79.211	82.546	101.243	111.179
12	T	3.8613	10.1080	6.1039	4.0041	14.5275	7.5111	7.0164	2.4168	15.1697	6.1963	4.8299	4.1435	10.5432	4.5856
	S	133.492	136.256	131.250	143.887	109.307	82.514	137.988	158.549	93.982	113.007	79.477	82.440	101.013	111.218
13	T	3.8600	10.1399	6.1251	4.0148	14.5662	7.5526	7.0136	2.4135	15.1228	6.1893	4.8080	4.1255	10.4811	4.5821
	S	133.537	135.827	130.796	143.503	109.016	82.061	138.043	158.766	94.274	113.135	79.839	82.800	101.611	111.303
14	T	3.8584	10.1601	6.1441	4.0160	14.5410	7.5116	7.0294	2.4186	15.1511	6.1889	4.8060	4.1562	10.5239	4.6015
	S	133.593	135.557	130.391	143.460	109.205	82.509	137.733	158.431	94.098	113.142	79.872	82.188	101.198	110.833
15	T	3.8626	10.1076	6.1092	3.9984	14.4690	7.4344	7.0346	2.4152	15.1298	6.2188	4.8448	4.0662	10.3630	4.5218
	S	133.448	136.261	131.136	144.092	109.749	83.366	137.631	158.654	94.230	112.598	79.232	84.007	102.769	112.787
16	T	3.8471	10.0671	6.0910	3.9761	14.4860	7.4722	7.0138	2.4134	15.0168	6.2023	4.7638	4.0507	10.4598	4.5345
	S	133.985	136.809	131.528	144.900	109.620	82.944	138.040	158.773	94.939	112.898	80.579	84.329	101.818	112.471
17	T	3.8545	10.1329	6.1414	3.9915	14.3802	7.3832	6.9970	2.4133	15.0247	6.2136	4.7801	4.0310	10.4130	4.5297
	S	133.728	135.921	130.448	144.341	110.426	83.944	138.371	158.779	94.889	112.693	80.305	84.741	102.276	112.590
18	T	3.7815	9.9381	6.0442	3.8939	14.3703	7.4573	6.9130	2.3557	14.9886	6.1283	4.7815	4.0788	10.4353	4.5800
	S	136.310	138.585	132.546	147.959	110.503	83.110	140.052	162.662	95.118	114.261	80.281	83.748	102.057	111.354

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 77 - Anderson, Scott

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF		
39	T								
	S								
Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	8.4093	3.0889	5.3204	5.5056	4.3595	99.8643		109.1568
	S	108.808	123.168	100.471	75.048	102.441	81.398		69.752
2	T	8.0420	3.0568	4.9852	5.3147	4.2683	77.2154		
	S	113.778	124.462	107.226	77.743	104.630	105.274		
3	T	7.9045	3.0099	4.8946	5.2016	4.3050	76.5287		
	S	115.757	126.401	109.211	79.434	103.738	106.219		
4	T	7.8577	2.9900	4.8677	5.3969	4.2545	75.4206		
	S	116.446	127.242	109.815	76.559	104.969	107.780		
5	T	9.7582	3.6832	6.0750			113.8334	46.5900	104.3535
	S	93.767	103.295	87.991			71.410	19.274	73.622
6	T	7.9386	3.0112	4.9274	5.1691	4.2744	111.0521	73.9420	
	S	115.260	126.346	108.484	79.933	104.480	73.198	102.971	
7	T	7.7685	2.9854	4.7831	5.0603	4.2190	74.3947		
	S	117.783	127.438	111.757	81.652	105.852	109.266		
8	T	7.6499	2.9870	4.6629	5.1668	4.2062	74.2128		
	S	119.609	127.370	114.638	79.969	106.174	109.534		
9	T	7.6058	2.9413	4.6645	5.1360	4.1558	73.6224		
	S	120.303	129.349	114.599	80.448	107.462	110.412		
10	T	7.5731	3.0014	4.5717	5.1611	4.1658	73.8220		
	S	120.822	126.759	116.925	80.057	107.204	110.114		
11	T	7.6345	2.9832	4.6513	5.0995	4.1543	73.7170		
	S	119.851	127.532	114.924	81.024	107.501	110.270		
12	T	7.5768	2.9926	4.5842	5.0754	4.1850	73.4637		
	S	120.763	127.132	116.606	81.409	106.712	110.651		
13	T	7.5344	2.9635	4.5709	5.0892	4.1639	73.3710		
	S	121.443	128.380	116.945	81.188	107.253	110.790		
14	T	7.6364	2.9844	4.6520	5.1287	4.1966	73.6148		
	S	119.821	127.481	114.907	80.563	106.417	110.423		
15	T	7.5215	2.9689	4.5526	5.1565	4.1452	73.1704		
	S	121.651	128.147	117.415	80.128	107.737	111.094		
16	T	7.5609	2.9886	4.5723	5.1648	4.2082	73.2241		
	S	121.017	127.302	116.910	80.000	106.124	111.013		
17	T	7.5276	2.9637	4.5639	5.2164	4.1097	73.0723		
	S	121.553	128.371	117.125	79.208	108.668	111.243		
18	T	7.5854	2.9605	4.6249	5.1786	4.1492	72.7827		
	S	120.626	128.510	115.580	79.786	107.633	111.686		

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 77 - Anderson, Scott

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
19	T	3.8585	10.1129	6.1280	3.9849	14.5027	7.5076	6.9951	2.4115	15.0539	6.1742	4.8084	4.0713	10.3519	4.5379	5.8140
	S	133.589	136.190	130.734	144.580	109.494	82.553	138.409	158.898	94.705	113.412	79.832	83.902	102.880	112.387	95.459
20	T	3.8588	10.1133	6.1101	4.0032	14.4835	7.4871	6.9964	2.4142	15.1172	6.1491	4.8415	4.1266	10.3674	4.5034	5.8640
	S	133.579	136.184	131.117	143.919	109.639	82.779	138.383	158.720	94.309	113.875	79.286	82.778	102.726	113.248	94.645
21	T	3.8480	10.0338	6.0610	3.9728	14.4585	7.4484	7.0101	2.4076	15.3418	6.3564	4.8503	4.1351	10.6444	4.6963	5.9481
	S	133.954	137.263	132.179	145.020	109.828	83.209	138.112	159.155	92.928	110.161	79.142	82.608	100.053	108.596	93.307
22	T	3.8612	10.1219	6.1257	3.9962	14.4517	7.4727	6.9790	2.4065	15.1829	6.2321	4.8235	4.1273	10.5149	4.5828	5.9321
	S	133.496	136.069	130.783	144.171	109.880	82.938	138.728	159.228	93.900	112.358	79.582	82.764	101.285	111.286	93.559
23	T	3.8963	10.3344	6.2644	4.0700	14.6024	7.6097	6.9927	2.4094	15.1797	6.2403	4.7876	4.1518	10.5495	4.5692	5.9803
	S	132.293	133.271	127.887	141.557	108.746	81.445	138.456	159.036	93.920	112.211	80.179	82.275	100.953	111.617	92.805
24	T	3.8348	10.1637	6.1544	4.0093	14.5399	7.5347	7.0052	2.4084	15.2208	6.2267	4.8301	4.1640	10.5911	4.6690	5.9221
	S	134.415	135.509	130.173	143.700	109.214	82.256	138.209	159.102	93.667	112.456	79.473	82.034	100.556	109.231	93.717
25	T	3.8483	10.2100	6.1883	4.0217	14.4309	7.4543	6.9766	2.4009	15.0697	6.1740	4.8101	4.0856	10.5278	4.5893	5.9385
	S	133.943	134.894	129.460	143.257	110.038	83.143	138.776	159.599	94.606	113.415	79.804	83.609	101.161	111.128	93.458
26	T	3.8569	10.1524	6.1740	3.9784	14.3644	7.4710	6.8934	2.3447	15.0666	6.1628	4.8074	4.0964	10.5182	4.6094	5.9088
	S	133.645	135.660	129.760	144.816	110.548	82.957	140.451	163.425	94.625	113.622	79.848	83.388	101.253	110.643	93.928
27	T	3.8714	10.2023	6.2056	3.9967	14.4732	7.4914	6.9818	2.4034	15.0238	6.1604	4.7859	4.0775	10.3933	4.5697	5.8236
	S	133.144	134.996	129.099	144.153	109.717	82.731	138.672	159.433	94.895	113.666	80.207	83.775	102.470	111.605	95.302
28	T	3.8502	10.2079	6.2005	4.0074	14.5398	7.5353	7.0045	2.3969	15.0599	6.1822	4.8012	4.0765	10.4542	4.5209	5.9333
	S	133.877	134.922	129.205	143.768	109.214	82.249	138.223	159.866	94.667	113.265	79.952	83.795	101.873	112.809	93.540
29	T	3.8654	10.1176	6.1460	3.9716	14.5286	7.5466	6.9820	2.3990	15.2605	6.2180	4.8450	4.1975	10.5036	4.6377	5.8659
	S	133.351	136.126	130.351	145.064	109.299	82.126	138.668	159.726	93.423	112.613	79.229	81.380	101.394	109.968	94.615
30	T	3.8438	10.2089	6.1977	4.0112	14.5734	7.6019	6.9715	2.3748	15.2578	6.2499	4.7905	4.2174	10.8730	4.8259	6.0471
	S	134.100	134.909	129.263	143.632	108.963	81.529	138.877	161.353	93.440	112.038	80.130	80.996	97.949	105.680	91.780
31	T	3.8346	10.4120	6.4624	3.9496	14.4685	7.5971	6.8714	2.3909	15.2270	6.2505	4.8445	4.1320	10.4268	4.5779	5.8489
	S	134.422	132.277	123.969	145.872	109.753	81.580	140.900	160.267	93.629	112.027	79.237	82.670	102.141	111.405	94.890
32	T	3.8570	10.2099	6.1999	4.0100	14.5728	7.5324	7.0404	2.4130	15.0150	6.1584	4.7919	4.0647	10.4565	4.5336	5.9229
	S	133.641	134.896	129.218	143.675	108.967	82.281	137.518	158.799	94.951	113.703	80.107	84.038	101.851	112.493	93.704
33	T	3.8491	10.1212	6.1624	3.9588	14.5626	7.5586	7.0040	2.4055	15.0592	6.1351	4.8318	4.0923	10.3910	4.5451	5.8459
	S	133.916	136.078	130.004	145.533	109.043	81.996	138.233	159.294	94.672	114.135	79.445	83.472	102.493	112.209	94.938
34	T	3.8279	10.0662	6.0872	3.9790	14.4377	7.4651	6.9726	2.4054	15.0502	6.1348	4.8145	4.1009	10.5418	4.6010	5.9408
	S	134.657	136.822	131.610	144.794	109.987	83.023	138.855	159.301	94.728	114.140	79.731	83.297	101.026	110.845	93.422
35	T	3.8416	10.1267	6.1523	3.9744	14.6034	7.6005	7.0029	2.4059	15.0526	6.1814	4.8037	4.0675	10.4724	4.5281	5.9443
	S	134.177	136.004	130.217	144.962	108.739	81.544	138.254	159.268	94.713	113.280	79.910	83.981	101.696	112.630	93.367
36	T	3.7621	10.0036	6.0749	3.9287	14.4337	7.4534	6.9803	2.4070	15.0669	6.1798	4.8401	4.0470	10.4244	4.5593	5.8651
	S	137.012	137.678	131.876	146.648	110.017	83.153	138.702	159.195	94.623	113.309	79.309	84.406	102.164	111.859	94.628
37	T	3.8181	10.1702	6.1668	4.0034	14.4380	7.4613	6.9767	2.4011	15.0857	6.1574	4.8443	4.0840	10.4483	4.5454	5.9029
	S	135.003	135.422	129.911	143.912	109.984	83.065	138.774	159.586	94.506	113.721	79.240	83.641	101.930	112.201	94.022

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 77 - Anderson, Scott

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
19	T	7.5203	2.9746	4.5457	5.1252	4.1518	73.0887			
	S	121.671	127.901	117.594	80.618	107.566	111.218			
20	T	7.5568	2.9654	4.5914	5.1646	4.1905	73.2663			
	S	121.083	128.298	116.423	80.003	106.572	110.949			
21	T	7.5478	2.9736	4.5742	5.1704	4.1810	73.6333			
	S	121.227	127.944	116.861	79.913	106.814	110.396			
22	T	8.8260	3.0923	5.7337	5.2753	4.2157	74.8561			
	S	103.671	123.033	93.229	78.324	105.935	108.592			
23	T	7.6344	3.0001	4.6343	5.2131	4.1422	73.9614			
	S	119.852	126.814	115.345	79.258	107.815	109.906			
24	T	7.6803	2.9847	4.6956	5.1687	4.2035	73.8112			
	S	119.136	127.468	113.840	79.939	106.243	110.130			
25	T	7.5903	2.9593	4.6310	5.1987	4.1583	73.4349			
	S	120.549	128.562	115.428	79.478	107.397	110.694			
26	T	7.6167	2.9785	4.6382	5.1450	4.2159	73.2808			
	S	120.131	127.734	115.248	80.307	105.930	110.927			
27	T	7.5917	2.9606	4.6311	5.1525	4.1545	73.2661			
	S	120.526	128.506	115.425	80.191	107.496	110.949			
28	T	7.6321	2.9798	4.6523	5.1095	4.2378	73.4883			
	S	119.888	127.678	114.899	80.865	105.383	110.614			
29	T	7.6209	2.9448	4.6761	5.1482	4.1640	73.6078			
	S	120.065	129.195	114.314	80.258	107.250	110.434			
30	T	7.8329	2.9589	4.8740	5.4969	4.2138	74.6753			
	S	116.815	128.580	109.673	75.166	105.983	108.855			
31	T	7.5553	2.9679	4.5874	5.0418	4.1546	73.5115			
	S	121.107	128.190	116.525	81.951	107.493	110.579			
32	T	7.7071	2.9783	4.7288	5.1192	4.2094	73.5599			
	S	118.722	127.742	113.040	80.712	106.094	110.506			
33	T	7.5313	2.9810	4.5503	5.1717	4.1275	73.2191			
	S	121.493	127.626	117.475	79.893	108.199	111.020			
34	T	7.5465	2.9641	4.5824	5.2075	4.1341	73.2173			
	S	121.248	128.354	116.652	79.344	108.026	111.023			
35	T	7.5207	2.9897	4.5310	5.1402	4.1453	73.3088			
	S	121.664	127.255	117.975	80.382	107.734	110.884			
36	T	7.5624	2.9690	4.5934	5.2050	4.1374	73.0025			
	S	120.993	128.142	116.373	79.382	107.940	111.350			
37	T	7.5923	2.9760	4.6163	5.1650	4.1784	73.2971			
	S	120.517	127.841	115.795	79.996	106.881	110.902			

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 77 - Anderson, Scott

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
38	T	3.7723	9.9991	6.0860	3.9131	14.2885	7.4419	6.8466	2.3399	14.8135	6.0344	4.7512	4.0279	10.3400	4.5210	5.8190
	S	136.642	137.740	131.636	147.233	111.135	83.282	141.411	163.760	96.242	116.039	80.793	84.806	102.998	112.807	95.377
39	T	4.1864	12.0166	7.5503	4.4663	15.1369	8.0918	7.0451								
	S	123.126	114.614	106.107	128.996	104.906	76.593	137.426								

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 77 - Anderson, Scott

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
38	T	7.4918	2.9467	4.5451	5.1230	4.1353	72.3034			
	S	122.134	129.112	117.609	80.652	107.995	112.426			
39	T									
	S									

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 8 - Rayhall, Sean (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.0586	23.8933	11.4526	12.4407	20.1927	12.5512	7.6415	2.4657	17.4515	7.2331	5.5297	4.6887	11.4794	5.0774	6.4020
	S	73.025	57.643	69.952	46.311	78.640	49.380	126.700	155.405	81.694	96.809	69.419	72.854	92.775	100.445	86.692
2	T	3.9230	10.5700	6.4619	4.1081	15.1710	8.0820	7.0890	2.4100	15.9235	6.6279	5.0099	4.2857	10.9725	4.7988	6.1737
	S	131.393	130.300	123.978	140.244	104.670	76.686	136.575	158.997	89.533	105.648	76.621	79.705	97.061	106.277	89.897
3	T	3.8680	10.3064	6.2363	4.0701	15.0942	8.0176	7.0766	2.4089	15.9922	6.4913	5.2480	4.2529	10.6464	4.6517	5.9947
	S	133.261	133.633	128.463	141.553	105.203	77.302	136.815	159.069	89.149	107.872	73.145	80.320	100.034	109.637	92.582
4	T	3.8560	10.2230	6.2184	4.0046	14.8505	7.8108	7.0397	2.4056	15.3235	6.3458	4.8424	4.1353	10.6557	4.6903	5.9654
	S	133.676	134.723	128.833	143.869	106.929	79.348	137.532	159.287	93.039	110.345	79.271	82.604	99.947	108.735	93.037
5	T	3.8329	10.1720	6.1800	3.9920	14.7041	7.8362	6.8679	2.3176	15.2473	6.2858	4.8148	4.1467	10.6960	4.6623	6.0337
	S	134.482	135.398	129.634	144.323	107.994	79.091	140.972	165.336	93.504	111.398	79.726	82.377	99.570	109.388	91.983
6	T	3.8445	11.1886	6.2275	4.9611	16.7656	8.7013	8.0643	2.8158	16.9614	7.5076	5.0994	4.3544	13.4736	5.8523	7.6213
	S	134.076	123.096	128.645	116.131	94.715	71.228	120.058	136.083	84.054	93.269	75.276	78.447	79.043	87.145	72.822
7	T	4.8189	14.5321	8.7652	5.7669	18.3238	8.8733	9.4505	3.7083	20.1043	9.2675	5.6489	5.1879	14.4540	6.5725	7.8815
	S	106.965	94.775	91.400	99.904	86.661	69.847	102.448	103.331	70.914	75.557	67.954	65.844	73.682	77.596	70.418
8	T	3.9082	10.4436	6.4061	4.0375	14.7106	7.8173	6.8933	2.3287	15.2195	6.2697	4.8621	4.0877	10.5982	4.6311	5.9671
	S	131.891	131.877	125.058	142.696	107.946	79.282	140.453	164.548	93.675	111.684	78.950	83.566	100.489	110.125	93.010
9	T	3.8310	10.1544	6.1567	3.9977	14.8035	7.7656	7.0379	2.4005	15.2553	6.2689	4.9081	4.0783	10.4844	4.6044	5.8800
	S	134.548	135.633	130.124	144.117	107.269	79.810	137.567	159.626	93.455	111.699	78.210	83.758	101.579	110.764	94.388
10	T	3.8191	10.1084	6.1200	3.9884	14.6375	7.6561	6.9814	2.3978	15.0957	6.2681	4.7545	4.0731	10.4131	4.5674	5.8457
	S	134.968	136.250	130.905	144.453	108.485	80.951	138.680	159.806	94.443	111.713	80.737	83.865	102.275	111.661	94.942
11	T	3.8038	10.1318	6.1336	3.9982	14.6026	7.6313	6.9713	2.3957	15.1504	6.2420	4.8216	4.0868	10.3775	4.4969	5.8806
	S	135.510	135.936	130.614	144.099	108.745	81.215	138.881	159.946	94.102	112.180	79.613	83.584	102.626	113.411	94.378
12	T	3.8185	10.2005	6.1896	4.0109	14.6164	7.6254	6.9910	2.3983	15.2051	6.3416	4.7949	4.0686	10.4864	4.5486	5.9378
	S	134.989	135.020	129.433	143.643	108.642	81.277	138.490	159.772	93.763	110.418	80.057	83.958	101.560	112.122	93.469
13	T	3.8135	10.2214	6.2327	3.9887	14.7157	7.6911	7.0246	2.3944	15.0430	6.2304	4.7398	4.0728	10.4875	4.6235	5.8640
	S	135.166	134.744	128.538	144.442	107.909	80.583	137.827	160.033	94.774	112.389	80.987	83.871	101.549	110.306	94.645
14	T	3.8310	10.1523	6.1777	3.9746	14.8315	7.7972	7.0343	2.4071	15.0289	6.2299	4.7899	4.0091	10.3185	4.4474	5.8711
	S	134.548	135.661	129.682	144.955	107.066	79.487	137.637	159.188	94.863	112.398	80.140	85.204	103.213	114.674	94.531
15	T	3.8021	10.0357	6.0738	3.9619	14.6171	7.6034	7.0137	2.3998	15.0345	6.2461	4.7699	4.0185	10.5356	4.6690	5.8666
	S	135.571	137.237	131.900	145.419	108.637	81.513	138.042	159.672	94.827	112.106	80.476	85.005	101.086	109.231	94.603
16	T	3.8285	10.1946	6.2100	3.9846	14.4808	7.6319	6.8489	2.3209	15.0018	6.1626	4.7735	4.0657	10.4564	4.5653	5.8911
	S	134.636	135.098	129.007	144.591	109.659	81.208	141.363	165.101	95.034	113.625	80.416	84.018	101.851	111.712	94.210
17	T	3.8100	10.1991	6.2176	3.9815	14.6211	7.6447	6.9764	2.3935	15.0289	6.1829	4.7780	4.0680	10.4483	4.5526	5.8957
	S	135.290	135.039	128.850	144.703	108.607	81.072	138.780	160.093	94.863	113.252	80.340	83.970	101.930	112.024	94.136
18	T	3.8140	10.0933	6.1231	3.9702	14.6109	7.6300	6.9809	2.4004	15.1226	6.1802	4.8532	4.0892	10.3488	4.5222	5.8266
	S	135.148	136.454	130.838	145.115	108.683	81.228	138.690	159.632	94.275	113.302	79.095	83.535	102.910	112.777	95.253
19	T	3.8105	10.1615	6.1551	4.0064	14.4690	7.6095	6.8595	2.3271	14.9797	6.1834	4.7706	4.0257	10.3866	4.5490	5.8376
	S	135.272	135.538	130.158	143.804	109.749	81.447	141.145	164.661	95.174	113.243	80.464	84.853	102.536	112.113	95.073

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 8 - Rayhall, Sean (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	8.1959	3.0348	5.1611	5.5591	4.3725	100.6687
	S	111.641	125.364	103.572	74.325	102.136	80.748
2	T	7.9606	3.0304	4.9302	5.3879	4.2923	76.6108
	S	114.941	125.546	108.423	76.687	104.045	106.105
3	T	7.7710	2.9968	4.7742	5.3151	4.1779	75.5801
	S	117.745	126.954	111.965	77.737	106.894	107.552
4	T	7.8062	2.9822	4.8240	5.2958	4.1658	74.5821
	S	117.215	127.575	110.810	78.021	107.204	108.991
5	T	7.7896	2.9697	4.8199	5.3004	4.2229	74.2828
	S	117.464	128.112	110.904	77.953	105.755	109.430
6	T	9.8352	3.6337	6.2015	6.3888	4.7978	86.0713
	S	93.033	104.702	86.196	64.673	93.082	94.443
7	T	13.2922	4.6405	8.6517	6.1548	4.3352	99.7236
	S	68.837	81.986	61.785	67.132	103.015	81.513
8	T	7.6753	2.9681	4.7072	5.2804	4.1548	74.3193
	S	119.214	128.181	113.559	78.248	107.488	109.377
9	T	7.6357	2.9459	4.6898	5.2122	4.1315	73.9085
	S	119.832	129.147	113.980	79.272	108.094	109.985
10	T	7.5559	2.9537	4.6022	5.1959	4.1088	73.3322
	S	121.097	128.806	116.150	79.521	108.691	110.849
11	T	7.6020	2.9619	4.6401	5.2036	4.1939	73.4613
	S	120.363	128.449	115.201	79.403	106.486	110.654
12	T	7.5907	2.9548	4.6359	5.2492	4.1727	73.7378
	S	120.542	128.758	115.306	78.713	107.027	110.239
13	T	7.6001	2.9447	4.6554	5.2072	4.2030	73.6858
	S	120.393	129.200	114.823	79.348	106.255	110.317
14	T	7.4773	2.9460	4.5313	5.2122	4.0980	73.3568
	S	122.370	129.143	117.967	79.272	108.978	110.812
15	T	7.6208	2.9554	4.6654	5.2636	4.1310	73.4402
	S	120.066	128.732	114.577	78.498	108.107	110.686
16	T	7.5580	2.9433	4.6147	5.2832	4.1421	73.2663
	S	121.064	129.261	115.835	78.207	107.818	110.949
17	T	7.5875	2.9583	4.6292	5.2398	4.1574	73.4856
	S	120.593	128.606	115.473	78.855	107.421	110.618
18	T	7.5833	2.9406	4.6427	5.2509	4.1143	73.3385
	S	120.660	129.380	115.137	78.688	108.546	110.839
19	T	7.5662	2.9350	4.6312	5.2661	4.1296	73.0963
	S	120.933	129.627	115.423	78.461	108.144	111.207

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 8 - Rayhall, Sean (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	3.8150	10.1331	6.1435	3.9896	14.7180	7.6866	7.0314	2.4033	15.1027	6.2730	4.7204	4.1093	10.3215	4.4896	5.8319
	S	135.113	135.918	130.404	144.410	107.892	80.630	137.694	159.440	94.399	111.626	81.320	83.126	103.183	113.596	95.166
21	T	3.8275	10.0787	6.0843	3.9944	14.5057	7.6537	6.8520	2.3267	15.3442	6.5235	4.7362	4.0845	10.4122	4.5512	5.8610
	S	134.671	136.652	131.673	144.236	109.471	80.977	141.299	164.689	92.913	107.339	81.049	83.631	102.284	112.058	94.694
22	T	3.8442	10.1401	6.1386	4.0015	14.7455	7.7188	7.0267	2.4184	15.1126	6.2463	4.8030	4.0633	10.3716	4.4837	5.8879
	S	134.086	135.824	130.508	143.980	107.691	80.294	137.786	158.444	94.337	112.103	79.922	84.067	102.684	113.745	94.261
23	T	3.8351	10.1439	6.1622	3.9817	14.7348	7.7312	7.0036	2.4147	15.0721	6.2365	4.8022	4.0334	10.4526	4.6005	5.8521
	S	134.404	135.773	130.008	144.696	107.769	80.165	138.241	158.687	94.591	112.279	79.935	84.691	101.889	110.858	94.838
24	T	3.8320	10.2021	6.1695	4.0326	14.6074	7.6074	7.0000	2.4174	15.1860	6.2232	4.7967	4.1661	10.3232	4.4706	5.8526
	S	134.513	134.999	129.854	142.870	108.709	81.470	138.312	158.510	93.881	112.519	80.027	81.993	103.166	114.079	94.830
25	T	3.8196	10.2172	6.2073	4.0099	14.4697	7.6381	6.8316	2.3333	14.9916	6.1804	4.7391	4.0721	10.3661	4.4938	5.8723
	S	134.950	134.799	129.064	143.678	109.743	81.142	141.721	164.223	95.099	113.298	80.999	83.886	102.739	113.490	94.512
26	T	3.8272	10.1017	6.1258	3.9759	14.7044	7.6824	7.0220	2.4103	15.1534	6.3289	4.7212	4.1033	10.4113	4.5155	5.8958
	S	134.682	136.341	130.781	144.907	107.992	80.674	137.878	158.977	94.083	110.640	81.306	83.248	102.293	112.944	94.135
27	T	3.8325	10.1524	6.1525	3.9999	14.7492	7.7322	7.0170	2.4117	15.0667	6.2287	4.7773	4.0607	10.3206	4.5047	5.8159
	S	134.496	135.660	130.213	144.038	107.664	80.155	137.977	158.885	94.625	112.419	80.352	84.121	103.192	113.215	95.428
28	T	3.8387	10.1696	6.1682	4.0014	14.6468	7.6627	6.9841	2.4113	15.0875	6.1953	4.8251	4.0671	10.3640	4.4860	5.8780
	S	134.278	135.430	129.882	143.984	108.416	80.882	138.627	158.911	94.494	113.026	79.556	83.989	102.760	113.687	94.420
29	T	3.8248	10.2751	6.2441	4.0310	14.5337	7.6620	6.8717	2.3311	14.9294	6.1035	4.7886	4.0373	10.3414	4.4544	5.8870
	S	134.766	134.040	128.303	142.926	109.260	80.889	140.894	164.378	95.495	114.726	80.162	84.609	102.984	114.494	94.276
30	T	3.8195	10.1645	6.1812	3.9833	14.6666	7.6672	6.9994	2.4129	15.0521	6.1879	4.8149	4.0493	10.2904	4.4935	5.7969
	S	134.953	135.498	129.609	144.638	108.270	80.834	138.324	158.806	94.716	113.161	79.724	84.358	103.495	113.497	95.741
31	T	3.8261	10.1467	6.1588	3.9879	14.6240	7.6273	6.9967	2.4084	15.0107	6.2073	4.7388	4.0646	10.3359	4.5211	5.8148
	S	134.721	135.736	130.080	144.471	108.586	81.257	138.377	159.102	94.978	112.807	81.004	84.040	103.039	112.804	95.446
32	T	3.8272	10.1665	6.1777	3.9888	14.6416	7.6573	6.9843	2.4106	15.0660	6.1955	4.8048	4.0657	10.4305	4.5563	5.8742
	S	134.682	135.472	129.682	144.439	108.455	80.939	138.623	158.957	94.629	113.022	79.892	84.018	102.104	111.933	94.481
33	T	3.8161	10.1783	6.1869	3.9914	14.6178	7.6104	7.0074	2.4151	15.0721	6.1698	4.8053	4.0970	10.2783	4.4538	5.8245
	S	135.074	135.315	129.489	144.344	108.632	81.438	138.166	158.661	94.591	113.493	79.883	83.376	103.616	114.509	95.287
34	T	3.8251	10.1962	6.1982	3.9980	14.6404	7.6328	7.0076	2.4137	15.0474	6.2076	4.7628	4.0770	10.3141	4.4629	5.8512
	S	134.756	135.077	129.253	144.106	108.464	81.199	138.162	158.753	94.746	112.802	80.596	83.785	103.257	114.275	94.852
35	T	3.8203	10.1525	6.1496	4.0029	14.3917	7.5766	6.8151	2.3283	14.8923	6.1395	4.7215	4.0313	10.4793	4.4415	6.0378
	S	134.925	135.658	130.275	143.930	110.338	81.801	142.064	164.576	95.733	114.053	81.301	84.735	101.629	114.826	91.921
36	T	3.8142	10.2023	6.1843	4.0180	14.7209	7.7127	7.0082	2.4082	15.0423	6.1888	4.7826	4.0709	10.4070	4.5376	5.8694
	S	135.141	134.996	129.544	143.389	107.871	80.357	138.150	159.115	94.778	113.144	80.263	83.910	102.335	112.394	94.558
37	T	3.8185	10.2352	6.2166	4.0186	14.5176	7.6957	6.8219	2.3323	14.8987	6.1286	4.7346	4.0355	10.4052	4.5393	5.8659
	S	134.989	134.562	128.871	143.367	109.381	80.535	141.923	164.294	95.692	114.256	81.076	84.646	102.353	112.352	94.615
38	T	3.8127	10.2042	6.2063	3.9979	14.4929	7.6776	6.8153	2.3258	14.9708	6.1352	4.7670	4.0686	10.4550	4.5323	5.9227
	S	135.194	134.971	129.084	144.110	109.568	80.725	142.060	164.753	95.231	114.133	80.525	83.958	101.865	112.526	93.707

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 8 - Rayhall, Sean (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	7.5505	2.9391	4.6114	5.1344	4.1744	73.3529
	S	121.184	129.446	115.918	80.473	106.983	110.818
21	T	7.6924	2.9491	4.7433	5.2292	4.1827	73.5993
	S	118.949	129.007	112.695	79.014	106.771	110.447
22	T	7.5427	2.9698	4.5729	5.1998	4.1446	73.5195
	S	121.309	128.108	116.894	79.461	107.752	110.567
23	T	7.5725	2.9478	4.6247	5.2151	4.1547	73.5955
	S	120.832	129.064	115.585	79.228	107.491	110.452
24	T	7.6057	2.9502	4.6555	5.1898	4.1302	73.4938
	S	120.305	128.959	114.820	79.614	108.128	110.605
25	T	7.5993	2.9483	4.6510	5.2163	4.1303	73.1434
	S	120.406	129.042	114.931	79.210	108.126	111.135
26	T	7.5524	2.9518	4.6006	5.2105	4.1673	73.5385
	S	121.154	128.889	116.190	79.298	107.166	110.538
27	T	7.5515	2.9229	4.6286	5.1981	4.1845	73.4672
	S	121.168	130.163	115.488	79.487	106.725	110.645
28	T	7.5525	2.9369	4.6156	5.2093	4.1331	73.4128
	S	121.152	129.543	115.813	79.316	108.052	110.727
29	T	7.5486	2.9434	4.6052	5.1917	4.1257	73.1015
	S	121.215	129.257	116.074	79.585	108.246	111.199
30	T	7.4939	2.9189	4.5750	5.2696	4.1359	73.3054
	S	122.099	130.342	116.841	78.409	107.979	110.890
31	T	7.5079	2.9267	4.5812	5.1959	4.1639	73.2195
	S	121.872	129.994	116.682	79.521	107.253	111.020
32	T	7.5672	2.9277	4.6395	5.2320	4.1689	73.5105
	S	120.917	129.950	115.216	78.972	107.124	110.580
33	T	7.5886	2.9497	4.6389	5.1452	4.1686	73.2801
	S	120.576	128.981	115.231	80.304	107.132	110.928
34	T	7.5406	2.9527	4.5879	5.2163	4.1267	73.3205
	S	121.343	128.850	116.512	79.210	108.220	110.867
35	T	7.6060	2.9928	4.6132	5.2233	4.1100	73.0037
	S	120.300	127.123	115.873	79.104	108.660	111.348
36	T	7.5686	2.9488	4.6198	5.2161	4.1207	73.5003
	S	120.894	129.020	115.707	79.213	108.377	110.595
37	T	7.5997	2.9501	4.6496	5.2217	4.1406	73.1695
	S	120.399	128.963	114.966	79.128	107.857	111.095
38	T	7.6711	2.9557	4.7154	5.1888	4.2972	73.4185
	S	119.279	128.719	113.362	79.630	103.926	110.719

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 8 - Rayhall, Sean (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
39	T	4.4480	14.6023	8.3843	6.2180	19.9225	9.4502	10.4723	3.9139	20.1503	9.2162	5.8956	5.0385	15.8582	7.3363	8.5219
	S	115.885	94.319	95.552	92.656	79.707	65.583	92.452	97.903	70.752	75.978	65.110	67.796	67.158	69.517	65.126

Report Support Information


Section Legend

Name	Length
SF to I1	0.143182 miles
I1 to I2	0.382576 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3	0.441098 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5	0.396023 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6	0.295833 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7	0.254167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles

Color Legend

- Fastest Lap
- Section Under Caution
- Section Under Green
- Section Time Data
- Section Speed Data

Track Map



Mid-Ohio Sports Car Course - 2.258 Miles

Revised July 30th, 2014

Event: Cooper Tires GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 13 / 14
2.258 mile(s)

Indy Lights Series
August 2, 2015



Section Data for Car 8 - Rayhall, Sean (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
39	T							
	S							

SF to PI	2.134091 miles
I7 to PI	0.114773 miles
PO to I2	0.382576 miles
PO to PI	2.008712 miles